



**Teheran University of Medical Sciences**

International campus Vice-Dean for Educational Affairs

No. 124, Baradaran-e-Mozafar St.  
Dameshgh St., Vali-e-Asr Ave.  
Tehran 3439123900 Iran.  
Tel: (+98) 21-88 89 36 78  
Web: [gsia.tums.ac.ir/en/icedu](http://gsia.tums.ac.ir/en/icedu)  
Email: [icedu@tums.ac.ir](mailto:icedu@tums.ac.ir)

**Final Exam**  
**International Campus, MD Program**  
**Anatomy of limbs**  
**February 2023 semester**

**Name and Surname:**

**Student ID Number:**

**Course Coordinator: Dr. Amidi**

**Date of Exam: July 8, 2023**

**Duration of Exam: 25 Minutes**

|              |    |
|--------------|----|
| MCQ Question | 23 |
|--------------|----|

**Directions:**

- Each of the following questions contains one correct answer only.
- Please choose the correct answer for the MCQs in the answer sheet with pencil.



**1) Which muscle does not insert in or next to the intertubercular groove of the upper humerus?**

- a) pectoralis major
- b) pectoralis minor
- c) latissimus dorsi
- d) teres major

**2) Identify the incorrect innervation:**

- a) subclavius – own nerve from the brachial plexus
- b) serratus anterior – long thoracic nerve
- c) latissimus dorsi – dorsal scapular nerve
- e) trapezius – accessory nerve

**3) Which muscle does not extend from the posterior surface of the scapula to the greater tubercle of the humerus?**

- a) teres major
- b) infraspinatus
- c) supraspinatus
- d) teres minor

**4) With regard to action, which muscle is the odd one out?**

- a) teres minor
- b) deltoid
- c) teres major
- d) subscapularis

**5) Which of the following has some nerve supply from the radial nerve?**

- a) long head of biceps
- b) coracobrachialis
- c) short head of biceps
- d) brachialis

**6) As it emerges from the axilla, the median nerve lies where with regards to the brachial artery?**

- a) lateral
- b) anterior
- c) medial
- d) posterior

**7) In the cubital fossa which of the following is lateral to the median nerve**

- a) Brachial artery
- b) Median nerve
- c) Biceps tendon
- d) Radial nerve

**8) The following nerve passes through the quadrangular space**

- a) Axillary
- b) Radial
- c) Thoracodorsal
- d) All of them

**9) The carpal tunnel contains all except:**

- a) Tendon of FDS
- b) Tendon of FDP
- c) Median n
- d) Palmaris longus tendon

**10) The suprascapular nerve arises from where on brachial plexus**

- a) Upper trunk
- b) Ventral roots C5,6
- c) Ventral division of upper trunk
- d) Dorsal division of upper trunk

**11) The nerve in closest relation to shoulder joint is**

- a) Radial
- b) Median
- c) Axillary
- d) Musculocutaneous

**12) The cubital fossa is bounded by the:**

- a) Pronator quadratus.
- b) Brachioradialis.
- c) Coracobrachialis.
- d) Biceps tendon.

**13) The constriction below the greater and lesser tuberosities of the humerus is called:**

- a) Anatomical neck.
- b) Surgical neck.
- c) Humeral shaft.
- d) Humeral ring

**14) The lesser tuberosity of the humerus gives attachment to the:**

- a) Supraspinatus.
- b) Infraspinatus.
- c) Teres minor.
- d) Subscapularis.

**15) Muscles taking origin from the radius:**

- a) Biceps.
- b) Supinator.
- c) Pronator quadratus.
- d) Flexor pollicis longus

**16) As a result of injury of the ulnar nerve at the wrist:**

- a) Marked wasting (atrophy) of the thenar eminence.
- b) The thumb cannot be abducted.
- c) The thumb cannot be adducted.
- d) Loss of sensation over the thumb

**17) The ulnar nerve supplies all of the following muscles EXCEPT:**

- a) Adductor pollicis.
- b) Flexor pollicis longus.
- c) Interossei muscles.
- d) Hypothenar muscles.



**18) The most common site of fracture of the clavicle is:**

- a) Lateral end.
- b) Midpoint of the clavicle.
- c) Junction of the medial two-thirds and the lateral third.
- d) Junction of the lateral two-thirds and the medial third.

**19) What structure passes through the anatomical snuffbox?**

- a) Radial artery
- b) Basilic vein
- c) Ulnar artery
- d) Extensor pollicis longus tendon

**20) Which of the following muscles is supplied the superficial branch of the ulnar nerve?**

- a) Flexor digiti minimi brevis
- b) Dorsal interossei
- c) Palmar interossei
- d) Palmaris brevis

**21) Posterior cord of brachial plexus supplies to which muscle -**

- a) Biceps brachii
- b) Teres major
- c) Flexor carpi ulnaris
- d) Serratus anterior

**22) Which muscle form medial boundary of axilla -**

- a) Teres major
- b) Pectoralis major
- c) Subscapularis
- d) Serratus anterior

**23) Which structure increases the depth of the shoulder ball and socket joint?**

- a) Joint capsule
- b) Coracohumeral ligament
- c) Coracoacromial ligament
- d) Glenoid labrum