



Tehran University of Medical Sciences

International campus Vice-Dean for Educational Affairs

No. 124, Baradaran-e-Mozafar St.
Dameshgh St., Vali-e-Asr Ave.
Tehran 3439123900 Iran.
Tell: (+98) 21-88 89 36 78
Web: gsia.tums.ac.ir/en/icedu
Email: icedu@tums.ac.ir

Final Exam
International Campus, MD Program
Anatomy of limbs
February 2023 semester

Name and Surname:

Student ID Number:

Course Coordinator: Dr. Amidi

Date of Exam: July 8, 2023

Duration of Exam: 25 Minutes

MCQ Question

23

Directions:

- Each of the following questions contains one correct answer only.
- Please choose the correct answer for the MCQs in the answer sheet with pencil.



Teheran University of Medical Sciences

International campus Vice-Dean for Educational Affairs

No. 124, Baradaran-e-Mozafar St.
Damesgh St., Vali-e- Asr Ave.
Tehran 3439123900 Iran.
Tell: (+98) 21-88 89 36 78
Web: gsia.tums.ac.ir/en/icedu
Email: icedu@tums.ac.ir



1) Which muscle does not insert in or next to the intertubercular groove of the upper humerus?

- a) pectoralis major
- b) pectoralis minor
- c) latissimus dorsi
- d) teres major

2) Identify the incorrect innervation:

- a) subclavius – own nerve from the brachial plexus
- b) serratus anterior – long thoracic nerve
- c) latissimus dorsi – dorsal scapular nerve
- d) trapezius – accessory nerve

3) Which muscle does not extend from the posterior surface of the scapula to the greater tubercle of the humerus?

- a) teres major
- b) infraspinatus
- c) supraspinatus
- d) teres minor

4) With regard to action, which muscle is the odd one out?

- a) teres minor
- b) deltoid
- c) teres major
- d) subscapularis

5) Which of the following has some nerve supply from the radial nerve?

- a) long head of biceps
- b) coracobrachialis
- c) short head of biceps
- d) brachialis

6) As it emerges from the axilla, the median nerve lies where with regards to the brachial artery?

- a) lateral
- b) anterior
- c) medial
- d) posterior

7) In the cubital fossa which of the following is lateral to the median nerve


- a) Brachial artery
- b) Median nerve
- c) Biceps tendon
- d) Radial nerve

8) The following nerve passes through the quadrangular space

- a) Axillary
- b) Radial
- c) Thoracodorsal
- d) All of them

9) The carpal tunnel contains all except:

- a) Tendon of FDS
- b) Tendon of FDP
- c) Median n
- d) Palmaris longus tendon



10) The suprascapular nerve arises from where on brachial plexus

- a) Upper trunk
- b) Ventral roots C5,6
- c) Ventral division of upper trunk
- d) Dorsal division of upper trunk

11) The nerve in closest relation to shoulder joint is

- a) Radial
- b) Median
- c) Axillary
- d) Musculocutaneous

12) The cubital fossa is bounded by the:

- a) Pronator quadratus.
- b) Brachioradialis.
- c) Coracobrachialis.
- d) Biceps tendon.

13) The constriction below the greater and lesser tuberosities of the humerus is called:

- a) Anatomical neck.
- b) Surgical neck.
- c) Humeral shaft.
- d) Humeral ring

14) The lesser tuberosity of the humerus gives attachment to the:

- a) Supraspinatus.
- b) Infraspinatus.
- c) Teres minor.
- d) Subscapularis.

15) Muscles taking origin from the radius:

- a) Biceps.
- b) Supinator.
- c) Pronator quadratus.
- d) Flexor pollicis longus

16) As a result of injury of the ulnar nerve at the wrist:

- a) Marked wasting (atrophy) of the thenar eminence.
- b) The thumb cannot be abducted.
- c) The thumb cannot be adducted.
- d) Loss of sensation over the thumb

17) The ulnar nerve supplies all of the following muscles EXCEPT:

- a) Adductor pollicis.
- b) Flexor pollicis longus.
- c) Interossei muscles.
- d) Hypothenar muscles.



18) The most common site of fracture of the clavicle is:

- a) Lateral end.
- b) Midpoint of the clavicle.
- c) Junction of the medial two-thirds and the lateral third.
- d) Junction of the lateral two-thirds and the medial third.

19) What structure passes through the anatomical snuffbox?

- a) Radial artery
- b) Basilic vein
- c) Ulnar artery
- d) Extensor pollicis longus tendon

20) Which of the following muscles is supplied the superficial branch of the ulnar nerve?

- a) Flexor digiti minimi brevis
- b) Dorsal interossei
- c) Palmar interossei
- d) Palmaris brevis

21) Posterior cord of brachial plexus supplies to which muscle -

- a) Biceps brachii
- b) Teres major
- c) Flexor carpi ulnaris
- d) Serratus anterior

22) Which muscle form medial boundary of axilla -

- a) Teres major
- b) Pectoralis major
- c) Subscapularis
- d) Serratus anterior

23) Which structure increases the depth of the shoulder ball and socket joint?

- a) Joint capsule
- b) Coracohumeral ligament
- c) Coracoacromial ligament
- d) Glenoid labrum

Anatomy of limbs

	151		1.1		51	2	1
	152		1.2		52	3	2
	153		1.3		53	4	3
	154		1.4		54	1	4
	155		1.5		55	4	5
	156		1.6		56	1	6
	157		1.7		57	1	7
	158		1.8		58	1	8
	159		1.9		59	4	9
	160		11.0		60	1	10
	161		111		61	3	11
	162		112		62	2	12
	163		113		63	2	13
	164		114		64	4	14
	165		115		65	4	15
	166		116		66	3	16
	167		117		67	2	17
	168		118		68	3	18
	169		119		69	1	19
	170		12.0		70	4	20
	171		121		71	2	21
	172		122		72	4	22
	173		123		73	4	23
	174		124		74		24
	175		125		75		25
	176		126		76		26
	177		127		77		27
	178		128		78		28
	179		129		79		29
	180		13.0		80		30