

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:03:14

Exit

Student's Name:



24. The general mechanism is that an enzyme acts by?

- ☐ Increasing the free energies of the reactants
- ☒ Reducing the activation energy
- ☐ Decreasing the free energies of the products
- ☐ Increasing activation energy

Next Page

Recheck Answers

Page : 24 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:03:09

Exit

Student's Name:



25. Inhibition of dihydrofolate reductase by methotrexate falls into which category of inhibition?

- ☐ Competitive inhibition
- ☐ Irreversible inhibiton
- ☐ Un-competitive e inhibition
- ☐ Non-competitive inhibition



Next Page

Recheck Answers

Page : 25 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:01:50

Exit

Student's Name:  

26. Which of the following statement is not true about the K_m (Michaelis constant)?

- ☐ Is a measure of the affinity of the enzyme for its substrate
- ☐ Has a higher numerical value when the enzyme has high affinity for its substrate
- ☐ Is the substrate concentration when the reaction rate is half of the maximum rate
- ☐ The numerical value does not vary with enzyme concentration

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:00:28

Exit

Student's Name:



27. Which statement is incorrect about allosteric enzymes?

- ☐ Display a sigmoidal dependence on substrate concentration
- ☐ Frequently catalyze the committed step early in a pathway
- ☐ Are almost always composed of multiple subunits
- ☐ An allosteric substrate functions as a negative effector



Next Page

Recheck Answers

Page : 27 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:59:41

Exit

Student's Name: 

28. Thiamine deficiency causes all except:

- ☐ Cheilosis
- ☐ Ataxia
- ☐ Nystagmus
- ☐ Ophthalmoplegia

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:59:09

Exit

Student's Name: [Redacted]

29. Vitamin which is excreted in urine is:

- ☐ Vitamin C
- ☐ Vitamin A
- ☐ Vitamin D
- ☐ Vitamin K

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:57:43

Exit

Student's Name:  

30. Deficiency of which vitamin cannot result in Dermatitis?

- ☐ Riboflavin
- ☐ Biotin
- ☐ Tocopherol
- ☐ Niacin

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:55:58

Exit

Student's Name: [Redacted]

31. Biotin act as a coenzyme for all except:

- ☐ Pyruvate to Oxaloacetate
- ☐ Acetyl CoA to Malonyl CoA
- ☐ Propionyl CoA to Methyl Malonyl CoA
- ☐ Glutamate to Gamma Carboxy Glutamate

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:55:09

Exit

Student's Name: 

32. The most biologically active form of vitamin K and the synthetic water-soluble form are, respectively:

- ☐ Menaquinone- Menadione
- ☐ Phylloquinone- Menaquinone
- ☐ Menadione- Phylloquinone
- ☐ Phytonadion- Menadione

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:53:47

Exit

Student's Name:  

33. Thiamin status can be assessed by the activation of in erythrocyte lysate.

- ☐ Aldolase
- ☐ Transaminase
- ☐ Transketolase
- ☐ Carboxylase

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:52:31

Exit

Student's Name: 



34. The chemical name of guanine is.....

- ☐ 2,4-Dioxy-5-methylpyrimidine
- ☐ 2-Amino-6-oxypurine
- ☐ 2-Oxy-4-aminopyrimidine
- ☐ 2, 4-Dioxypyrimidine

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:51:11

Exit

Student's Name: [REDACTED]



35. In RNA molecule 'Caps'.....

- ☐ Allow tRNA to be processed
- ☐ Are unique to eukaryotic mRNA
- ☐ Occurs the 3' end of tRNA
- ☐ Allow correct translation of prokaryotic mRNA

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:49:06

Exit

Student's Name: [Redacted]

36. In a DNA molecule, the guanosine content is 40%, and the adenine content will be.....

☐ 10%

☐ 20%

☐ 30%

☐ 40%

Next Page

Recheck Answers

Page : 36 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:48:22

Exit

Student's Name:



37. Translocation of the newly formed peptidyl tRNA at the A site into the empty P site involves....

- ☐ EF-II, GTP
- ☐ EF-I, GTP
- ☐ EF-I, GDP
- ☐ Peptidyl transferase, GTP

38. The binding of prokaryotic RNA polymerase to promoter sites of genes is inhibited by the antibiotic:

- ☐ PuroThemycin
- ☐ Streptomycin
- ☒ Rifamycin
- ☐ Terramycin

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:45:45

Exit

Student's Name:



39. Repressor binds to DNA sequence and regulates the transcription. This sequence is called.....

- ☐ Terminator
- ☐ Operator
- ☐ Attenuator
- ☐ Anti terminator



Next Page

Recheck Answers

Page : 39 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:45:16

Exit

Student's Name:



40. RNA primer is formed by the enzyme:

- ☐ Ribonuclease
- ☐ DNA polymerase I
- ☒ Primase
- ☐ DNA polymerase III

Next Page

Recheck Answers

Page : 40 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:44:09

Exit

Student's Name:



41. Reverse transcriptase activity is present in the eukaryotic:

- ☐ DNA polymerase α
- ☐ DNA polymerase γ
- ☐ Telomerase
- ☐ DNA polymerase II

Next Page

Recheck Answers

Page : 41 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:42:51

Exit

Student's Name:



42. The initiation site for transcription is recognized by.....

- ☐ α -Subunit of DNA-dependent RNA polymerase
- ☐ β -Subunit of DNA-dependent RNA polymerase
- ☐ Rho factor
- ☐ Sigma factor

Next Page

Recheck Answers

Page : 42 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:42:14

Exit

Student's Name:



43. Novobycin inhibits the synthesis of

- ☐ DNA
- ☐ tRNA
- ☐ mRNA
- ☐ rRNA

Next Page

Recheck Answers

Page : 43 from 80

End of the Exam

44. The first aminoacyl tRNA which initiates translation in prokaryotes is

- ☐ Methionyl tRNA
- ☐ Formylmethionyl tRNA
- ☐ Tyrosinyl tRNA
- ☐ Alanine tRNA

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:33:23

Exit

Student's Name:



52. A vitamin derived from amino acid is:

- ☐ Biotin
- ☐ Niacin
- ☐ Folic acid
- ☐ Pantothenic acid

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:32:20

Exit

Student's Name: [Redacted]

53. Which of the following is produced with the combination of apoenzyme and coenzyme:

- ☐ Enzyme substrate complex
- ☐ Prosthetic group
- ☐ Enzyme substrate complex
- ☐ Holoenzyme

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:31:29

Exit

Student's Name:



54. All statements are true regarding carbohydrates with the exception of:

- ☐ Galactose and glucose are epimers of each other
- ☐ Amino sugars can be found in the structure of erythromycin.
- ☐ N-glycosidic bonds can be found in the structure of ATP.
- ☐ Amylose is a branched polysaccharide

Next Page

Recheck Answers

Page : 54 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:30:58

Exit

Student's Name:



54. All statements are true regarding carbohydrates with the exception of:

- ☐ Galactose and glucose are epimers of each other
- ☐ Amino sugars can be found in the structure of erythromycin.
- ☐ N-glycosidic bonds can be found in the structure of ATP.
- ☐ Amylose is a branched polysaccharide

Next Page

Recheck Answers

Page : 54 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:29:45

Exit

Student's Name:



55. Which statement is true about heparin:

- ☐ Heparin is a phosphorylated aglycon
- ☐ Heparin is a proteoglycan
- ☐ It can be used for the storage and process of blood products
- ☐ It is a storage polysaccharide

Next Page

Recheck Answers

Page : 55 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 00:29:19

Exit

Student's Name:



56. Which statement is true about buffers:

- ☐ Buffers are mixtures of strong acids and their conjugate base.
- ☐ Buffers tend to resist changes in pH when large amounts of acid or base are added
- ☐ The Henderson-Hasselbalch equation is important for understanding buffering system
- ☐ Hemoglobin can act a urine buffer

Next Page

Recheck Answers

Page : 56 from 80

End of the Exam

57. In which pH, a hypothetical aqueous solution can act as an effective buffer?

- ☐ pH= $pK_a \pm 1$.
- ☐ pH= $pK_a \pm 2$.
- ☐ pH= $K_a \pm 2$.
- ☐ pH= $K_a \pm 1$.

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:27:14

Exit

Student's Name:



58. The intracellular fluid contains

- ☐ large amounts of phosphate ions
- ☐ large amounts of chloride ions
- ☐ large amounts of bicarbonate ions
- ☐ large amounts of fatty acids

Next Page

Recheck Answers

Page : 58 from 80

End of the Exam

Name of the Exam: **Cells and molecules**Lesson Name: **Cell Physiology**Time left: **00:26:21**

Exit

Student's Name:

**59. Which of the following is the most correct option regarding the membrane carbohydrates?**

- ☐ Most of the membrane lipids are glycolipids, and about one-tenth of the integral proteins are glycoprotein.
- ☐ The glyco-portions of these molecules almost invariably protrude to the inside of the cell, dangling inward from the cell surface.
- ☐ The entire outside surface of the cell often has a loose carbohydrate coat called the glycocalyx.
- ☐ Many of them have a positive electrical charge, which gives most cells an overall positive surface charge that repels other positively charged objects.

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:25:24

Exit

Student's Name:



60. According to the Fick's law of diffusion, which factor has a negative impact on diffusion rate?

- ☐ Surface area of membrane
- ☐ Molecular weight
- ☐ Lipid solubility
- ☐ Chemical gradient of substance

Next Page


Recheck Answers

Page : 60 from 80

End of the Exam



62. According to the figure, which letter shows a transport mechanism in which ATP is required?

☐ A☐ B☐ C☐ D

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:22:23



Exit

Student's Name:



63. SGLT1 is considered to transport the molecules and ions based on a mechanism.

- ☐ simple diffusion
- ☐ facilitated diffusion
- ☐ primary active transport
- ☐ secondary active transport



Next Page

Recheck Answers

Page : 63 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:21:31



Exit

Student's Name:



64. Which factor is not taken into account in Goldman equation?

- ☐ Mass of ions
- ☐ Concentration gradient
- ☐ Membrane permeability to ions
- ☐ Charge of ions

Next Page

Recheck Answers

Page : 64 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:20:51

Exit

Student's Name:



65. Supposing the existence of electro-chemical gradient and membrane permeability just to K ions, membrane potential would be

- ☐ equal to the Nernst potential for K ions
- ☐ more negative than the nernst potential for K ions
- ☐ more positive than the nernst potential for K ions
- ☐ Something is missing and it can not be guessed.

Next Page

Recheck Answers

Page : 65 from 80


End of the Exam

66. Supposing the lack of Na-K pump in the membrane, what would happen to the electro-chemical gradients for Na and K ions?

- ☐ Nothing can change the electro-chemical gradients for Na and K ions.
- ☐ Over time, the gradients begin to disappear.
- ☐ This pump plays no role in determination of the electro-chemical gradients for Na and K ions.
- ☐ The passage of these ions through the membrane leak channels is enough to maintain the gradients.



67.



What does this figure show?

- ☐ Measuring the membrane permeability
- ☐ Measuring the membrane potential
- ☐ Measuring the membrane conductance
- ☐ Measuring the membrane resistance to ions





68. What is the main message of this figure?



- ☐ Point by point propagation of an action potential along the nerve fiber
- ☐ The flow of electrical current along the nerve fiber
- ☐ Saltatory conduction along a myelinated axon
- ☐ Conserving energy for the axon

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:18:12

Exit

Student's Name:



69. In which phase of an action potential, membrane permeability to Na ions stops and the membrane becomes permeable to K ions?

- ☐ Depolarization phase
- ☐ Repolarization phase
- ☐ Hyperpolarization phase
- ☐ Local potential

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:17:29

Exit

Student's Name:



70. Repetitive self-induced discharges in the heart

- ☐ causes the rhythmical beat of the heart
- ☐ greatly prolongs the period of depolarization phase
- ☐ causes contraction of heart muscle to last for a long period
- ☐ These discharges are not seen in the heart



Next Page

Recheck Answers

Page : 70 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Cell Physiology

Time left: 00:16:18

Exit

Student's Name: [REDACTED]

71. A new action potential cannot occur in an excitable fiber as long as the membrane is still depolarized from the preceding action potential. Why?

- ☐ Because of opening of voltage gated K channels
- ☐ Because of inactivation of voltage gated Na channels
- ☐ Because leak channels remain open and prevent the cell from a new action potential.
- ☐ Because of high level of Na-K pump activity

72. Oligosaccharide chains that extend outward from the cell surface and contribute to a delicate cell surface coating called the:

- ☐ multiadhesive glycoproteins
- ☐ glycocalyx
- ☐ basal lamina
- ☐ glycosaminoglycans

Name of the Exam: Cells and molecules

Lesson Name: Histology

Time left: 00:15:01

Student's Name: [REDACTED]

Exit

73. Genetic disorders of intermediate filaments is most observed in which of the following structures?

- ☐ Cell Membrane
- ☐ Proteasome
- ☐ Nucleous
- ☐ Glycogen

74. Pale, large and centrally located nucleus in the cell shows:

- ☐ This cell is active in protein synthesis
- ☐ This cell starts apoptosis
- ☐ This cell will differentiate
- ☐ This cell is dead

Name of the Exam: Cells and molecules

Lesson Name: Histology

Time left: 00:13:44

Student's Name:

Exit

75. Synthesis of which organelle is occurred in the nucleolus?

- ☐ Peroxisome
- ☐ Proteasom
- ☐ RER
- ☐ Ribosome

76. If a protein is produced in a cell with badfolding or oxidized, which of the following structures do not play a role in its removal?

- ☐ chaperones
- ☐ lysosome
- ☐ ubiquitin
- ☐ proteasome

77. What is the Lipid Raft structure and located in which part of the cell membrane?

- ☐ Saturated fatty acids- Integral proteins sides
- ☐ Unsaturated fatty acids- Peripheral proteins sides
- ☐ Cholesterol- Cytoplasmic side
- ☐ Cholesterol and Unsaturated fatty acids- Extracellular side



78. In which of the following cases the protein not related to the relevant organelle?

- ☐ Proteasome - Ubiquitin
- ☐ Peroxisome-catalase
- ☐ RER - Clatrin
- ☐ Mitochondria-Purine

79. Which of the following terms is applied to the smallest chromosome subunit in eukaryotic cells?

- ☒ Chromosome
- ☐ Euchromatin
- ☐ heterochromatin
- ☐ Nucleosome

Name of the Exam: Cells and molecules

Lesson Name: Histology

Time left: 00:09:40

Student's Name:

Exit

80. The inner mitochondrial membrane contains many folds called:

- ☐ matrix
- ☐ ATPase particles
- ☒ cristae
- ☐ lamina

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:19:20

Exit

Student's Name: [Redacted]



2. Which type of interaction mostly form between charged groups of biomolecules?

☐ Hydrophobic Interactions

☐ Salt bridges

☐ van der Waals Forces

☐ Hydrogen bonds

Next Page

Recheck Answers

Page : 2 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:18:29

Exit

Student's Name:  

3. Which of the following acid/base pairs cannot act as natural buffers in living systems?

- ☐ $\text{H}_2\text{CO}_3/\text{HCO}_3^-$
- ☐ $\text{H}_2\text{PO}_4^-/\text{HPO}_4^{2-}$
- ☐ Histidine⁺/histidine
- ☐ Glutamate⁻/Glutamic acid

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:18:04

Exit

Student's Name: [REDACTED]

3. Which of the following acid/base pairs cannot act as natural buffers in living systems?

- ☐ $\text{H}_2\text{CO}_3/\text{HCO}_3^-$
- ☐ $\text{H}_2\text{PO}_4^-/\text{HPO}_4^{2-}$
- ☐ Histidine⁺/histidine
- ☐ Glutamate⁻/Glutamic acid

Next Page

Recheck Answers

Page : 3 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:17:35

Exit

Student's Name: [Redacted]



4. Which monosaccharide **cannot** form D and L isomerism?

- ☐ Dihydroxyacetone
- ☐ Galactose
- ☐ Fructose
- ☐ Glyceraldehyde

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:17:09

Exit

Student's Name: 



5. Which carbohydrate can be excreted in the urine in poorly controlled diabetes mellitus?

- ☐ Mannose
- ☐ Galactose
- ☐ Ribose
- ☐ Glucose

Next Page

Recheck Answers

Page : 5 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:16:32

Exit

Student's Name: [REDACTED]



6. Which structure is a derivative of monosaccharide and can be found in the structure of DNA

- ☐ Fucose
- ☐ Mannose
- ☐ Deoxyribose
- ☐ Deoxyglucose

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:16:07

Exit

Student's Name: [Redacted]



7. Which derivative of monosaccharide is implicated in cataract formation?

- ☐ Phosphate esters of glucose
- ☐ gluconic acid
- ☐ Sorbitol
- ☐ glucaric acid

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:15:02

Exit

Student's Name:



8. Which carbohydrate is used to determine the glomerular filtration rate?

- ☐ Inulin
- ☐ Dextrin
- ☐ Chondroitin sulfate
- ☐ Uronic acids

Next Page

Recheck Answers

Page : 8 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:13:49

Exit

Student's Name: [Redacted]

9. Which structure is a heteropolysaccharide and acts as a lubricant?

☐ Hyaluronic acid

☐ Dextrin

☐ Glycogen

☐ Heparin

Next Page

Recheck Answers

Page : 9 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:12:54

Exit

Student's Name: [Redacted]

10. Phospholipid acting as surfactant is.....

- ☐ Cephalin
- ☐ Phosphatidyl inositol
- ☐ Lecithin
- ☐ Phosphatidyl serine

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:12:23

Exit

Student's Name:



11. Dietary fats after absorption appear in the circulation as

- ☐ HDL
- ☐ VLDL
- ☐ LDL
- ☐ Chylomicron

Next Page

Recheck Answers

Page : 11 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:11:48

Exit

Student's Name: [Redacted]



12. All the following have 18 carbon atoms except:

- ☐ Linoleic acid
- ☐ Linolenic acid
- ☐ Arachidonic acid
- ☐ Stearic acid

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:11:26

Exit

Student's Name: 

13. HDL is synthesized in....

- ☐ Adipose tissue
- ☒ Liver and intestine
- ☐ Intestine
- ☐ Liver

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:11:04

Exit

Student's Name:



14. Sphingosine is synthesized from

- ☐ Palmitoyl CoA and Choline
- ☐ linoleiyl CoA and ethanolamine
- ☒ Acetyl CoA and choline
- ☐ Palmitoyl CoA and serine

Next Page

Recheck Answers

Page : 14 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:10:28

Exit

Student's Name:



15. Which of the following fatty acid has the lower melting point?

- ☐ Palmitic acid
- ☐ Stearic acid
- ☐ Arachidonic acid
- ☐ Eicosapentaenoic acid

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:10:08

Exit

Student's Name:



16. Amino acids that exists in two non-superimposable mirror images of each other are called ...

- ☐ Epimer
- ☐ Anomer
- ☐ Enantiomer
- ☐ Chiral carbon

Next Page

Recheck Answers

Page : 16 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:09:35

Exit

Student's Name: 



17. Which of the following amino acid will be absent in alpha helix structure?

- ☐ Glycine
- ☐ Proline
- ☐ Serine
- ☐ Threonine



Name of the Exam: Cells and molecules Lesson Name: Biochemistry Time left: 01:08:34

Exit

Student's Name: [Redacted]

18. How is the secondary structure of a protein stabilized?

- ☐ Wan der wall forces
- ☐ Hydrogen bond
- ☐ Hydrophobic bond
- ☐ Covalent bond

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:07:14

Exit

Student's Name:



19. Identify the incorrect statements regarding hemoglobin from the following options:

- ☐ The T conformation is the low-oxygen-affinity form of hemoglobin
- ☐ The shape of oxygen-dissociation curve is sigmoidal
- ☐ Be composed of two identical dimers ; $(\alpha\beta)_1$ and $(\alpha\beta)_2$
- ☐ The T conformation is the high-oxygen-affinity form of hemoglobin



Next Page

Recheck Answers

Page : 19 from 80

End of the Exam

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:05:19

Exit

Student's Name: 

20. Which of the following proteins is defective in Ehlers -Danlos syndrome?

- ☐ Myoglobin
- ☒ Elastase
- ☐ Collagen
- ☐ Hemoglobin

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:04:51

Exit

Student's Name: 

21. Which of the following correctly describes the Bohr effect?

- ☐ Effect of temprature on the binding and release of oxygen by hemoglobin
- ☐ Effect of 2,3-BPG on the binding and release of oxygen by hemoglobin
- ☐ Effect of Carbon monoxide on the binding and release of oxygen by hemoglobin
- ☐ Effect of pH and CO₂ concentration on the binding and release of oxygen by hemoglobin

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:04:22

Exit

Student's Name:



22. Which of the following reactions is catalyzed by hydrolase?

- ☐ Cleavage of bonds by addition of water
- ☐ Intramolecular rearrangement of bonds
- ☐ Transfer of group from one molecule to another
- ☒ Cleavage of C-C and C-S bonds

Name of the Exam: Cells and molecules

Lesson Name: Biochemistry

Time left: 01:03:27

Exit

Student's Name: 

23. In non-competitive inhibition, what happens to V_{max} and K_m ?

☐ K_m increased but V_{max} is constant

☐ K_m increased but V_{max} decreased

☒ V_{max} decreased but K_m is constant

☐ V_{max} decreased but K_m increased