

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:02:07

زمان مانده:

practical cell14011

عنوان آزمون:

30.

Which of the following confirmed values meets the diagnostic threshold for diabetes?

☐ fasting blood glucose < 140 mg/dl

☐ 2 hour post prandial glucose ≥ to 126 mg/dl

☐ fasting blood glucose ≥ 126 mg/dl

☐ random glucose > 160 mg/dl

اتمام آزمون

صفحه 30 از 33

مرور پاسخ ها

صفحه بعدی

31. What kind of method is used to measure hemoglobin A2 ?

- ☐ Affinity ChChromatographyChroromatography
- ☐ Anion Exchange Choromatography
- ☐ Size exclusion chromatography
- ☐ Column adsorption chromatography

32. Establishing a quality control system includes all of the following except:

- ☒ Controlling
- ☐ Directing
- ☐ Calibration
- ☐ Planning

←→↻exam.tums.ac.ir

🔑🔗☆🔧📺T⋮

خروج

نام آزمون دهنده:

00:01:18

زمان مانده:

practical cell14011

عنوان آزمون:

33. Which of the following is not the thyroid hormone-binding proteins in the plasma?

☐ Transthyretin

☐ Albumin

☒ Transferrin

☐ Thyroid binding globulin

اتمام آزمون

صفحه 33 : از 33

مرور پاسخ ها

صفحه بعدی

28. For measurement of which of the following tests we don't need fasting?

☐ HbA1c

☒ LDL

☐ FBS

☐ TG

اتمام آزمون

صفحه 28 از 33

مرور پاسخ ها

صفحه بعدی

اتمام آزمون

صفحه : 23 از 33

مرور پاسخ ها

صفحه بعدی

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:34:28

زمان مانده:

practical cell14011

عنوان آزمون:

1. Which of the following cannot be used to the make conjugate pad in immunochromatography assay:

☐ Glass fiber

☐ Agarose

☐ Cellulose

☐ Polyester

اتمام آزمون

صفحه : 1 از 33

مرور پاسخ ها

صفحه بعدی

2. In HDL Measurement, which of the following enzymes is not used?

- ☐ Cholesterol Esterase (CHE)
- ☐ Lipoprotein Lipase (LPL)
- ☐ Catalase
- ☐ Cholesterol Oxidase (CHO)

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:26:54

زمان مانده:

practical cell14011

عنوان آزمون:

3.

The rate of LDL per HDL is very important to the diagnosis of Atherosclerosis diseases, the best value for LDL/HDL ratio is less than....

2

4

5

3

اتمام آزمون

صفحه 3 از 33

مرور پاسخ ها

صفحه بعدی

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:24:58

زمان مانده:

practical cell14011

عنوان آزمون:

4. In a titration experiment how do we know the end point has reached?

☐ With a base

☐ Measuring pH

☐ Using indicators

☐ With an acid

اتمام آزمون

صفحه 4 از 33

مرور پاسخ ها

صفحه بعدی

exam.tums.ac.ir

🔑

🔗

☆

⚙️

📺

T

⋮

خروج

👤

نام آزمون دهنده:

🕒

00:24:46

زمان مانده:

⌵

practical cell14011

عنوان آزمون:

5. In DNA extraction why soap solution is used?

☐ To find the amount of DNA

☐ To break the cell membrane

☐ To decrease the heat

☐ To make the saliva watery

اتمام آزمون

صفحه 5 از 33

مرور پاسخ ها

صفحه بعدی

6. Which of the following is a set of regulatory standards for clinical and medical labs that were created to help to make sure labs maintain quality assurance?

- ☐ Clinical lab improvement amendments (CLIA)
- ☐ Procedure Manual
- ☐ Standard operating procedures (SOPs)
- ☐ Health Insurance Portability and Accountability Act (HIPPA)

7. Which of the following is correct about "the effect of temperature on reaction rate" experiment:

- ☐ Renin has a maximum activity at 37° C.
- ☐ Renin has a maximum activity at 80° C.
- ☐ Renin activity is constant at the different temperature.
- ☐ At the lower temperatures, the rate of reaction will be increased.

8. The product of urease reaction is and for detection of this product we use.....

- ☐ NH_3 , phenol red
- ☐ H_2O , phenolphthalein
- ☒ CO_2 , phenolphthalein
- ☐ H_2O , phenol red

10. What is the Qualitative test for protein detection?

- ☐ Hopkin's Cole
- ☐ Ninhydrin
- ☐ Urease
- ☐ Biuret

11. Which of the following is correct about valid and positive result for HIV rapid test:

- ☐ No colored line in control line and no colored line in test line
- ☐ No colored line in control line and colored line in test line
- ☐ Colored line in control line and no colored line in test line
- ☐ Colored line in control line and colored line in test line

12. If an amino acid solution has a positive result for the Hopkins-cole test, so it contains:

- ☐ Hydroxyl
- ☐ Imidazole
- ☐ Indole
- ☐ Sulfhydryl

13. Which of the following metal ion is regarded as a constituent metal ion for alkaline phosphatase:

- ☐ Mg^{2+}
- ☐ Mn^{2+}
- ☐ Co^{2+}
- ☐ Zn^{2+}

15. Which test is specific for detection of ketoses in a solution?

- ☐ Benedict's Test
- ☐ Seliwanoff's Test
- ☐ Fehling's Test
- ☐ Barfoed's test

16. In DNA extraction where does the DNA in saliva come from?

- ☐ cells in the cheeks
- ☐ lung secretions
- ☐ nose secretions
- ☐ sputu

17. Flame Photometry is for determining:

- ☐ Concentration of metal ions
- ☐ Concentration of liquids
- ☐ Concentration of organic solutions
- ☐ Concentration of colored solutions

18. In titration when do we add the indicators?

- ☐ In the beginning of titration
- ☐ In the end of titration
- ☐ In the middle of titration
- ☐ Sometimes it is added

19. If we add trichloro acetic acid to an unknown solution, we will observe a precipitation so:

- ☐ The solution is cholesterol
- ☒ The solution is protein
- ☐ The solution is amino acid
- ☐ The solution is carbohydrate

20. In size exclusion chromatography, the stationary phase is.....

- ☐ adsorbents
- ☐ porous matrix
- ☐ cation exchange resin
- ☒ silica gel

21. Which of the following samples is suitable for measuring LDL?

- ☐ Whole Blood
- ☐ Urine
- ☐ Stool
- ☐ Serum

22. In chromatography, which of the following can the mobile phase be made of?

- ☐ Liquid only
- ☐ Solid or liquid
- ☐ Gas only
- ☐ Liquid or gas

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:07:12

زمان مانده:

practical cell14011

عنوان آزمون:

24.

The phenomenon by which part of the analyte present in a sample appears to be present in the next or following samples in the same analytic process known as

Cary over

Precision

Analytical sensitivity

Analytical specificity

اتمام آزمون

صفحه : 24 از 33

مرور پاسخ ها

صفحه بعدی

25. All of the following methods are used for FBS measurement, Except:

- ☐ Chemical method
- ☐ Fluorometric method
- ☐ Oxidoreduction method
- ☐ Enzymatic method

exam.tums.ac.ir

خروج

نام آزمون دهنده:

00:04:46

زمان مانده:

practical cell14011

عنوان آزمون:

26.

Which of the following disorders would typically result in decrease of alkaline phosphatase level in plasma:

☐ Rickets

☐ Paget's disease

☐ Bone cancer

☐ Celiac disease

اتمام آزمون

صفحه : 26 از 33

مرور پاسخ ها

صفحه بعدی

27. Which of the following is correct about ELISA?

- ☐ In a sandwich immunoassay, unlabeled analyte in a sample competes with labelled analyte to bind an antibody.
- ☐ The sandwich immunoassay is applicable to antigens with at least two antigenic sites at an appropriate distance.
- ☐ In the sandwich immunoassay, the amount of optical density (OD) is indirectly proportional to the concentration of the analyte.
- ☐ The dose-response curve will be inverse (descending curve) in noncompetitive immunoassays.

29. In the presence of concentrated sulfuric acid, carbohydrates lose and form.....?

- ☐ H₂O, furfural
- ☐ H₂O, diazine
- ☐ CO₂, diazine
- ☐ O₂, furfural