

forearm?



- ☐ A) Galeazzi's fracture
- ☐ B) Colles' fracture
- ☐ C) Smith fracture
- ☐ D) Monteggia's fracture

**2. Superior and inferior radioulnar joints are classified as**

- ☐ A)Hinge joints
- ☐ B)Synchondrosis joints
- ☐ C)Pivot joints
- ☐ D)Syndesmosis joints

### 3. Anatomical snuff box:

- ☐ A) has EPL on its ulnar side
- ☐ B) has the trapezoid palpable at its base
- ☐ C) is most obvious with the thumb fully abducted
- ☐ D) contains the post interosseous artery

**4. What is it?**



- ☐ A) **Typical cervical vetebtrate**
- ☐ B) **Typical lumbar vertebrate**
- ☐ C) **Atypical Cervial Vertebrte**
- ☐ D) **Typical thoracic Vertebrate**

**5.** Injury to the ulnar nerve will cause paralysis of all of the following except

- ☐ A) Medial half FDP
- ☐ B) Flex. Carpi Ulnaris
- ☐ C) Abductor Policis bervis
- ☐ D) Adductor pollicis

**6.** The branch from the trunk of the brachial plexus is

- ☐ A) Nerve to subclavius
- ☐ B) Dorsal scapular
- ☐ C) Long thoracic
- ☐ D) Subscapular

**7.** the musculocutaneous nerve

☐ A) Supplies brachioradialis

☐ B) Arises from the lateral cord of the brachial plexus

☐ C) Terminates as the posterior interosseous n

☐ D) Supplies all of brachialis

**8. Nerve supply to palmaris brevis**

- ☐ A) Palmar branch of median
- ☐ B) Deep branch ulnar
- ☐ C) Superficial branch of ulnar
- ☐ D) Recurrent branch of median

**10. Sup. Ulnar collateral artery usually accompany with....**

- ☐ A) Ulnar nerve
- ☐ B) Axillary nerve
- ☐ C) Radial nerve
- ☐ D) Median nerve

**13.** "The palmar metacarpal" and "indicis radialis" branches originate from .... Arteries, respectively?



A) Superficial palmar arch, First Dorsal metacarpal artery



B) Deep palmar arch , radial artery



C) Radial artery , Deep palmar arch



D) First Dorsal metacarpal artery, Radial artery

**14.** Median n

- ☐ A) Supplies all of FDP
- ☒ B) Supplies pronator teres
- ☐ C) Passes under pronator teres
- ☐ D) Supplies biceps brachii

**15.** Which is not a branch of the axillary artery

- ☐ A) Post. circumflex humeral
- ☐ B) Sup thoracic
- ☐ C) Med thoracic
- ☐ D) Throcoacromial

**16.** Which muscle initiates shoulder abduction

- ☐ A) Centre fibers of the deltoid
- ☐ B) Supraspinatus
- ☐ C) Anterior and posterior fibres of deltoid
- ☐ D) Teres minor

**17.** Which of the following is located inside the vertebral canal in the Cervical region of the Vertebral Column?

- ☐ A) **Posterior longitudinal ligament**
- ☐ B) **Apical ligament**
- ☐ C) **Anterior longitudinal ligament**
- ☐ D) **Tectorial membrane**

**21.** The flexor retinaculum attaches to all the following except

- ☐ A) hamate
- ☐ B) capitate
- ☐ C) trapezium
- ☐ D) scaphoid

**22.** Which of the following is a branch of the posterior cord of the brachial plexus

- ☐ A) Thoracodorsal n
- ☐ B) Musculocutaneous n
- ☐ C) Long thoracic n
- ☐ D) Dorsal scapular n

**24.** With regards to the biceps brachii:

- ☐ A) the short head arises from the acromium
- ☐ B) supinates forearm
- ☐ C) supplied by median n
- ☐ D) the long head arises from the greater tuberosity

**25.** Which artery anastomose with the Middle collateral artery

- ☐ A) Ulnar recurrent artery
- ☐ B) Brachial Artery
- ☐ C) Radial recurrent Artery
- ☐ D) Interosseous recurrent artery

**26.** The Posterior interosseous nerve can pass through all of following muscles

- ☐ A) First dorsal interosseous muscle
- ☐ B) Supinator
- ☐ C) Coracobrachialis
- ☐ D) Pronator teres

**12.** The following nerve passes through the quadrangular space

- ☐ A) Radial
- ☐ B) Axillary
- ☐ C) Suprascapular
- ☐ D) Thoracodorsal

**13.** "The palmar metacarpal" and "indicial radialis" branches originate from .... Arteries, respectively?

- ☐ A) Superficial palmar arch, First Dorsal metacarpal artery
- ☐ B) Deep palmar arch, radial artery

**18.** The rotator cuff is formed by all of the below except:

- ☒ A) teres major
- ☐ B) supraspinatus
- ☐ C) infraspinatus
- ☐ D) subscapularis

**19.** Lumbricals:

- ☐ A) Oppose action of interossei
- ☐ B) Arise from FDS
- ☐ C) Aid flexion of terminal phalanx
- ☐ D) Are all supplied by ulnar n

**20. Which doesn't pierce the clavipectoral fascia**

- ☐ A) lat pectoral n
- ☐ B) thoracoacromial a
- ☒ C) med pectoral n
- ☐ D) cephalic vein

**23.** The skin of the tip of the index finger is supplied by

- ☐ A) The radial and median nerves
- ☐ B) The ulnar nerve only
- ☐ C) The median nerve only
- ☐ D) The radial nerve only

**9. Which does hiatal hernia occur?**



- ☐ A) **Foramen of Morgani**
- ☐ B) **Foramen of Bochdalek**
- ☐ C) **Foramen of Esophagus**
- ☐ D) **Foramen of Aorta**

**28.** What is the motor nerve of the diaphragm and how does it reach the diaphragm?

- ☐ A) **Phrenic nerve by aorta foramen at T=12**
- ☐ B) **Vagus nerve by Esophagus foramen at T=10**
- ☐ C) **Phrenic nerve by IVC foramen at T=8**
- ☐ D) **Vagus nerve by IVC foramen at T=10**

**27.** Short spinous process, triangular vertebral canal, and body kidney-shaped, which is limited to Vertebral Column?

☐ A) **Thoracic**

☐ B) **Cervical**

☐ C) **Lumbar**

☐ D) **Sacral**