

✓ 1) The primary sugar in the fruit is:

- a) Glucose
- ✓ b) Fructose

- c) Sucrose
- d) Maltose

✓ 2- Raffinose which is found in sugar beets is a

- a) disaccharide
- b) polysaccharide

- c) monosaccharide
- ✓ d) trisaccharide

✓ 3- Which vitamin deficiency is the most significant cause of blindness?

- a) Vitamin (D)
- b) Vitamin (K)

- c) Vitamin (C)
- ✓ d) Vitamin (A)

✓ 4- Which vitamin is used to absorb calcium and phosphorus to create bone?

- ✓ a) Vitamin D
- b) Vitamin E

- c) Vitamin B9
- d) Vitamin B6

✓ 5- Which vitamin is the most important lipid soluble antioxidant in the cell?

- ✓ a) Vitamin (E)
- b) Vitamin (D)

- c) Vitamin (A)
- d) Vitamin (K)

6- Hemorrhagic disease in the newborn is treated by intramuscularly administration of:

- a) Vitamin K1 or phylloquinone
- b) Vitamin K2 or menaquinone
- ✓ c) Vitamin K3 or menadione
- d) Vitamin D3 or cholecalciferol

✓ 7- Tryptophan can be converted to which vitamin?

- a) B1
- b) B6

- c) B12
- ✓ d) B3

✓ 8- Fat molecules include all of the following, except:

- ✓ a) Nitrogen
- b) Oxygen

- c) Hydrogen
- d) Carbon

9- Which vitamin is not fat soluble?

- a) D
- ☒ b) C

- c) K
- d) A

10- Which of the following contains cholesterol?

- a) Vegetable
- ☒ b) Fruits

- ☒ c) Fish
- d) Grains

11- Which of the following options is one of the most important elements of trace minerals?

- a) Calcium
- ☒ b) Iron

- c) Magnesium
- d) Sodium

12-..... Is the most abundant mineral in the body with of total body mineral.

- 1. Calcium_15%
- 2. Iron_15%

- ☒ 3. Calcium_39%
- 4. Iron_39%

13- Factor hindering calcium absorption is

- ☒ a) Acidic environment
- ☒ b) Calcitriol

- c) Low intake
- ☒ d) Vitamin D deficiency

14- Which one is the strongest source of calcium?

- a) Green leafy vegetables
- ☒ b) Dairy products

- c) Fish
- d) Coconut Milk

15- Two-thirds of the iron in your body is found in.....

- ☒ a) Hemoglobin
- b) Myoglobin

- c) Hemosiderin
- d) Transferrin

16- Which of the following Mineral is used for cavity prevention?

- a) Zinc
- ☒ b) Fluoride

- c) Iron
- d) Magnesium

17- Which of the following has a highest contribution to weight gain during pregnancy?

- a) Blood
- ☒ b) Fat and muscle

- c) Amniotic fluid
- ☒ d) Fetus

18- What percentage of nitrogen is contained in protein?

- ☒ a) 16
- b) 26

- c) 50
- d) 30

37- Immediately after consuming acidic foods and beverages, which is wrong for the health of the teeth?

- a) Rinse mouth with water
- b) Chew sugarless gum

- c) Chew hard cheese
- d) Brushing Teeth

38- The following example is related to which level of prevention?

"Adolescents with cervical demineralization of the teeth after removal of orthodontic appliances"

- a) Early prevention
- b) Primary prevention

- c) Secondary prevention
- d) Tertiary prevention

39- Which of the following provides energy in the body?

- a) Pantothenic acid
- b) Amino acid

- c) Ascorbic acid
- d) Retinoic acid

40- Which age group has the highest need of protein per kg of body weight?

- a) Infants
- b) Adolescent girls
- c) Pregnant women
- d) Elderly persons

19- _____ is associated with edema, malnutrition and loss of appetite.

- a) Marasmus
- b) Kwashiorkor

- c) Megaloblastic anemia
- d) Vitamin deficiency

20- Basal metabolic rate (BMR) decreases with?

- a) Pregnancy
- b) Increasing age

- c) Infection
- d) It is stable all the time

21- Bone pain, muscle pain and dental problems all of them are the signs of

- a) Rickets
- b) Scurvy

- c) Beriberi
- d) Arthritis

22- Which vitamin is likely to become a teratogen in pregnancy?

- a) B
- b) D

- c) A
- d) E

23. Dietary fat -----

- a) increases gastric secretion with no effect on gastric emptying
- b) decreases gastric secretion and slows gastric emptying
- c) decreases gastric secretion and increases gastric emptying
- d) increases gastric secretion and inhibit pancreatic and biliary flow

24- Which fats are viewed as being healthier than other fatty acids used for cooking and eating?

- a) Polyunsaturated
- b) Monounsaturated

- c) Saturated
- d) Trans

25. Coconut oil contains

- a) High amount of omega 6
- b) High amount of omega 3
- c) High levels of saturated fat
- d) Low levels of stearic acid

26. in which age one should take high levels of Calcium to increase the highest body calcium mass

- a) 0-20 years
- b) 20-40 years

- c) 40-60 years
- d) 60-80 years

27- Not getting enough water during pregnancy can lead to:

- a) Gestational Diabetes
- b) Cretinism
- c) Hyperemesis gravidarum
- d) Having contractions and early labor

- 28- Which one has the highest total amount of glycogen in the body?
- a) Cardiac muscles
 - b) Liver
 - c) Skeletal muscle
 - d) Brain
- 29- At which stage of pregnancy there is the highest need of calorie requirement per day?
- a) 1st trimester
 - b) 2nd trimester
 - c) 3rd trimester
 - d) before conception
- 30- Burning fat to compensate low carbohydrate intake during pregnancy is more dangerous for?
- a) Liver function
 - b) Weight loss
 - c) Renal function
 - d) Fetal brain cells
- 31- Cretinism is caused by Deficiency.
- a) Magnesium
 - b) Iodine
 - c) Calcium
 - d) Zinc
- 32- Increased incidence of hip fracture in elderly could be the result of
- a) Increased fat intake
 - b) Too much consumption of Vit A
 - c) Too much consumption of Vit E
 - d) Decreased intake of protein
- 33- What is the energy required to digest, absorb, and metabolize nutrients?
- a) Basal Metabolic Rate (BMR)
 - b) Thermic Effect of Food (TEF)
 - c) Thermic Effect of Activity (TEA)
 - d) Activity Thermogenesis (AT)
- 34- Which one is the source of non-heme iron?
- a) shellfish
 - b) beef
 - c) Legumes
 - d) poultry
- 35- According to BMI which one is correct?
- a) in healthy weight person BMI is (16.5-25)
 - b) in overweight person BMI is (25-29.9)
 - c) in obese person BMI is (40-50)
 - d) in extreme obesity BMI is over 38
- 36- Which carbohydrate consumption affects less on the progression of carious lesion?
- a) Bread with jam
 - b) Potato chips
 - c) Sweet drink
 - d) Toffee