

Here are the recent visual indicators, structured dataset comparisons, and dynamic disease curves based on the most recent epidemiology figures released by the [Brihanmumbai Municipal Corporation \(BMC\)](#) and the **Maharashtra State Health Department**.  Facebo... +1

Mid-Monsoon Vector-Borne Spike (2025 vs. 2026)

This chart illustrates the sharp escalation in cases during the monsoon core period (**June 1 to September 15**) in Mumbai, tracking the surge linked to heavy waterlogging and construction sites.  Facebo... +1

Annual State-Wide Burden (January – August 2026)

Across **Maharashtra**, the Public Health Department logged a massive volume of vector-borne illnesses, surpassing **13,000 cumulative cases** by late Q3.  Hindustan Times

Monthly Disease Trajectory & Risk Indices

The tracking metrics highlight how environmental changes intersect with healthcare admissions month-by-month.

Month	Malaria Trend (Avg Cases)	Dengue Risk Index (Out of 100)	Primary Bacterial/Viral Driver
January	Low (~100–200)	15 (Very Low)	Influenza A / RSV (Winter Cool)
February	Low (<150)	10 (Very Low)	Rhinovirus
March	Mild Rise (~300)	22 (Low)	Acute Diarrheal Disease (ADD) begins
April	Moderate (~400)	30 (Low)	Typhoid (Water scarcity issues)
May	Moderate (~450)	35 (Low-Mod)	Food Poisoning / Gastroenteritis
June	High (~880+)	55 (Moderate)	Leptospirosis onset (Early Rains)
July	Severe (~1,380+)	76 (High)	Cholera & Dysentery
August	Peak Surge (~5,700)	89 (Critical)	Dengue & Malaria Dual Peak
September	High (~4,000)	92 (Max Risk)	Bimodal Influenza A spike
October	Declining (~2,000)	65 (Moderate)	Scrub Typhus
November	Low-Mild (~800)	40 (Low-Mod)	Post-monsoon vector viral drag

December

Low (~300)

20 (Low)

Winter Respiratory Viruses

Key Data Insights from Visuals

- The H1N1 Surge:** While Malaria grew by **39%**, Influenza/H1N1 cases jumped by nearly **600%** (83 to 488 cases), showing that changing monsoon humidity cycles drastically favor viral stability alongside mosquito vectors. [↗](#)
- Macro Concentration:** Dengue represents **54.8%** of the total vector-borne load in Maharashtra, making intensive container-fogging by civic entities the highest priority.  Hindustan Times