






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
INSERT INTO public.clientes
(nombre, correo, telefono, rfc, edad, ciudad, codigo_postal)
VALUES
('Ana López', 'ana.lopez@example.test', '6671234567', 'LOAA850315ABC', 41, 'Culiacán', '80000
('Carlos Pérez', 'carlos.perez@example.test', '6672345678', 'PECA900720DEF', 35, 'Culiacán',
('María García', 'maria.garcia@example.test', '6673456789', 'GAMA780912GHI', 47, 'Mazatlán',
('Luis Torres', 'luis.torres@example.test', '6674567890', 'TOLU920201JKL', 34, 'Los Mochis',
('Laura Sánchez', 'laura.sanchez@example.test', '6675678901', 'SALA880525MNO', 38, 'Culiacán'
Data Output
Messages
Notifications
INSERT 0 5
Query returned successfully in 112 msec.
Total rows:
Query complete 00:00:00.112
CRLF
Ln 8, Col 109



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT id, nombre, correo, telefono, rfc, edad, ciudad, codigo_postal, fecha_alta
FROM public.clientes
ORDER BY id;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
id [PK] bigint
nombre character varying (120)
correo character varying (150)
telefono character varying (20)
rfc character varying (13)
edad integer
ciudad character varying (80)
codigo_postal character varying (10)
fecha_alta date
1 1 Ana López ana.lopez@example.test 6671234567 LOAA850315ABC 41 Culiacán 80000 2026-10-19
2 2 Carlos Pérez carlos.perez@example.test 6672345678 PECA900720DEF 35 Culiacán 80100 2026-10-19
3 3 María García maria.garcia@example.test 6673456789 GAMA780912GHI 47 Mazatlán 82000 2026-10-19
4 4 Luis Torres luis.torres@example.test 6674567890 TOLU920201JKL 34 Los Mochis 81200 2026-10-19
5 5 Laura Sánchez laura.sanchez@example.t... 6675678901 SALA880525MNO 38 Culiacán 80200 2026-10-19
Total rows: 5
Query complete 00:00:00.453
CRLF
Ln 3, Col 13



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
1 DO $$
2 BEGIN
3 IF NOT EXISTS (SELECT 1 FROM pg_roles WHERE rolname = 'soporte') THEN
4 CREATE ROLE soporte NOLOGIN;
5 END IF;
6 END
7 $$;
8
9 CREATE OR REPLACE VIEW public.v_clientes_soporte AS
10 SELECT
11 id,
12 nombre,
13 CONCAT(
14 LEFT(correo, 2),
15 '*****',
16 SUBSTRING(correo FROM POSITION('@' IN correo))
17) AS correo,
18 CONCAT('******', RIGHT(telefono, 4)) AS telefono,
19 CONCAT('*********', RIGHT(rfc, 4)) AS rfc
20 FROM public.clientes;
21
22 GRANT USAGE ON SCHEMA public TO soporte;
23 GRANT SELECT ON public.v_clientes_soporte TO soporte;
24 REVOKE ALL ON public.clientes FROM soporte;
Data Output
Messages
Notifications
REVOKE
Query returned successfully in 168 msec.
Total rows:
Query complete 00:00:00.168
CRLF
Ln 24, Col 44



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT * FROM public.v_clientes_soporte ORDER BY id;
Data Output
Messages
Notifications
Showing rows: 1 to 5
Page No: 1 of 1
id bigint
nombre character varying (120)
correo text
telefono text
rfc text
1 1 Ana López an*****@example.t... ******45... *********5ABC
2 2 Carlos Pérez ca*****@example.t... ******56... *********0DEF
3 3 María García ma*****@example.... ******67... *********2GHI
4 4 Luis Torres lu*****@example.t... ******78... *********1JKL
5 5 Laura Sánchez la*****@example.t... ******89... *********5M...
Total rows: 5
Query complete 00:00:00.106
CRLF
Ln 1, Col 53



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
REVOKE ALL ON SCHEMA pii FROM analista;
REVOKE ALL ON TABLE pii.mapa_cliente FROM analista;
REVOKE ALL ON TABLE public.clientes FROM analista;
Data Output
Messages
Notifications
REVOKE
Query returned successfully in 82 msec.
Total rows:
Query complete 00:00:00.082
CRLF
Ln 3, Col 51



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
DO $$
BEGIN
IF NOT EXISTS (
SELECT 1 FROM pg_roles
WHERE rolname = 'analista'
) THEN
CREATE ROLE analista NOLOGIN;
END IF;
END;
$$;
GRANT USAGE ON SCHEMA analitica TO analista;
GRANT SELECT ON analitica.clientes TO analista;
Data Output
Messages
Notifications
GRANT
Query returned successfully in 93 msec.
Total rows:
Query complete 00:00:00.093
CRLF
Ln 13, Col 48



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT grantee, table_schema, table_name, privilege_type
FROM information_schema.role_table_grants
WHERE grantee IN ('soporte', 'analista')
ORDER BY grantee, table_schema, table_name, privilege_type;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
grantee name
table_schema name
table_name name
privilege_type character varying
1 analista analitica clientes SELECT
2 soporte public v_clientes_sopor... SELECT
Total rows: 2
Query complete 00:00:00.143
CRLF
Ln 4, Col 60



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
CREATE SCHEMA IF NOT EXISTS pii;
CREATE SCHEMA IF NOT EXISTS analitica;
CREATE EXTENSION IF NOT EXISTS pgcrypto;
CREATE TABLE IF NOT EXISTS pii.mapa_cliente (
token UUID PRIMARY KEY,
cliente_id BIGINT UNIQUE REFERENCES public.clientes(id)
);
Data Output
Messages
Notifications
NOTICE: el esquema «pii» ya existe, omitiendo
NOTICE: el esquema «analitica» ya existe, omitiendo
NOTICE: la relación «mapa_cliente» ya existe, omitiendo
CREATE TABLE
Query returned successfully in 272 msec.
Total rows:
Query complete 00:00:00.272
CRLF
Ln 8, Col 3



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
INSERT INTO pii.mapa_cliente (token, cliente_id)
SELECT gen_random_uuid(), c.id
FROM public.clientes AS c
WHERE NOT EXISTS (
SELECT 1
FROM pii.mapa_cliente AS m
WHERE m.cliente_id = c.id
);
Data Output
Messages
Notifications
INSERT 0 5
Query returned successfully in 105 msec.
Total rows:
Query complete 00:00:00.105
CRLF
Ln 8, Col 3



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT * FROM pii.mapa_cliente ORDER BY cliente_id;
SELECT * FROM analitica.clientes ORDER BY cliente_token;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 5
Page No: 1
of 1
cliente_token character varying (50)
edad integer
ciudad character varying (80)
codigo_postal character varying (10)
fecha_alta date
1 4bb7d280-c9b8-4b48-ba95-1eb8999... 38 Culiacán 80200 2026-10-19
2 71159919-21eb-448d-b79b-b729140... 35 Culiacán 80100 2026-10-19
3 9d85b53f-79c1-4df8-a875-c5b5d33d... 47 Mazatlán 82000 2026-10-19
4 b9cfc2b2-e6ab-46d6-bf39-5f14df862... 41 Culiacán 80000 2026-10-19
5 f2dcf84d-fd9d-4c61-8a6f-f8cdbc0cfa... 34 Los Mochis 81200 2026-10-19
Total rows: 5
Query complete 00:00:00.090
CRLF
Ln 3, Col 57



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
COUNT(*) AS total
FROM public.clientes
GROUP BY 1
ORDER BY 1;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 2
Page No: 1
of 1
rango_edad text
total bigint
1 31-45 4
2 46+ 1
Total rows: 2
Query complete 00:00:00.083
CRLF
Ln 10, Col 12



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT LEFT(codigo_postal, 2) AS region, COUNT(*) AS total
FROM public.clientes
GROUP BY 1
ORDER BY 1;
Data Output
Messages
Notifications
Showing rows: 1 to 3
Page No: 1
of 1
region text
total bigint
1 80 3
2 81 1
3 82 1
Successfully run. Total query runtime: 79 msec. 3 rows affected.



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM public.clientes
GROUP BY 1, 2
ORDER BY 1, 2;
Data Output
Messages
Notifications
Showing rows: 1 to 3
Page No: 1
of 1
rango_edad text
region text
total bigint
1 31-45 80 3
2 31-45 81 1
3 46+ 82 1
Successfully run. Total query runtime: 71 msec. 3 rows affected.
Total rows: 3
Query complete 00:00:00.071
CRLF
Ln 11, Col 15



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT
CASE
WHEN edad BETWEEN 18 AND 30 THEN '18-30'
WHEN edad BETWEEN 31 AND 45 THEN '31-45'
ELSE '46+'
END AS rango_edad,
LEFT(codigo_postal, 2) AS region,
COUNT(*) AS total
FROM public.clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5
ORDER BY 1, 2;
Data Output
Messages
Notifications
SQL
rango_edad text
region text
total bigint
Total rows: 0
Query complete 00:00:00.068
CRLF
Ln 12, Col 15



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT
CASE WHEN edad < 46 THEN '18-45' ELSE '46+' END AS rango_edad,
LEFT(codigo_postal, 1) AS region_amplia,
COUNT(*) AS total
FROM public.clientes
GROUP BY 1, 2
HAVING COUNT(*) >= 5
ORDER BY 1, 2;
Data Output
Messages
Notifications
SQL
rango_edad text
region_amplia text
total bigint
Total rows: 0
Query complete 00:00:00.071
CRLF
Ln 8, Col 15



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SELECT id, nombre, fecha_alta
FROM public.clientes
WHERE fecha_alta < CURRENT_DATE - INTERVAL '5 years'
ORDER BY fecha_alta;
Data Output
Messages
Notifications
SQL
id
[PK] bigint
nombre
character varying (120)
fecha_alta
date
Total rows: 0
Query complete 00:00:00.173
CRLF
Ln 4, Col 21


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
SET ROLE soporte;
SELECT * FROM public.v_clientes_soporte ORDER BY id;
RESET ROLE;
Data Output
Messages
Notifications
RESET
Query returned successfully in 65 msec.
Total rows:
Query complete 00:00:00.065
CRLF
Ln 3, Col 12


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
1 SET ROLE soporte;
2 SELECT * FROM public.clientes;
Data Output
Messages
Notifications
ERROR: permiso denegado a la tabla clientes
SQL state: 42501
Total rows:
Query complete 00:00:00.058
CRLF
Ln 2, Col 31


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard
Properties
SQL
Statistics
Dependencies
Dependents
Processes
lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query
Query History
AI Assistant
Scratch Pad
1 SET ROLE analista;
2 SELECT * FROM analitica.clientes;
3 RESET ROLE;
Data Output
Messages
Notifications
RESET
Query returned successfully in 50 msec.
Query returned successfully in 50 msec.
Total rows:
Query complete 00:00:00.050
CRLF
Ln 3, Col 12


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard Properties SQL Statistics Dependencies Dependents Processes lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query Query History AI Assistant
Scratch Pad
1 SET ROLE analista;
2 SELECT * FROM pii.mapa_cliente;
Data Output Messages Notifications
ERROR: permiso denegado al esquema pii
LINE 2: SELECT * FROM pii.mapa_cliente;
^
SQL state: 42501
Character: 34
Total rows: Query complete 00:00:00.050
CRLF Ln 2, Col 32


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Server Devora
Servers (2)
PostgreSQL 16
Databases (7)
Bade de datos Victor
Base de datos devora
Bd 2-4
MBD2024
db_fuente_a
lab01_privacidad
Casts
Catalogs
Event Triggers
Extensions
Foreign Data Wrappers
Languages
Publications
Schemas
Subscriptions
postgres
Login/Group Roles
Tablespaces
PostgreSQL 18
Dashboard Properties SQL Statistics Dependencies Dependents Processes lab01_privacidad/postgres@PostgreSQL 16*
lab01_privacidad/postgres@PostgreSQL 16
No limit
Query Query History AI Assistant
Scratch Pad
1 SET ROLE analista;
2 SELECT * FROM public.clientes;
Data Output Messages Notifications
ERROR: permiso denegado a la tabla clientes
SQL state: 42501
Total rows: Query complete 00:00:00.049
CRLF Ln 2, Col 31