

Roll No.: T032	Name: KHUSHI
Class: TYIT	Batch: 2
Date of Assignment: 16-07-26	Date/Time of Submission: 17-07-26

- i. Label and TextBox to accept Student Name**
- ii. RadioButton to select Gender (Male/Female)**
- iii. DropDownList to select Course (BSc IT, BSc CS, BCA)**
- iv. CheckBox for accepting Terms & Conditions**
- v. Calendar control to select Date**
- vi. Button control to submit the form**
- vii. Label control to display the output**

CODE:-

1

Application name

MainContent (Custom)

STUDENT REGISTRATION

Student Name :

☐ Male

☐ Female

☐ Other

BSC IT ▼

☐ Accept

July 2026						
Jun						Aug
Sun	Mon	Tue	Wed	Thu	Fri	Sat
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

Submit

OUTPUT:-

STUDENT REGISTRATION

Student Name :

KHUSHI

☐ Male

☒ Female

☐ Other

BSC IT ▼

☐ Accept

July 2026						
Jun						Aug
Sun	Mon	Tue	Wed	Thu	Fri	Sat
28	29	30	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	1
2	3	4	5	6	7	8

Submit

B) Create a Registration form to demonstrate use of various Validation controls.

ALGORITHM:-

Step 1 - Start the application.

Step 2 - Create a new ASP.NET Web Form.

Step 3 - Add input controls such as TextBox for Name, Email, Password, Confirm Password, and Age.

Step 4 - Apply the following validation controls:

RequiredFieldValidator for mandatory fields.

ValidationSummary to display all validation messages.

Step 9 - Stop the application.

```
Client Objects & Events (No Events)
1 <%@ Page Language="C#" AutoEventWireup="true" CodeFile="Default2.aspx.cs" Inherits="Default2" %>
2 <!DOCTYPE html>
3 <html xmlns="http://www.w3.org/1999/xhtml">
4 <head runat="server">
5 <title></title>
6 </head>
7 <body style="height: 488px">
8 <form id="form1" runat="server">
9 <div style="height: 160px">
10 <asp:Label ID="Label1" runat="server" Text="Name "></asp:Label>
11 &nbsp;   <asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
12 &nbsp;   <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="TextBox1">
13 <br />
14 <asp:Label ID="Label2" runat="server" Text="Age"></asp:Label>
15 &nbsp;   <asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
16 &nbsp;   <asp:RangeValidator ID="RangeValidator1" runat="server" ControlToValidate="TextBox2" ErrorMessage=
17 "Please enter a valid age.">
18 <br />
19 <asp:Label ID="Label3" runat="server" Text="Password "></asp:Label>
20 &nbsp;   <asp:TextBox ID="TextBox3" runat="server" TextMode="Password"></asp:TextBox>
21 &nbsp;   <br />
22 <asp:Label ID="Label4" runat="server" Text="Confirm Password "></asp:Label>
23 &nbsp;   <asp:TextBox ID="TextBox4" runat="server"></asp:TextBox>
24 &nbsp;   <asp:CompareValidator ID="CompareValidator1" runat="server" ControlToCompare="TextBox3" Cont
25 rolToValidate="TextBox4">
26 <br />
27 </div>
28 </form>
29 </body>
30 </html>
```

body

Name : name is required

Age : age must be above 18 to 99

Password :

Confirm Password : Password not matched

Button

Name : KHUSHI
Age : 20
Password :
Confirm Password : 123456
Button

Step 3 - Create an XML file containing advertisement details such as:

Image URL
Navigate URL
Alternate Text
Impressions

Step 4 - Add an **AdRotator** control to the Web Form.

Step 5 - Set the **AdvertisementFile** property to the XML file.

Step 6 - Configure the required properties such as Width and Height.

Step 7 - Run the application.

Step 8 - Observe that different advertisements are displayed randomly based on the impressions value.

Step 9 - Click the advertisement to verify that it redirects to the specified URL.

Step 10- Stop the application.

CODE:-

```

1  <%@ Page Language="C#" AutoEventWireup="true" CodeFile="Default2.aspx.cs" Inherits="Default2" %>
2  <!DOCTYPE html>
3  <html xmlns="http://www.w3.org/1999/xhtml">
4  <head runat="server">
5    <title></title>
6  </head>
7  <body style="height: 488px">
8    <form id="form1" runat="server">
9      <div style="height: 160px">
10         <asp:Label ID="Label1" runat="server" Text="Name "></asp:Label>
11         &nbsp;<asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
12         &nbsp;<asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server" ControlToValidate="TextBox1"
13         <br />
14         <asp:Label ID="Label2" runat="server" Text="Age"></asp:Label>
15         &nbsp;<asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
16         &nbsp;<asp:RangeValidator ID="RangeValidator1" runat="server" ControlToValidate="TextBox2" ErrorMessage="
17         <br />
18         <asp:Label ID="Label3" runat="server" Text="Password "></asp:Label>
19         &nbsp;<asp:TextBox ID="TextBox3" runat="server" TextMode="Password"></asp:TextBox>
20         &nbsp;<br />
21         <asp:Label ID="Label4" runat="server" Text="Confirm Password "></asp:Label>
22         &nbsp;<asp:TextBox ID="TextBox4" runat="server"></asp:TextBox>
23         &nbsp;<asp:CompareValidator ID="CompareValidator1" runat="server" ControlToCompare="TextBox3" Cont
24         <br />
25         <asp:Button ID="Button1" runat="server" Text="Button" />
26         <br />
27         <asp:AdRotator ID="AdRotator1" runat="server" AdvertisementFile="~/XMLFile.xml" />
28       </div>
29     </form>
30   </body>

```

OUTPUT:-

Name : name is required

Age :

Password :

Confirm Password : Password not matched

 hiii

Name : KHUSHI
Age : 20
Password :
Confirm Password : 12345678

