

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Enterprise Java
Practical - XI

Roll No.: T0 32	Name: KHUSHI
Class: TYIT	Batch: 2
Date of Assignment: 12/09/26	Date/Time of Submission: 12/09/26


Implement the following Hibernate

Q] Develop a five page web application site using any two or three Java EE Technologies

Step 1: Open NetBeans

Step 2: Create Web Application

Write: A new Web Application project named **TravelTourBooking** was created in NetBeans.



Step 3: Select Server

Write: **GlassFish Server 4.1** was selected as the application server.

Step 4 : **Database Setup**

- Open SQL*Plus
- Connect to Oracle

```
Enter user-name: SYSTEM
Enter password:
Last Successful login time: Sun Sep 13 2026 20:04:24 +05:30

Connected to:
Oracle Database 21c Express Edition Release 21.0.0.0.0 - Production
Version 21.3.0.0.0
```

- Create the BOOKINGS table Show your actual SQL:

```
SQL> CREATE TABLE BOOKINGS (
2     ID NUMBER PRIMARY KEY,
3     NAME VARCHAR2(100),
4     EMAIL VARCHAR2(100),
5     PHONE VARCHAR2(20),
6     DESTINATION VARCHAR2(50),
7     PERSONS NUMBER,
8     TRAVEL_DATE VARCHAR2(30)
9 );

Table created.
```

```
SQL> DESC bookings;
Name                                         Null?      Type
-----
ID                                           NOT NULL   NUMBER
NAME                                         VARCHAR2(100)
EMAIL                                       VARCHAR2(100)
PHONE                                       VARCHAR2(20)
DESTINATION                                VARCHAR2(50)
PERSONS                                     NUMBER
TRAVEL_DATE                                VARCHAR2(30)
```

Step 5 : Create Sequence

Because your application uses a sequence for generating IDs, document:


```
SQL> CREATE SEQUENCE BOOKINGS_SEQ
2  START WITH 1
3  INCREMENT BY 1;

Sequence created.
```

```
SQL> SELECT SEQUENCE_NAME
2  FROM USER_SEQUENCES
3  WHERE SEQUENCE_NAME = 'BOOKINGS_SEQ';

SEQUENCE_NAME
-----
BOOKINGS_SEQ
```

Java Source Package



Step 6 : Create Entity Class [Create a java source package i.e **com.travel** inside that make]

Booking.java :

```
<!DOCTYPE html>
<html>
<head>
  <title>TravelGo - Book Your Tour</title>
  <link rel="stylesheet" href="style.css">
</head>
```

```
<body>
<div class="navbar">
  <div class="logo"> TravelGo</div>
  <div>
    <a href="index.jsp">Home</a>
    <a href="destinations.jsp">Destinations</a>
    <a href="packages.jsp">Packages</a>
    <a href="booking.jsp">Book Tour</a>
    <a href="confirmation.jsp">Contact</a>
  </div>
</div>
<div class="container">
  <div class="title">
    <h2>Book Your Dream Tour</h2>
    <p>Fill in your details and get ready for an amazing journey.</p>
  </div>
  <div class="form-box">
    <form action="BookingServlet" method="post">
      <label>Full Name</label>
      <input type="text" name="name" placeholder="Enter your full name" required>
      <label>Email</label>
      <input type="email" name="email" placeholder="Enter your email" required>
      <label>Phone Number</label>
      <input type="text" name="phone" placeholder="Enter your phone number" required>
      <label>Select Destination</label>
      <select name="destination" required>
        <option value="">-- Select Destination --</option>
        <option value="Goa">Goa</option>
        <option value="Manali">Manali</option>
        <option value="Kashmir">Kashmir</option>
        <option value="Jaipur">Jaipur</option>
      </select>
      <label>Number of Persons</label>
      <input type="number" name="persons" min="1" placeholder="Enter number of persons" required>
      <label>Travel Date</label>
      <input type="date" name="travelDate" required>
      <button type="submit"> Book My Tour</button>
    </form>
  </div>
</div>
<footer>
  <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</footer>
</body>
</html>
```

Explain: Booking.java is the entity class mapped to the BOOKINGS table. It contains properties such as name, email, phone, destination, number of persons and travel date.

BookingServlet.java :

```
package com.travel;
import java.io.IOException;
import java.io.PrintWriter;
import java.io.StringWriter;
import javax.persistence.EntityManager;
```

```

import javax.persistence.EntityManagerFactory;
import javax.persistence.Persistence;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
@WebServlet("/BookingServlet")
public class BookingServlet extends HttpServlet {
    @Override
    protected void doPost(HttpServletRequest request,
        HttpServletResponse response)
        throws ServletException, IOException {
        String name = request.getParameter("name");
        String email = request.getParameter("email");
        String phone = request.getParameter("phone");
        String destination = request.getParameter("destination");
        int persons = Integer.parseInt(request.getParameter("persons"));
        String travelDate = request.getParameter("travelDate");
        Booking booking = new Booking(
            name,
            email,
            phone,
            destination,
            persons,
            travelDate
        );
        EntityManagerFactory emf = null;
        EntityManager em = null;
        try {
            emf = Persistence.createEntityManagerFactory("TravelGoPU");
            em = emf.createEntityManager();
            em.getTransaction().begin();
            em.persist(booking);
            em.getTransaction().commit();
            request.setAttribute("name", name);
            request.setAttribute("email", email);
            request.setAttribute("phone", phone);
            request.setAttribute("destination", destination);
            request.setAttribute("persons", persons);
            request.setAttribute("travelDate", travelDate);
            request.getRequestDispatcher("confirmation.jsp")
                .forward(request, response);
        } catch (Exception e) {
            if (em != null &&
                em.getTransaction().isActive()) {
                em.getTransaction().rollback();
            }
            StringWriter sw = new StringWriter();
            PrintWriter pw = new PrintWriter(sw);
            e.printStackTrace(pw);
            response.setContentType("text/html");
            response.getWriter().println(
                "<h2>Booking could not be saved.</h2>"
            );
            response.getWriter().println(

```

```

        "<pre>" + sw.toString() + "</pre>"
    );
} finally {
    if (em != null) {
        em.close();
    }
    if (emf != null) {
        emf.close(); } } } }

```

Write: BookingServlet receives booking details from the JSP form using the POST method. It creates a Booking object, starts a transaction using EntityManager, persists the booking into the Oracle database and forwards the user to the confirmation page.

Step 7 : Create JDBC Connection Pool – TravelGoPool

- Open GlassFish Admin Console → **Resources** → **JDBC** → **Connection Pools**.
- Click **New**.
- Pool Name: TravelGoPool
- Vendor: **Oracle**
- Configure Oracle username, password and URL.
- Click **Finish** → **Ping**.

Step 8 : Create JDBC Resource – jdbc/TravelGoDB

- Go to **Resources** → **JDBC** → **JDBC Resources**.
- Click **New**.
- JNDI Name: jdbc/TravelGoDB
- Pool Name: TravelGoPool
- Click **OK**.


Step 9 : Oracle JDBC Driver

1. Right-click project → **Properties** → **Libraries**.
2. Click **Add JAR/Folder**.
3. Select ojdbc8.jar.
4. Click **OK**.


Step 10. Hibernate/JPA Configuration

Steps to create persistence.xml file


1. In NetBeans, open: **TravelTourBooking**
2. Right-click **Configuration Files**.
3. Select: **New** → **Other**
4. Select: **Persistence** → **Persistence Unit**
5. Click **Next**.



6. Enter the Persistence Unit Name: TravelGoPU
7. Select the persistence provider: **Hibernate**
8. Select new database connection a window will appear



9. select oracle thin
10. add ur driver file and then next



11. Enter your user name and password which is connected to your sql

New Connection Wizard [X]

Customize Connection

Driver Name: Oracle Thin (Service ID (SID))

Host: localhost Port: 1521

Service ID (SID): XE

User Name: SYSTEM

Password: ●●●●

☐ Remember password

Connection Properties Test Connection

JDBC URL: jdbc:oracle:thin:@localhost:1521:XE

i Connection Succeeded.

< Back Next > Finish Cancel Help

12. After your test connection it will show Connection Succeeded

Create Data Source [X]

JNDI Name: jdbc/TravelGoDB

Database Connection: jdbc:oracle:thin:@localhost:1521:XE [SYSTEM on SYSTEM]

OK Cancel Help

New Persistence Unit [X]

Steps

1. Choose File Type
2. **Provider and Database**

Provider and Database

Persistence Unit Name: TravelGoPU

Specify the persistence provider and database for entity classes.

Persistence Provider: Hibernate (JPA 2.1)

Data Source: jdbc/TravelGoDB

☒ Use Java Transaction APIs

Table Generation Strategy: ☒ Create ☐ Drop and Create ☐ None

NetBeans then creates:
 persistence.xml
 inside:
 Configuration Files
 └─ persistence.xml

Step 11. persistence.xml :

```

<?xml version="1.0" encoding="UTF-8"?>
<persistence version="2.1"
  xmlns="http://xmlns.jcp.org/xml/ns/persistence"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/persistence
    http://xmlns.jcp.org/xml/ns/persistence/persistence_2_1.xsd">
  <persistence-unit name="TravelGoPU"
    transaction-type="RESOURCE_LOCAL">
    <provider>org.hibernate.jpa.HibernatePersistenceProvider</provider>
    <class>com.travel.Booking</class>
    <properties>
      <property name="javax.persistence.jdbc.driver"
        value="oracle.jdbc.OracleDriver"/>
      <property name="javax.persistence.jdbc.url"
        value="jdbc:oracle:thin:@localhost:1521/XEPDB1"/>
      <property name="javax.persistence.jdbc.user"
        value="FOODUSER"/>
      <property name="javax.persistence.jdbc.password"
        value="1245"/>
      <property name="hibernate.dialect"
        value="org.hibernate.dialect.Oracle10gDialect"/>
    </properties>
  </persistence-unit>
</persistence>

```

Explain: The persistence unit TravelGoPU is configured using Hibernate as the persistence provider. The Oracle JDBC driver, database URL, username, password and Oracle dialect are configured in the persistence properties.

Step 12. Web.xml :

```

<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns="http://xmlns.jcp.org/xml/ns/javaee"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://xmlns.jcp.org/xml/ns/javaee http://xmlns.jcp.org/xml/ns/javaee/web-
app_3_1.xsd"
  version="3.1">
  <session-config>
    <session-timeout>
      30
    </session-timeout>
  </session-config>
</web-app>

```

Step 13. Web Pages**Home Page**

index.jsp :

```

<!DOCTYPE html>
<html>
<head>
  <title>TravelGo - Explore The World</title>
  <link rel="stylesheet" href="style.css">

```

```

</head>

<body>
<div class="navbar">
  <div class="logo"> TravelGo</div>
  <div>
    <a href="index.jsp">Home</a>
    <a href="destinations.jsp">Destinations</a>
    <a href="packages.jsp">Packages</a>
    <a href="booking.jsp">Book Tour</a>
    <a href="confirmation.jsp">Contact</a>
  </div>
</div>
<section class="hero">
  <div>
    <h1>Explore The World</h1>
    <p>Discover beautiful places and unforgettable experiences.</p>
    <a href="packages.jsp" class="btn">Explore Tours</a>
  </div>
</section>
<div class="container">
  <div class="title">
    <h2>Come Travel with us ...</h2>
    <p>We make your journey simple, exciting and memorable.</p>
  </div>
  <div class="cards">
    <div class="card">
      <h3> Amazing Destinations</h3>
      <p>Explore beautiful destinations across India.</p>
    </div>
    <div class="card">
      <h3> Best Prices</h3>
      <p>Affordable packages designed for every traveler.</p>
    </div>
    <div class="card">
      <h3> Great Experience</h3>
      <p>Enjoy comfortable and memorable travel experiences.</p>
    </div>
  </div>
</div>
<footer>
  <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</footer>
</body>
</html>

```

Purpose: The Home page introduces TravelGo and provides navigation to destinations, packages and booking pages.

Destinations Page

```

destinations.jsp :
<!DOCTYPE html>
<html>
<head>
  <title>TravelGo - Destinations</title>

```

```
<link rel="stylesheet" href="style.css">
</head>
<body>
<div class="navbar">
  <div class="logo">TravelGo</div>
  <div>
    <a href="index.jsp">Home</a>
    <a href="destinations.jsp">Destinations</a>
    <a href="packages.jsp">Packages</a>
    <a href="booking.jsp">Book Tour</a>
    <a href="confirmation.jsp">Contact</a>
  </div>
</div>
<div class="container">
  <div class="title">
    <h2>Explore Our Destinations</h2>
    <p>Choose your dream destination and start your journey.</p>
  </div>
  <div class="cards">
    <div class="card">
      
      <h3> Goa</h3>
      <p>Relax on beautiful beaches and enjoy the perfect holiday.</p>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      
      <h3> Manali</h3>
      <p>Experience mountains, adventure and breathtaking views.</p>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      
      <h3> Kashmir</h3>
      <p>Discover the beauty of valleys, lakes and snow-covered mountains.</p>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      
      <h3> Jaipur</h3>
      <p>Explore royal palaces, forts and the rich culture of Rajasthan.</p>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
  </div>
</div>
<div>
</div>
<div>
</div>
<div>
  <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</div>
</body>
</html>
```

Purpose: The Destinations page displays available travel destinations such as Goa, Manali, Kashmir and Jaipur.

Packages Page

```
packages.jsp :
<!DOCTYPE html>
<html>
<head>
  <title>TravelGo - Tour Packages</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
<div class="navbar">
  <div class="logo"> TravelGo</div>
  <div>
    <a href="index.jsp">Home</a>
    <a href="destinations.jsp">Destinations</a>
    <a href="packages.jsp">Packages</a>
    <a href="booking.jsp">Book Tour</a>
    <a href="confirmation.jsp">Contact</a>
  </div>
</div>
<div class="container">
  <div class="title">
    <h2>Our Tour Packages</h2>
    <p>Choose a package and start your unforgettable journey.</p>
  </div>
  <div class="cards">
    <div class="card">
      <h3> Goa Beach Escape</h3>
      <p><b>Duration:</b> 3 Days / 2 Nights</p>
      <p>Enjoy beaches, sightseeing and delicious local food.</p>
      <h3> 8,999</h3>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      <h3> Manali Adventure</h3>
      <p><b>Duration:</b> 5 Days / 4 Nights</p>
      <p>Enjoy mountains, adventure activities and beautiful views.</p>
      <h3> 14,999</h3>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      <h3> Kashmir Paradise</h3>
      <p><b>Duration:</b> 6 Days / 5 Nights</p>
      <p>Experience valleys, lakes and stunning snow-covered mountains.</p>
      <h3> 18,999</h3>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
    <div class="card">
      <h3> Rajasthan Heritage</h3>
      <p><b>Duration:</b> 4 Days / 3 Nights</p>
      <p>Explore royal palaces, forts and the culture of Rajasthan.</p>
      <h3> 11,999</h3>
      <a href="booking.jsp" class="btn">Book Now</a>
    </div>
  </div>
</div>
```

```

</div>

</div>
<footer>
  <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</footer>
</body>
</html>

```

Purpose: The Packages page displays different tour packages along with their duration, description and price.

Booking Page

booking.jsp :

```

<!DOCTYPE html>
<html>
<head>
  <title>TravelGo - Book Your Tour</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
<div class="navbar">
  <div class="logo"> TravelGo</div>
  <div>
    <a href="index.jsp">Home</a>
    <a href="destinations.jsp">Destinations</a>
    <a href="packages.jsp">Packages</a>
    <a href="booking.jsp">Book Tour</a>
    <a href="confirmation.jsp">Contact</a>
  </div>
</div>
<div class="container">
  <div class="title">
    <h2>Book Your Dream Tour</h2>
    <p>Fill in your details and get ready for an amazing journey.</p>
  </div>
  <div class="form-box">
    <form action="BookingServlet" method="post">
      <label>Full Name</label>
      <input type="text" name="name" placeholder="Enter your full name" required>
      <label>Email</label>
      <input type="email" name="email" placeholder="Enter your email" required>
      <label>Phone Number</label>
      <input type="text" name="phone" placeholder="Enter your phone number" required>
      <label>Select Destination</label>
      <select name="destination" required>
        <option value="">-- Select Destination --</option>
        <option value="Goa">Goa</option>
        <option value="Manali">Manali</option>
        <option value="Kashmir">Kashmir</option>
        <option value="Jaipur">Jaipur</option>
      </select>
      <label>Number of Persons</label>
      <input type="number" name="persons" min="1" placeholder="Enter number of persons" required>
      <label>Travel Date</label>
    </form>
  </div>
</div>

```

```

        <input type="date" name="travelDate" required>
        <button type="submit"> Book My Tour</button>
    </form>
</div>
</div>
<footer>
    <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</footer>
</body> </html>

```

Purpose: The Booking page collects customer information including name, email, phone number, destination, number of persons and travel date.

Confirmation Page

confirmation.jsp :

```

<!DOCTYPE html>
<html>
<head>
    <title>TravelGo - Booking Confirmation</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
<div class="navbar">
    <div class="logo"> TravelGo</div>
    <div>
        <a href="index.jsp">Home</a>
        <a href="destinations.jsp">Destinations</a>
        <a href="packages.jsp">Packages</a>
        <a href="booking.jsp">Book Tour</a>
        <a href="confirmation.jsp">Contact</a>
    </div>
</div>
<div class="success">
    <h1> Woohoo..Booking Confirmed!!!! </h1>
    <p>Thank you for choosing TravelGo.</p>
    <br>
    <p><b>Name:</b> ${name}</p>
    <p><b>Email:</b> ${email}</p>
    <p><b>Phone:</b> ${phone}</p>
    <p><b>Destination:</b> ${destination}</p>
    <p><b>Number of Persons:</b> ${persons}</p>
    <p><b>Travel Date:</b> ${travelDate}</p>
    <br>
    <p> Your tour has been successfully booked. </p>
    <br>
    <a href="index.jsp" class="btn">Back to Home</a>
</div>
<footer>
    <p>© 2026 TravelGo | Explore. Dream. Travel.</p>
</footer>
</body>
</html>

```

Purpose: After successful booking, the confirmation page displays the submitted customer and travel details.

Booking Confirmed!

Thank you for choosing TravelGo.

Name: Khushi Khushi
Email: Khushipatelmvl@gmail.com
Phone: 07045564157
Destination: Goa
Number of Persons: 2
Travel Date: 2026-10-01

Your tour has been successfully booked.

[Back to Home](#)

.....Booking Confirmed!

CSS / User Interface

style.css :

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: Arial, sans-serif;
}
body {
  background: #f5f7fa;
  color: #333;
}
.navbar {
  background: #0b3d5c;
  padding: 18px 8%;
  display: flex;
  justify-content: space-between;
  align-items: center;
}
.logo {
  color: white;
  font-size: 28px;
  font-weight: bold;
}
.navbar a {
  color: white;
  text-decoration: none;
  margin-left: 25px;
  font-size: 16px;
}
.navbar a:hover {
  color: #ffd166;
}
.hero {
  min-height: 500px;
  background: linear-gradient(rgba(0,0,0,.45), rgba(0,0,0,.45)),
    url("https://images.unsplash.com/photo-1500530855697-b586d89ba3ee?auto=format&fit=crop&w=1600&q=80");
```

```
background-size: cover;
background-position: center;
display: flex;
align-items: center;
justify-content: center;
text-align: center;
color: white;
}
.hero h1 {
  font-size: 55px;
  margin-bottom: 15px;
}
.hero p {
  font-size: 21px;
  margin-bottom: 30px;
}
.btn {
  background: #ff6b35;
  color: white;
  padding: 13px 28px;
  border-radius: 25px;
  text-decoration: none;
  display: inline-block;
  font-weight: bold;
}
.btn:hover {
  background: #e85b2a;
}
.container {
  width: 85%;
  margin: 45px auto;
}
.title {
  text-align: center;
  margin-bottom: 35px;
}
.title h2 {
  font-size: 34px;
  color: #0b3d5c;
}
.cards {
  display: flex;
  justify-content: center;
  gap: 25px;
  flex-wrap: wrap;
}
.card {
  background: white;
  width: 280px;
  border-radius: 12px;
  overflow: hidden;
  box-shadow: 0 5px 18px rgba(0,0,0,.12);
  text-align: center;
  padding-bottom: 25px;
}
```

```
.card img {
  width: 100%;
  height: 180px;
  object-fit: cover;
}
.card h3 {
  margin: 18px 0 10px;
  color: #0b3d5c;
}
.card p {
  padding: 0 15px;
  line-height: 1.5;
  margin-bottom: 18px;
}
.form-box {
  background: white;
  max-width: 600px;
  margin: 40px auto;
  padding: 35px;
  border-radius: 12px;
  box-shadow: 0 5px 20px rgba(0,0,0,.12);
}
.form-box label {
  display: block;
  margin-top: 15px;
  margin-bottom: 6px;
  font-weight: bold;
}
.form-box input,
.form-box select {
  width: 100%;
  padding: 12px;
  border: 1px solid #ccc;
  border-radius: 6px;
}
.form-box button {
  margin-top: 25px;
  width: 100%;
  padding: 13px;
  border: none;
  border-radius: 25px;
  background: #ff6b35;
  color: white;
  font-size: 17px;
  cursor: pointer;
}
.success {
  text-align: center;
  padding: 100px 20px;
}
.success h1 {
  color: #0b3d5c;
  font-size: 40px;
  margin-bottom: 20px;
}
```

```

footer {
  background: #0b3d5c;
  color: white;
  text-align: center;
  padding: 20px;
  margin-top: 50px;
}

```

Write: CSS is used to provide styling, spacing, colors, cards, buttons, forms and responsive layout for the TravelGo application.

Step 14 : Configure Hibernate/JPA

- Open persistence.xml.
- Set Persistence Unit Name: TravelGoPU.
- Set transaction type: **RESOURCE_LOCAL**.
- Select **Hibernate** as the provider.
- Add entity class: com.travel.Booking.
- Configure Oracle JDBC driver, URL, username and password.
- Set Hibernate dialect to:

```

<property name="hibernate.dialect"
value="org.hibernate.dialect.Oracle10gDialect"/>

</properties>


```

- Save the file.

Step 15: Run and Test Application

- Start **GlassFish Server 4.1** in NetBeans.
- Right-click **TravelTourBooking** → **Run**.
- The application opens in the browser.
- Check the five pages:

1] Home



2] Destinations

localhost:8080/TravelTourBooking/destinations.jsp

TravelGo Home Destinations Packages Book Tour Contact

Explore Our Destinations

Choose your dream destination and start your journey.



Goa
Relax on beautiful beaches and enjoy the perfect holiday.
[Book Now](#)



Manali
Experience mountains, adventure and breathtaking views.
[Book Now](#)



Kashmir
Discover the beauty of valleys, lakes and snow-covered mountains.
[Book Now](#)



Jaipur
Explore royal palaces, forts and the rich culture of Rajasthan.
[Book Now](#)

© 2026 TravelGo | Explore. Dream. Travel.

3] Packages

localhost:8080/TravelTourBooking/packages.jsp

TravelGo Home Destinations Packages Book Tour Contact

Our Tour Packages

Choose a package and start your unforgettable journey.

Goa Beach Escape
Duration: 3 Days / 2 Nights
Enjoy beaches, sightseeing and delicious local food.
8,999
[Book Now](#)

Manali Adventure
Duration: 5 Days / 4 Nights
Enjoy mountains, adventure activities and beautiful views.
14,999
[Book Now](#)

Kashmir Paradise
Duration: 6 Days / 5 Nights
Experience valleys, lakes and stunning snow-covered mountains.
18,999
[Book Now](#)

Rajasthan Heritage
Duration: 4 Days / 3 Nights
Explore royal palaces, forts and the culture of Rajasthan.
11,999
[Book Now](#)

© 2026 TravelGo | Explore. Dream. Travel.

4] Booking

localhost:8080/TravelTourBooking/booking.jsp

TravelGo Home Destinations Packages Book Tour Contact

Book Your Dream Tour

Fill in your details and get ready for an amazing journey.

Full Name
Divya Prep

Email
divyaprep56@gmail.com

Phone Number
9470125454

Select Destination
Jaipur


Number of Persons
5

Travel Date
21-09-2026

[Book My Tour](#)

© 2026 TravelGo | Explore. Dream. Travel.

5] Confirmation



Test Booking

1. Open **Booking** page.
2. Enter:
 - Name
 - Email
 - Phone
 - Destination
 - Number of persons
 - Travel date
3. Click **Book Now**.
4. BookingServlet receives the form data.
5. Hibernate/JPA saves the booking in the BOOKINGS table.
6. **Booking Confirmed** page is displayed.

Step 16 : Verify in Oracle

Run: SELECT * FROM BOOKINGS;

The newly submitted booking should appear in the table.

```
SQL> SELECT * FROM BOOKINGS;
```

ID	NAME	EMAIL	PHONE	DESTINATION	PERSONS	TRAVEL_DATE
7	dev	devshukla@gmail.com	6145215524	Manali	2	2026-10-01
2	dev	devshukla@gmail.com	6145215524	Goa	2	2026-10-01
3	raj	Rajjjj45@gmail.com	6145215524	Kashmir	4	2026-09-27
4	dev	devshukla@gmail.com	6145215524	Kashmir	2	2026-10-01
5	dev	devshukla@gmail.com	6145215524	Kashmir	2	2026-10-01
6	dev	devshukla@gmail.com	6145215524	Manali	2	2026-10-01
8	dev	devshukla@gmail.com	6145215524	Manali	2	2026-10-01
9	Samarth D	Smth4511@gmail.com	9214214521	Manali	7	2026-11-10
10	Shri Shukla	SShuklapw451@gmail.com	755252254	Goa	4	2026-10-12
11	Riyaa	Riyatiwari@gmail.com	2155455245	Jaipur	1	2026-12-01
12	Riyaa	Riyatiwari@gmail.com	2155455245	Jaipur	1	2026-12-01
13	Divya Prep	divyaprep56@gmail.com	9470125454	Jaipur	5	2026-09-21

12 rows selected.