

Laxmi Charitable Trust's
Sheth L.U.J College of Arts & Sir M.V. College of Science and Commerce
Department of Information Technology (B.Sc.I.T Semester V)
Full Stack Development Using MERN

Practical – IV

Roll No.: T032	Name: KHUSHI
Class: TYIT	Batch: 2
Date of Assignment: 15-07-26	Date/Time of Submission: 15-07-26

AIM :-React Components, Props, and State

A) Create multiple components and render them on a single page.

CODE:-

App.jsx

```
import Header from "./components/Header";
import StudentProfile from "./components/StudentProfile";
import Eligibility from "./components/Eligibility";
import PlacementStats from "./components/PlacementStats";
import CompanyOffer from "./components/CompanyOffer";
import SkillProgress from "./components/SkillProgress";
import Footer from "./components/Footer";
function App() {
  return (
    <div style={{ textAlign: "center" }}>
      <Header />
      <StudentProfile />
      <hr />
      <Eligibility />
      <hr />
      <PlacementStats />
      <hr />
      <CompanyOffer />
      <hr />
      <SkillProgress />
      <hr />
      <Footer />
    </div>
  );
}
export default App;
```

Header.jsx

```
function Header() {
  return (
    <div>
      <h1>🎓 M. V. L. U. College Placement Dashboard</h1>
      <hr />
    </div>
  );
}
export default Header;
```

StudentProfile.jsx

```
function StudentProfile() {
  return (
    <div>
      <h2>Student Profile</h2>
```

```

    <p>Name : Khushi Anil Patel</p>
    <p>Branch : Information Technology</p>
    <p>CGPA : 8.65</p>
    <p>Attendance : 88%</p>
  </div>
);
}
export default StudentProfile;

```

Eligibility.jsx

```

function Eligibility() {
  return (
    <div>
      <h2>Placement Eligibility</h2>
      <p>Minimum CGPA Required : 7</p>
      <p>Minimum Attendance : 75%</p>
      <p>Status : Eligible</p>
    </div>
  );
}
export default Eligibility;

```

PlacementStats.jsx

```

function PlacementStats() {
  const total = 180;
  const placed = 142;
  const remaining = total - placed;
  const percentage = (placed / total) * 100;
  return (
    <div>
      <h2>Placement Statistics</h2>
      <p>Total Students : {total}</p>
      <p>Placed Students : {placed}</p>
      <p>Remaining Students : {remaining}</p>
      <p>Placement Percentage : {percentage.toFixed(2)}%</p>
    </div>
  );
}
export default PlacementStats;

```

CompanyOffer.jsx

```

function CompanyOffer() {
  const basic = 550000;
  const hra = 50000;
  const bonus = 25000;
  const total = basic + hra + bonus;
  return (
    <div>
      <h2>Company Offer</h2>
      <p>Company : Infosys</p>
      <p>Basic Salary : ₹{basic}</p>
      <p>HRA : ₹{hra}</p>
      <p>Bonus : ₹{bonus}</p>
      <p>Total Package : ₹{total}</p>
    </div>
  );
}
export default CompanyOffer;

```

SkillProgress.jsx

```
function SkillProgress() {
  const totalSkills = 12;
  const completed = 9;
  const pending = totalSkills - completed;
  const progress = (completed / totalSkills) * 100;
  return (
    <div>
      <h2>Skill Progress</h2>
      <p>Total Skills : {totalSkills}</p>
      <p>Completed Skills : {completed}</p>
      <p>Pending Skills : {pending}</p>
      <p>Progress : {progress.toFixed(2)}%</p>
    </div>
  );
}
export default SkillProgress;
```

Footer.jsx

```
function Footer() {
  return (
    <div>
      <hr />
      <p>© 2026 M. V. L. U. Placement Cell</p>
    </div>
  );
}
export default Footer;
```

OUTPUT:-

 M. V. L. U. College Placement Dashboard	
Student Profile Name : Khushi Anil Patel Branch : Information Technology CGPA : 8.65 Attendance : 88%	
Placement Eligibility Minimum CGPA Required : 7 Minimum Attendance : 75% Status : Eligible	
Placement Statistics Total Students : 180 Placed Students : 142 Remaining Students : 38 Placement Percentage : 78.89%	
Company Offer Company : Infosys Basic Salary : ₹550000 HRA : ₹50000 Bonus : ₹25000 Total Package : ₹625000	
Skill Progress Total Skills : 12 Completed Skills : 9 Pending Skills : 3 Progress : 75.00%	
© 2026 M. V. L. U. Placement Cell	

B | Pass data between components using props**CODE:-****App.jsx**

```
import FoodCard from './components/FoodCard';
```

```
function App() {
```

```
  return (
```

```
    <div
```

```
      style={{
```

```
        background: "#f4f6f9",
```

```
        minHeight: "100vh",
```

```
        padding: "20px",
```

```
        fontFamily: "Arial",
```

```
      }}
    >
```

```
    <h1
```

```
      style={{
```

```
        textAlign: "center",
```

```
        color: "#ff5722",
```

```
      }}
    >
```

```
       Online Food Delivery Dashboard 
```

```
    </h1>
```

```
    <FoodCard
```

```
      restaurant="Domino's Pizza"
```

```
      food="Cheese Burst Pizza"
```

```
      quantity={2}
```

```
      total={600}
```

```
      final={570}
```

```
      rating="4.8"
```

```
      time="25 mins"
```

```
    />
```

```
    <FoodCard
```

```
      restaurant="McDonald's"
```

```
      food="Veg Burger Combo"
```

```
      quantity={3}
```

```
      total={450}
```

```
      final={415}
```

```
      rating="4.5"
```

```
      time="20 mins"
```

```
    />
```

```
    <FoodCard
```

```
      restaurant="Burger King"
```

```
      food="Whopper Meal"
```

```
      quantity={1}
```

```
      total={320}
```

```
      final={299}
```

```
      rating="4.4"
```

```
      time="30 mins"
```

```
    />
```

```
  </div>
```

```
    style={{
```

```
      width: "340px",
```

```
      margin: "20px auto",
```

```
      background: "#ffffff",
```

```
      padding: "20px",
```

```
      borderRadius: "15px",
```

```
      boxShadow: "0 4px 10px rgba(0,0,0,0.2)",
```

```
      textAlign: "center",
```


```
    }} >
```

```

<h2><img alt="document icon" data-bbox="131 45 148 58"/> Order Summary</h2>
<p>Total Orders : <b>3</b></p>
<p>Total Price : <b>₹1370</b></p>
<p style={{ color: "green" }}>
  Final Bill : <b>₹1284</b>
</p>
<hr />
<h2> Delivery Status</h2>
<p> Delivered : 2</p>
<p> On the Way : 1</p>
<p> Cancelled : 0</p>
<h3 style={{ color: "green" }}>
  Status : Successful
</h3>
</div>
<p style={{ textAlign: "center", color: "gray" }}>
  © 2026 Online Food Delivery Dashboard
</p>
</div>
);
}
export default App;

```

OUTPUT:-



C] Use the useState hook to manage and update data.

CODE:-

```
import { useState } from 'react'
```

```
function App(){
  const [count,setCount] = useState(0);
  return(
    <div>
      <h1>Button Click Counter</h1>
      <hr />
      <h2>user Clicks :{count}Times</h2>
      <button onClick={() => setCount(count + 1)}> Click me</button>
    </div>
  ); }
export default App;
```

OUTPUT:-

Button Click Counter

user Clicks :11Times

Click me

D] Create a form component to accept user input and display it dynamically.

CODE:-

App.jsx

```
import './App.css';
import StudentForm from './Components/StudentForm';
function App() {
  return (
    <div className="container">
      <StudentForm />
    </div>
  );
}
```

export default App;

StudentForm.jsx

```
import { useState } from "react";
function StudentForm() {
  const [name, setName] = useState("");
  const [rollNo, setRollNo] = useState("");
  const [branch, setBranch] = useState("");
  const [cgpa, setCgpa] = useState("");
  return (
    <div>
      <h1>Student Registration Form</h1>
      <label>Student Name : </label>
      <input
        type="text"
        value={name}
        onChange={(e) => setName(e.target.value)}
      />
      <br />
      <br />
      <label>Roll Number : </label>
      <input
        type="number"
        value={rollNo}
        onChange={(e) => setRollNo(e.target.value)}
      />
    </div>
  );
}
```

```

/>
<br />
<br />
<label>Branch : </label>
<input
  type="text"
  value={branch}
  onChange={(e) => setBranch(e.target.value)}
/>
<br />
<br />
<label>CGPA : </label>
<input
  type="number"
  value={cgpa}
  onChange={(e) => setCgpa(e.target.value)}
/>
<br />
<br />
<hr />
<h2>Student Details</h2>
<p>Name : {name}</p>
<p>Roll Number : {rollNo}</p>
<p>Branch : {branch}</p>
<p>CGPA : {cgpa}</p>
</div>
);
}
export default StudentForm;

```

OUTPUT:-

The screenshot shows a web application with a dark background. At the top, there is a large white heading "Student Registration Form". Below it, there are four input fields with labels: "Student Name : KHUSHI PATEL", "Roll Number : 32", "Branch : IT", and "CGPA : 8.78". Below these fields is a section titled "Student Details" in white. Under this title, the same information is displayed: "Name : KHUSHI PATEL", "Roll Number : 32", "Branch : IT", and "CGPA : 8.78".

E] Display a list of items stored in the state using map().

CODE:-

```

import { useState } from "react";
function ItemList() {
  const [items, setItems] = useState([
    "Apple",
    "Banana",
    "Orange",
    "Mango",
  ]);
}


```

```

return (
  <div>
    <h2>Fruits</h2>
    <ul>
      {items.map((item, index) => (
        <li key={index}>{item}</li>
      ))}
    </ul>
  </div>
);
}
export default ItemList;

```

OUTPUT:-



F] Build a small interactive component (e.g., counter or to-do list).

CODE:-


Counter

```

import { useState } from "react";
function App() {
  const [count, setCount] = useState(0);
  return (
    <div className="container">
      <h1>React Counter Application</h1>
      <hr />
      <h2>Current Count : {count}</h2>
      <button onClick={() => setCount(count + 1)}>
        Increase
      </button>
      &nbsp;
      <button onClick={() => setCount(count - 1)}>
        Decrease
      </button>
      &nbsp;
      <button onClick={() => setCount(0)}>
        Reset
      </button>
    </div>
  );
}
export default App;

```

OUTPUT:-



React Counter Application

Current Count : 4

React Counter Application

Current Count : 0

(e.g: to-do list)

CODE: -

App.jsx

```
import TodoList from "../components/TodoList";
```

```
function App() {
```

```
  return (
```

```
    <div>
```

```
      <TodoList />
```

```
    </div>
```

```
  );
```

```
}
```

```
export default App;
```

TodoList.jsx

```
import React, {useState} from "react";
```

```
function TodoList() {
```

```
  const [task, setTask] = useState("");
```

```
  const [tasks, setTasks] = useState([]);
```

```
  const addTask = () => {
```

```
    if (task.trim() !== "") {
```

```
      setTasks([...tasks, task]);
```

```
      setTask("");
```

```
    }  };
```

```
  const deleteTask = (index) => {
```

```
    const newTasks = tasks.filter((_, i) => i !== index);
```

```
    setTasks(newTasks);
```

```
  };
```

```
  return (
```

```
    <div
```

```
      style={{
```

```
        width: "400px",
```

```
        margin: "50px auto",
```

```
        textAlign: "center",
```

```
        fontFamily: "Arial",
```

```
      }}
    >
```

```
    <h1>To-Do List</h1>
```

```
    <input
```

```
      type="text"
```

```
      placeholder="Enter Task"
```

```
      value={task}
```

```
      onChange={(e) => setTask(e.target.value)}
```

```
      style={{
```

```

padding: "8px",
width: "220px",
}}
/>
<button
onClick={addTask}
style={{
marginLeft: "10px",
padding: "8px 15px",
backgroundColor: "green",
color: "white",
border: "none",
cursor: "pointer",
}}
>
  Add Task
</button>
<h3>My Tasks</h3>
<ul style={{ textAlign: "left" }}>
{tasks.map((item, index) => (
  <li key={index} style={{ marginBottom: "10px" }}>
    {item}
    <button
      onClick={() => deleteTask(index)}
      style={{
        marginLeft: "10px",
        backgroundColor: "red",
        color: "white",
        border: "none",
        padding: "4px 8px",
        cursor: "pointer",
      }}
    >
      Delete
    </button>
  </li>
))}
</ul>
</div>
);
}
export default TodoList;

```

OUTPUT: -

