

The Hidden Economy of Widespread Renewable Energy Adoption

By Ryan Kim

Econ 550: Energy Economics

Introduction

In the short time that it has existed, our modern electrical infrastructure has seen an untold number of iterations. Our ever-increasing demand for energy, coupled with the evolution of the methods in which we generate it, has necessitated the creation and development of policy and technology that would have seemed all but an impossible concept as recently as a century ago. Our modern-day electrical infrastructure is a marvel of human creativity and drive, built upon and improved through the work of countless hardworking individuals. The process of its creation however, has not been without its struggles. Technology and development may have provided us with the raw material to pave our road into the future, but for every smooth road that has been developed, countless others were created, dismantled, and improved upon.

When it was invented in the early 19th century, the lightbulb marked the dawn of the modern electrical era. Conceptually simple yet significant beyond words, it in essence bestowed humans with more time. More time to read, more time to draw, more time to study, and more time with which to do what we deemed worthy to do. Much like agriculture or writing, it was a productivity enabler: something that allowed us to increase our individual output by orders of magnitude. Soon after, the first commercially available electrical appliances arrived on the scene and kicked off a wave of consumer demand for electrified convenience. But this demand came with a challenge, necessitating a solution to how electricity could reach every home, powering not just lightbulbs and irons but eventually refrigerators, radios, and every other device that would come to define modern living. Governmental entities soon understood that developing the infrastructure to generate, transmit, and distribute electricity on an unprecedented scale would be of the utmost priority. This catalyzed many of the transformative innovations and policies aimed at building the backbone of our modern electrical grid. From the initial direct current (DC)

systems of Edison's design to Nikola Tesla and George Westinghouse's pioneering work with alternating current (AC), the electrical infrastructure evolved rapidly. Cities were illuminated, industries ignited, and homes became hubs of electrical activity. But with these triumphs were attached questions, like how to balance supply and demand, how to extend access to rural areas, and how to ensure reliability in abnormal conditions.

As we move deeper into the 21st century, the rise of renewable energy and decentralized power generation has introduced further complexities into the design and operation of electrical infrastructure. Historically, the grid was engineered for a one way flow of electricity: large, centralized power plants generated electricity, which was then transmitted across high-voltage lines and distributed to consumers. This model dominated much of the 20th century, supported by coal, natural gas, and nuclear energy facilities that provided predictable and continuous power. However, the shift toward renewable energy and decentralized systems has fundamentally transformed the energy landscape and in turn, the economics that dictate it.

Renewable Energy and Transmission: Early Days and Challenges

The spread of renewable energy technologies began in earnest in the latter half of the 20th century, spurred by increasing concerns over the environmental impacts of fossil fuels and the oil crises of the 1970s. Wind energy saw its early large-scale adoption in the 1980s, with California becoming a leader in wind development through state-level policies such as the Public Utilities Regulatory Policies Act (PURPA). PURPA required utilities to purchase electricity from renewable energy producers, setting the stage for widespread wind energy adoption. Solar power followed suit, with the introduction of world-first solar tariffs by the German government. These incentives reduced financial barriers for solar panel adoption, leading to exponential growth in

photovoltaic installations. In the United States, initiatives like the Solar Investment Tax Credit (ITC), introduced in 2006, drove solar power deployment. By 2020, solar and wind power accounted for 20% of U.S. electricity generation, a dramatic increase from less than 1% in 1990 (Wiser et al., 2022).

However, the transformation of electrical infrastructure has been underpinned by a mix of policy frameworks and economic incentives. Renewable Portfolio Standards (RPS) in states like California mandated utilities to source a certain percentage of electricity from renewable resources, pushing grid operators to adapt to new technologies. Internationally, carbon pricing mechanisms in the European Union spurred investment in renewable energy, while China's subsidies for wind and solar manufacturing positioned it as a global leader in renewable technology exports (Ojeda et al., 2009). This global energy transition has also required substantial investment in grid modernization. According to the International Energy Agency (IEA), the world must invest over \$4 trillion annually in clean energy infrastructure to meet net-zero carbon goals by 2050. This includes upgrading transmission lines, integrating battery storage, and developing advanced grid management systems to handle the complexities of decentralized energy.

The evolution of electrical infrastructure and the growing integration of renewable energy sources have placed significant economic pressures on the systems of transmission (Tx) and interconnection (Ix). These processes are the backbone of modern electricity delivery, ensuring that generated power reaches consumers efficiently and reliably. And as energy demand and complexity grow, so too do the challenges and costs associated with these components. Transmission and interconnection costs have risen substantially in recent decades, driven by the proliferation of renewable energy projects and the need for grid modernization. These costs fall

into two primary categories: point-of-interconnection (POI) costs, which include the infrastructure needed to connect new generation projects to the grid, and network upgrade costs, which involve expanding or reinforcing the grid to accommodate additional load.

For instance, studies from NYISO and CAISO reveal that interconnection costs for renewable energy projects have more than doubled since 2017. In NYISO, the average cost per kilowatt rose from \$86/kW for projects studied between 2006 and 2016 to \$167/kW for projects studied from 2017 to 2021 (Kemp et al., 2023). Similarly, CAISO has experienced a surge in network upgrade requirements as renewable energy developers seek connections in areas far from urban demand centers where land and resource availability are higher but existing transmission capacity is limited (Chao and Wilson, 2019).

Rising interconnection costs are not just a financial hurdle but also a systemic challenge that affects the pace of renewable energy deployment. In California, developers often face significant delays as projects sit idle in interconnection queues awaiting grid studies and approvals. The cost of interconnection upgrades in California has surged due to the geographic mismatch between renewable energy resources and existing transmission infrastructure (Kemp et al., 2023). Areas with high solar potential, such as the Mojave Desert, often require extensive network reinforcements to connect projects to load centers in Los Angeles or San Francisco. These additional costs, which can amount to millions of dollars per project, often discourage smaller developers and delay the overall clean energy transition. Moreover, the lack of coordination between developers and grid operators exacerbates the inefficiencies, leading to project cancellations and wasted resources.

Wind energy faces similar challenges, but has had a few more success stories attached to it. Over the past decade, advancements in turbine technology have driven down costs and increased capacity factors, making wind power one of the most cost-effective sources of electricity. In the Texas Panhandle, the Competitive Renewable Energy Zones (CREZ) initiative invested \$7 billion to build 3,600 miles of transmission lines, enabling wind power from remote areas to flow into urban demand centers like Dallas and Houston. This large-scale investment significantly boosted wind energy capacity in Texas, which now generates over 25% of its electricity from wind. However, similar projects have been slower to materialize in other parts of the United States, where fragmented regulatory frameworks and local opposition often delay or block transmission development. Such barriers highlight the critical need for cohesive national transmission policies to ensure that high-quality wind resources can be effectively integrated into the grid.

Internationally, wind energy markets face similar challenges, particularly in regions where renewable energy is expanding rapidly. In China, the development of ultra-high voltage (UHV) transmission lines has been pivotal in connecting large wind farms in the northern provinces to demand centers in the south and east. These lines can carry power over distances exceeding 1,000 kilometers, reducing congestion and improving grid stability. Despite the technological and economic advantages of UHV systems, their high upfront costs and reliance on centralized planning raise questions about scalability and flexibility in less centrally governed markets. As countries strive to meet ambitious decarbonization targets, the economic feasibility of such transmission investments will depend on the ability to balance infrastructure costs with the long-term benefits of increased renewable integration. Proactive and well-coordinated planning,

supported by innovative financing mechanisms, remains essential to maximizing the potential of wind energy worldwide.

Elsewhere, in developing nations where such infrastructure is still in the speculative planning stages, policy makers and governmental entities are watching the developed world with keen interest. In Africa, abundant resources such as solar in the Sahel and hydropower in the Congo Basin show immense promise as a source of affordable and clean energy. Studies estimate that regional energy trade, enabled by interconnected grids, could reduce system costs by as much as 21% compared to business-as-usual scenarios (Sanoh et al., 2014). This is due to economies of scale achieved through large-scale renewable projects and the efficient allocation of electricity across borders. For example, hydropower plants in East Africa could supply neighboring countries, reducing reliance on expensive fossil fuels and stabilizing regional grids. While this does necessitate other geopolitical circumstances to accommodate, it is a unique opportunity to create infrastructure capable of accommodating the world's rapid development by creating it from the ground up.

Efforts to mitigate these challenges stateside like the adoption of cluster-based interconnection studies, show promise but have not been sufficient to resolve the broader structural issues. In New York, for instance, the NYISO has begun grouping interconnection requests by geography and timing, allowing for more efficient evaluations of grid impacts. However, this approach still faces limitations, particularly when speculative projects clog the queue, delaying viable ones. Similar reforms are being implemented under FERC Order 2023, which introduces stricter project readiness requirements and higher application fees to discourage speculative entries. While these measures are steps in the right direction, broader reforms are needed to streamline interconnection processes further, including enhanced coordination between regional

transmission organizations (RTOs) and independent system operators (ISOs), as well as increased investment in preemptive transmission planning to anticipate future renewable energy growth. These solutions could help stabilize interconnection costs while accelerating renewable deployment.

One proposed facet of a potential solution is in the form of merchant transmission investments, which are privately financed projects aimed at profiting from electricity trade. Unlike regulated transmission, where costs are typically socialized across ratepayers, merchant investments rely on market dynamics to recover costs. For instance, a merchant transmission line may benefit from capacity withholding, where developers strategically limit transmission capacity to drive up prices in high-demand regions (Ojeda et al., 2009). While this can incentivize private investment in regions underserved by traditional utilities, it also raises concerns about market efficiency and consumer costs. Regulatory measures, such as must-offer provisions requiring the sale of all available capacity, have been proposed to counteract these issues. By blending market-driven strategies with appropriate oversight, merchant transmission projects can complement regulated investments, especially in regions like California, where renewable energy integration often demands rapid and targeted transmission upgrades.

Merchant transmission investments also provide flexibility in financing and siting projects that might not align with traditional regulated frameworks. In many cases, these projects target high-value transmission corridors that connect renewable energy-rich regions with densely populated urban centers, where electricity demand is higher. For example, merchant lines can help unlock stranded renewable energy resources in remote areas by offering a direct path to markets, bypassing the lengthy approval processes and ratepayer-funded mechanisms required for regulated transmission. This model has been particularly effective in regions with competitive

electricity markets, where developers can capitalize on locational marginal price (LMP) differences between areas of generation and consumption. However, the success of merchant projects hinges on the stability of market incentives and a clear regulatory framework to prevent market manipulation and ensure fair access for all stakeholders.

One somewhat surprising quality of merchant transmission investments is their potential role in promoting equitable energy access. Many underserved or remote regions lack the infrastructure needed to tap into renewable energy resources or access reliable electricity. Merchant projects, which are often privately financed and targeted, can help bridge this gap by prioritizing high-impact transmission corridors that connect these areas to larger markets. For example, projects that link rural wind farms to urban centers not only reduce energy costs but also create economic opportunities in underdeveloped areas. These investments, if aligned with local development goals, can foster regional economic growth while contributing to national decarbonization objectives.

Another key perspective involves the role of merchant transmission in fostering international energy trade. The European Union's cross-border transmission projects offer a case study in the economic benefits of merchant investments. Projects that leverage cross-border interconnections, such as those seen in Africa's regional power pools, illustrate how coordinated transmission investments can stabilize grids and enhance market efficiency by optimizing the allocation of renewable energy resources across regions (Sanoh et al., 2014). In North America, similar opportunities exist along the U.S. Canada border, where transmission investments could integrate Canadian hydropower into U.S. markets.

Despite their advantages, merchant transmission investments often face significant risks. Unlike regulated projects, which guarantee cost recovery through fixed rates, merchant projects must generate revenue solely from market transactions. This creates exposure to market volatility, especially in systems with variable renewable energy generation. For instance, the unpredictability of wind and solar output can lead to fluctuating electricity prices, making it difficult for merchant investors to secure consistent returns. Additionally, there is a risk of underinvestment in areas that are economically less attractive but critical for grid reliability and resilience. To address these challenges, hybrid models that blend merchant financing with partial regulatory backing have been proposed. Such models can provide a safety net for investors while ensuring that essential grid infrastructure is developed in alignment with broader policy goals, such as decarbonization and equitable access to clean energy.

Uncertainty is another challenge in renewable energy integration, particularly when evaluating the economic implications of long-term transmission planning. Traditional deterministic models, which rely on fixed assumptions, often fail to capture the variability inherent in renewable energy markets. This includes fluctuating generation profiles, evolving policy landscapes, and advancements in technology that impact both costs and operational efficiency. Stochastic programming offers a more economically robust approach by modeling multiple future scenarios simultaneously, enabling planners to make investments that minimize costs across a range of possible outcomes (Ho et al., 2016). By accounting for uncertainties such as renewable energy price fluctuations or policy shifts, this approach helps ensure that transmission investments remain economically viable and adaptable.

The economic benefits of stochastic models are particularly evident in their ability to identify cost-effective investments that reduce renewable energy integration costs while improving grid

reliability. For example, scenario-based planning in the Western Interconnection has demonstrated how targeted transmission upgrades can lower curtailment and congestion costs, which directly affect electricity prices. Stochastic programming models, such as the Johns Hopkins Stochastic Multistage Integrated Network Expansion (JHSMINE), provide a robust framework for tackling the uncertainties associated with renewable energy integration. By incorporating multiple future scenarios into a unified model, stochastic programming identifies transmission investments that not only minimize costs under each scenario but also provide adaptability across the range of possible futures. This adaptability stems from the two-stage decision-making process inherent in stochastic models: "here-and-now" decisions made before uncertainties are resolved and "wait-and-see" decisions adjusted as future conditions become known (Ho et al., 2016).

As we can see, there is overwhelming evidence that the direction of transmission infrastructure will radically shape the speed and efficacy of the renewable energy transition. Although we have myriad tools at our disposal to model and plan for the inevitable changes that will occur, we still lack good examples from which we can refer to as successful. California and many European countries have served as testbeds for some of these economic policies related to transmission, and analyzing how they have benefited the renewable energy transition (RET) can help elucidate some of the more efficient methods at our disposal for maintaining our current trajectory and momentum. The first is to continuously improve upon the transmission guidelines established by the government. FERC order 2023 was a landmark decision that mandated all United States electrical grid systems operators to switch to a cluster based interconnection queue. Stalled projects mean delayed renewable standards, and delayed renewable standards means the potential for more severe and disruptive impacts related to climate change.

Policy Recommendations

Attempting to measure the present day value of future savings is a topic we have covered extensively throughout our course, and I believe it to be as pertinent in this argument as any other that considering the true cost of delays and inefficiencies that are observed in the RET. Unfortunately, the only way to do so due to the nature of the resource being measured is to assign a cost of carbon, which we have repeatedly discussed as an ineffective and imperfect method of measuring such climate change related metrics.

One such metric to look at could be curtailment rates. Curtailment rates offer a quantifiable metric to evaluate inefficiencies within renewable energy systems, representing both financial and environmental losses. Curtailment occurs when renewable energy sources, such as wind or solar, generate electricity that cannot be absorbed by the grid due to transmission limitations or demand mismatches. In China, for instance, from 2009 to 2017, approximately 15% of wind energy output (equivalent to 190 billion kWh) was curtailed, resulting in a wastage of renewable energy that could have replaced 61 million tons of coal and avoided 170 million tons of CO₂ emissions (Xia et al., 2020). Economically, curtailment exacerbates the levelized cost of electricity (LCOE) for renewables, as fixed costs remain unchanged while less energy is sold. Further research from this study highlights that curtailment rates in China significantly elevated the cost of carbon mitigation, with the actual cost of wind electricity exceeding estimates by 0.5 to 2 times and the carbon mitigation costs being 4 to 6 times higher than anticipated. These inefficiencies can deter investment in renewable energy projects, reduce long-term industry sustainability, and necessitate policy reforms. Policy mechanisms like feed-in tariffs (FITs),

when poorly designed or slowly adjusted to declining generation costs, further contribute to the problem by incentivizing overinvestment in areas with inadequate grid capacity, exacerbating curtailment issues.

To address the economic and environmental repercussions of curtailment, systemic changes in transmission planning and market mechanisms are necessary. Adjusting FIT rates more frequently to align with the declining costs of renewable technologies could significantly mitigate curtailment (Xia et al. 2020). For example, a biennial FIT adjustment in China could have reduced curtailed wind energy by 23 billion kWh between 2009 and 2016, while an annual adjustment could have cut losses by 27 billion kWh. Such measures not only enhance economic efficiency by optimizing resource allocation but also contribute to decarbonization efforts by ensuring that clean energy production translates into actual grid integration and utilization. Many renewable energy generators in both the United States and Europe are faced with similar issues regarding intermittency, and lack any specific policy which aims to address it. Although a different market and economic landscape, emulating and incorporating some of the strategies outlined in the study could serve to ameliorate some detrimental economic impacts.

Other promising policy financial instruments such as congestion revenue rights (CRRs) and the previously mentioned locational marginal pricing (LMP) have also shown promise in addressing transmission constraints within electricity markets, ensuring the efficient allocation of resources and fostering investment. LMP, by pricing electricity based on real-time supply and demand at specific locations, exposes the cost of congestion and incentivizes targeted grid infrastructure improvements. This mechanism reflects actual grid constraints, encouraging utilities and developers to prioritize areas where investments yield the most significant reliability and efficiency benefits. Similarly, CRRs enable market participants to hedge against the financial

risks posed by transmission bottlenecks, providing a predictable revenue stream that mitigates volatility in electricity costs.

The experience in New York, detailed through Transmission Congestion Contracts (TCCs), illustrates the dual role of these instruments. By securitizing the merchandising surplus into auctioned TCCs, the New York Independent System Operator (NYISO) ensures that market participants can manage locational price disparities effectively. While concerns exist about ratepayer-funded auctions benefiting financial traders disproportionately, studies reveal that traders often enhance market liquidity and information transparency. For instance, profitable financial trader activities in NYISO auctions consistently improve price discovery and reduce inefficiencies, particularly in less-liquid derivative products. These actions not only align with economic efficiency goals but also demonstrate the value of CRRs and TCCs as tools for managing congestion in a manner that benefits both the market and its participants (Leslie, 2020).

The NYISO also employs a structured, multi-round auction process that not only allows participants to secure TCCs efficiently but also generates substantial revenue, which is then reinvested into the grid to address congestion issues. The revenues from these auctions are allocated to offset transmission access charges for load-serving entities, effectively redistributing congestion rents back to ratepayers. This approach ensures that while market participants benefit from hedging mechanisms, the broader electricity market also sees tangible improvements in grid reliability and capacity. By encouraging this dual mandate of risk management and reinvestment, the TCCs offer a compelling model for other grid operators aiming to enhance market efficiency and address congestion challenges. A nationwide adaptation of such

mechanisms, supported by consistent regulatory oversight, could significantly improve the integration of renewable energy and reduce regional transmission disparities.

The incorporation of long-term transmission rights (LTRs) would provide another mechanism for balancing market efficiency and investment incentives in transmission infrastructure. As highlighted by Petropoulos and Willems (2020), long-term transmission rights address a significant limitation of short-term nodal pricing systems by offering a means to internalize the effects of early investments. These rights enable the holder to influence access to constrained transmission capacity while simultaneously providing flexibility through secondary market trading. Such markets ensure that the rights can be reallocated dynamically as market conditions and investment costs evolve. By auctioning these rights and facilitating liquid secondary markets, regulators can mitigate overinvestment risks associated with grandfathered rights and ensure that transmission capacity is deployed efficiently.

Moreover, the study emphasizes that both financial and physical transmission rights can achieve dynamic efficiency when coupled with an active secondary market. Financial rights are noted for their ability to hedge price risks and avoid strategic capacity withholding, making them effective in deregulated markets. By compensating right holders for locational price differences caused by congestion, these financial instruments incentivize rational investment timing, reducing the likelihood of preemptive investments by incumbents. Such policy has yet to be implemented on a wider scale in any US system operator jurisdiction, although CAISO has briefly floated the idea in a 2010 statement. It seems an appropriate time to revisit such ideas, considering the difficult circumstances currently faced by energy policy makers.

Another critical advantage of long-term transmission rights (LTRs) lies in their ability to facilitate cross-border trade and regional grid integration, a facet particularly relevant in multi-jurisdictional electricity markets. By standardizing access to transmission capacity across borders, LTRs reduce regulatory and operational barriers that often hinder the efficient flow of electricity between regions. This cross-border functionality not only enhances market liquidity but also ensures that surplus renewable generation in one region can offset deficits in another, optimizing resource utilization. Petropoulos and Willems (2020) emphasize that this integration is crucial for maximizing the economic value of renewable energy investments, especially in generation areas that are geographically distant from major demand centers. Furthermore, by aligning transmission planning with broader regional objectives, LTRs promote investments in interconnection capacity that might otherwise be delayed due to local funding constraints or policy misalignment. Closer collaboration between system operators and municipal governments would be heavily recommended to help implement small scale LTR pilot programs that could then be expanded out after optimal regional adjustments are identified.

Long-term investments in sustainable energy infrastructure require a careful balance between public regulation and private investment to reduce risks and attract capital. Nearly all major infrastructure projects, such as electricity grids and district heating networks, operate in strictly regulated environments, which helps secure lower interest rates and provides stability for investors (Haas et al., 2021). Public-private partnerships (PPPs) are particularly effective in funding large-scale initiatives, as they distribute risks and benefits across stakeholders. These partnerships are especially advantageous for projects like electric vehicle charging networks or hydrogen infrastructure, where private sector efficiency and public sector oversight work together to accelerate development (Haas et al., 2021).

Innovative financial instruments, such as green bonds, have emerged as critical tools for facilitating the energy transition. Designed to fund climate-related projects, green bonds attract a wide range of investors by coupling financial returns with environmental benefits. Their effectiveness is further enhanced by tax incentives, which make them particularly appealing for funding large-scale projects like renewable energy generation, grid modernization, and energy storage solutions. By linking bond proceeds directly to environmental objectives, green bonds ensure accountability and alignment with sustainability goals while mobilizing significant capital to support the renewable energy transition (Haas et al., 2021).

To further optimize renewable energy integration, enhancing grid infrastructure is paramount. China's approach, which combines ultra-high voltage (UHV) and extra-high voltage (EHV) transmission grids, illustrates the effectiveness of long-distance transmission systems in overcoming spatial mismatches between renewable energy production and demand centers. For instance, a 1% increase in EHV grid density boosts renewable energy share significantly, emphasizing the need for investment in such high-capacity systems to alleviate regional energy imbalances and reduce reliance on fossil fuels (Wang et al., 2021). Implementing similar strategies in regions with comparable resource-distribution patterns can maximize renewable energy deployment while supporting grid stability.

However, the UHV grid, while offering transformative potential, requires careful scaling to avoid inefficiencies. Early-stage investments in UHV systems have shown limited statistical significance in boosting renewable energy generation due to insufficient development, highlighting the importance of phased infrastructure upgrades. Policymakers must balance the scale of UHV deployment with economic feasibility, ensuring complementary upgrades to local grids to support energy distribution effectively (Wang et al., 2021). This strategic sequencing can

prevent resource waste and enhance the cost-effectiveness of energy transitions. Currently only 2 such lines exist in California, and ensuring the construction of further such lines, while being a large initial investment, shows promise in its ability to save on further transmission costs in the long run via proactive and forward thinking projects.

Conclusion

The renewable energy transition represents a watershed moment not only for energy systems but also for broader societal and economic structures. This transformation is not merely an engineering challenge, but one that will also require reworking legacy policies and embracing innovation at every level from system operator to independent generator. Historically, the centralized model of power generation obscured the true costs and impacts of energy consumption. A decentralized, renewable-focused grid offers an opportunity to redefine this relationship, promoting greater transparency and public engagement. Through mechanisms like community solar programs, localized energy generation, and consumer-driven demand response systems, individuals and communities can take a more active role in shaping the energy landscape. Public education campaigns and incentive programs could further enhance this engagement, helping people to see the tangible benefits of their participation in a cleaner, more resilient grid.

Collaboration across sectors and borders will also be vital in navigating the complexities of this transition. Cross-border transmission projects, integrated energy markets, and shared research initiatives hold the potential to scale solutions and accelerate innovation. However, achieving this requires collaborative regulatory frameworks that prioritize collective benefit over short-term gains. The challenges of aligning conflicting economic, political, and institutional

interests cannot be underestimated, but neither can the rewards of a globally interconnected energy system. Such systems could unlock vast renewable potential in regions like sub-Saharan Africa or Central Asia, where vast energy resources remain untapped due to a lack of infrastructure. Additionally, streamlining international coordination could dramatically reduce duplication of efforts and enhance the efficiency of research and development efforts.

The renewable energy transition also necessitates bold leadership to drive a vision rooted in equity, resilience, and innovation. Decisions made today will shape the trajectory of energy systems for decades, influencing not only the pace of decarbonization but also the accessibility and fairness of these new systems. Investments in energy infrastructure must be guided by principles that ensure no community is left behind, addressing systemic inequalities while building for the future. This includes prioritizing underserved regions for grid modernization and ensuring that workforce training programs enable a just transition for those displaced by the decline of fossil fuels. The integration of social and economic considerations alongside technical planning is key to ensuring this transformation is both sustainable and inclusive.

This moment offers a rare and fleeting opportunity to align energy policy with global goals for sustainability and justice. Through intelligent utilization of modern technologies coupled with community engagement and cooperation, we can create an energy system that is not only cleaner but also more equitable and resilient. The renewable energy transition, at its core, is a chance to reimagine the foundations of modern society, crafting an energy future that works for everyone. With proactive policies, innovative technologies, and collaborative leadership, we have a chance to usher in a brighter tomorrow.

Bibliography

- Chao, H.-P., & Wilson, R. (2019). *Coordination of electricity transmission and generation investments*. Energy Economics. doi.org/10.1016/j.eneco.2019.104623.
- Haas, R., Ajanovic, A., Ramsebner, J., Perger, T., Knápek, J., & Bleyl, J. W. (2021). *Financing the future infrastructure of sustainable energy systems*. Green Finance, 3(1), 90–118. doi.org/10.3934/GF.2021006.
- Ho, J. L., Hobbs, B. F., Donohoo-Vallett, P., Xu, Q., Kasina, S., Park, S. W., & Ouyang, Y. (2016). *Planning Transmission for Uncertainty: Applications and Lessons for the Western Interconnection*. Baltimore, MD: Johns Hopkins University. Prepared for the Western Electricity Coordinating Council.
- Kemp, J. M., Seel, J., Rand, J., Millstein, D., Kahrl, F., Gorman, W., Wiser, R., Cotton, W., & Porter, K. (2023). *Interconnection Cost Analysis in the NYISO Territory*. University of California, Berkeley.
- Leslie, G. W. (2021). *Who benefits from ratepayer-funded auctions of transmission congestion contracts? Evidence from New York*. Energy Economics, 93, 105025. doi.org/10.1016/j.eneco.2020.105025.
- Ojeda, O. A., Olsina, F., & Garcés, F. (2009). *Simulation of the long-term dynamic of a market-based transmission interconnection*. Energy Policy, 37(8), 2889–2899. doi.org/10.1016/j.enpol.2009.03.016.
- Petropoulos, G., & Willems, B. (2020). *Long-term transmission rights and dynamic efficiency*. Energy Economics. doi.org/10.1016/j.eneco.2020.104714.
- Sanoh, A., Kocaman, A. S., Kocal, S., Sherpa, S., & Modi, V. (2014). *The economics of clean energy resource development and grid interconnection in Africa*. Renewable Energy, 62, 598–609. doi.org/10.1016/j.renene.2013.08.017.
- Wang, Y., Xu, C., & Yuan, P. (2021). *Is there a grid-connected effect of grid infrastructure on renewable energy generation? Evidence from China's upgrading transmission lines*. Energy & Environment. doi.org/10.1177/0958305X211031015.
- Xia, F., Lu, X., & Song, F. (2020). *The role of feed-in tariff in the curtailment of wind power in China*. Energy Economics. doi.org/10.1016/j.eneco.2019.104661.