

Oracle EAM SQL Query Reference

Schema: APPS | **Org:** 1169 | **Org Code:** XAU

Queries organized from simplest to most complex. All queries are read-only and scoped to org 1169 unless otherwise noted.

Tier 1 — Single Table Lookups

1. Verify org code and ID mapping

```
SELECT ORGANIZATION_ID, ORGANIZATION_CODE
FROM APPS.MTL_PARAMETERS
WHERE ORGANIZATION_CODE = 'XAU';
```

2. Look up a user — by name, ID, or employee number

```
SELECT
    USER_ID,
    USER_NAME,
    DESCRIPTION          AS FULL_NAME,
    EMAIL_ADDRESS,
    EMPLOYEE_ID,
    END_DATE
FROM APPS.FND_USER
WHERE USER_NAME          = '10169062'
   OR TO_CHAR(USER_ID)   = '10169062'
   OR TO_CHAR(EMPLOYEE_ID) = '10169062';
```

3. Find all active users with a specific EAM responsibility

```
SELECT
    FU.USER_NAME,
    FU.DESCRPTION  AS FULL_NAME,
    FU.EMAIL_ADDRESS,
    FUR.START_DATE,
```

```

    FUR.END_DATE
FROM APPS.FND_USER FU
    JOIN APPS.FND_USER_RESP_GROUPS_DIRECT FUR ON FUR.USER_ID = FU
    JOIN APPS.FND_RESPONSIBILITY FR          ON FR.RESPONSIBILI
    JOIN APPS.FND_RESPONSIBILITY_TL FRT      ON FRT.RESPONSIBILI
AND FRT.LANGUAGE = 'US'
    JOIN APPS.FND_APPLICATION FA            ON FA.APPLICATION_
WHERE FRT.RESPONSIBILITY_NAME = 'ICU EAM Manager - XAU'
    AND FA.APPLICATION_SHORT_NAME = 'EAM'
    AND (FU.END_DATE IS NULL OR FU.END_DATE > SYSDATE)
ORDER BY FU.USER_NAME;

```

4. Find all responsibilities assigned to a specific user

```

SELECT
    FU.USER_ID,
    FU.USER_NAME,
    FU.DESCRPTION          AS FULL_NAME,
    FU.EMAIL_ADDRESS,
    FU.EMPLOYEE_ID,
    FRT.RESPONSIBILITY_NAME,
    FA.APPLICATION_SHORT_NAME,
    FUR.START_DATE,
    FUR.END_DATE
FROM APPS.FND_USER FU
    LEFT JOIN APPS.FND_USER_RESP_GROUPS_DIRECT FUR ON FU.USER_ID
    LEFT JOIN APPS.FND_RESPONSIBILITY FR          ON FR.RESPON
    LEFT JOIN APPS.FND_RESPONSIBILITY_TL FRT      ON FR.RESPON
AND FRT.LANGUAGE = 'US'
    LEFT JOIN APPS.FND_APPLICATION FA            ON FR.APPLIC
WHERE FU.USER_NAME          = '10169062'
    OR TO_CHAR(FU.USER_ID)   = '10169062'
    OR TO_CHAR(FU.EMPLOYEE_ID) = '10169062'
ORDER BY FRT.RESPONSIBILITY_NAME;

```

5. Find what QA groups a user belongs to

```

SELECT
    USER_ID,
    USER_NAME,
    PERSON_NAME,
    EMAIL_ADDRESS,

```

```
GROUP_NAME,  
STATUS,  
LAST_UPDATE_DATE  
FROM APPS.QA_USER_GROUP_V  
WHERE USER_NAME = '10169062'    -- or: WHERE USER_ID = 35566  
ORDER BY GROUP_NAME;
```

6. Find all members of a QA group

```
SELECT  
    USER_NAME,  
    PERSON_NAME,  
    EMAIL_ADDRESS,  
    GROUP_NAME,  
    STATUS,  
    LAST_UPDATE_DATE  
FROM APPS.QA_USER_GROUP_V  
WHERE GROUP_NAME = 'YOUR GROUP NAME'  
    AND STATUS      = 'A'  
ORDER BY PERSON_NAME;
```

7. List all released work orders for an asset

```
SELECT  
    WIP_ENTITY_NAME          AS WORK_ORDER,  
    ASSET_NUMBER,  
    ASSET_DESCRIPTION,  
    ASSET_ACTIVITY,  
    WORK_ORDER_STATUS,  
    WORK_ORDER_TYPE_DISP    AS WO_TYPE,  
    TO_CHAR(CREATION_DATE,  
            'MM/DD/YYYY')   AS CREATED,  
    TO_CHAR(SCHEDULED_START_DATE,  
            'MM/DD/YYYY')   AS SCHEDULED_START  
FROM APPS.EAM_WORK_ORDERS_V  
WHERE ORGANIZATION_ID      = 1169  
    AND ASSET_NUMBER       = 'AU-AFL31600-00'  
    AND WORK_ORDER_STATUS  = 'Released'  
ORDER BY CREATION_DATE DESC;
```

8. List all cancelled work orders — last 15 days

```

SELECT
    WIP_ENTITY_NAME          AS WORK_ORDER,
    ASSET_NUMBER,
    ASSET_DESCRIPTION,
    ASSET_ACTIVITY,
    WORK_ORDER_STATUS,
    CLASS_CODE,
    TO_CHAR(CREATION_DATE,
            'MM/DD/YYYY') AS CREATED
FROM APPS.EAM_WORK_ORDERS_V
WHERE ORGANIZATION_ID = 1169
    AND WORK_ORDER_STATUS = 'Cancelled'
    AND CREATION_DATE >= SYSDATE - 15
ORDER BY CREATION_DATE DESC;

```

Tier 2 — Two to Three Table Joins

9. QA results for a work order with technician name

```

SELECT
    EWO.WIP_ENTITY_NAME          AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    PEO.FULL_NAME                AS TECHNICIAN,
    FU.USER_NAME                 AS BADGE_NUMBER,
    TO_CHAR(QR.QA_CREATION_DATE,
            'MM/DD/YYYY HH24:MI:SS') AS INSPECTION_DATE,
    QR.MAINTENANCE_OP_SEQ        AS OP_SEQ,
    QR.CHARACTER1                AS LOT_NUMBER,
    QR.CHARACTER2                AS LOCATION,
    QR.CHARACTER3                AS REASON,
    QR.CHARACTER4                AS ADJUSTMENT,
    QR.COMMENT1                  AS DESCRIPTION
FROM APPS.EAM_WORK_ORDERS_V EWO
    JOIN APPS.QA_RESULTS QR
        ON QR.WORK_ORDER_ID = EWO.WIP_ENTITY_ID
        AND QR.ORGANIZATION_ID = EWO.ORGANIZATION_ID
    JOIN APPS.FND_USER FU
        ON FU.USER_ID = QR.QA_CREATED_BY
    JOIN APPS.PER_ALL_PEOPLE_F PEO
        ON PEO.PERSON_ID = FU.EMPLOYEE_ID
        AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
WHERE
    EWO.ORGANIZATION_ID = 1169

```

```

AND EWO.WIP_ENTITY_NAME = 'AU14857998'
ORDER BY QR.QA_CREATION_DATE DESC;

```

10. Parts charged to a work order

```

SELECT
    EWO.WIP_ENTITY_NAME                AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    MTT.TRANSACTION_TYPE_NAME          AS TRANSACTION_TYPE,
    TO_CHAR(MMT.TRANSACTION_DATE,
            'MM/DD/YYYY HH24:MI:SS')    AS TRANSACTION_DATE,
    MSI.SEGMENT1                       AS PART_NUMBER,
    MSI.DESCRPTION                     AS PART_DESCRIPTION,
    MMT.TRANSACTION_QUANTITY           AS QTY,
    MMT.TRANSACTION_UOM                AS UOM,
    MMT.SUBINVENTORY_CODE              AS FROM_SUBINVENTORY,
    MMT.TRANSACTION_REFERENCE          AS REFERENCE
FROM APPS.EAM_WORK_ORDERS_V EWO
    JOIN INV.MTL_MATERIAL_TRANSACTIONS MMT
        ON MMT.TRANSACTION_SOURCE_ID = EWO.WIP_ENTITY_ID
        AND MMT.ORGANIZATION_ID      = EWO.ORGANIZATION_ID
        AND MMT.TRANSACTION_SOURCE_TYPE_ID = 5
    JOIN INV.MTL_SYSTEM_ITEMS_B MSI
        ON MSI.INVENTORY_ITEM_ID = MMT.INVENTORY_ITEM_ID
        AND MSI.ORGANIZATION_ID   = MMT.ORGANIZATION_ID
    JOIN INV.MTL_TRANSACTION_TYPES MTT
        ON MTT.TRANSACTION_TYPE_ID = MMT.TRANSACTION_TYPE_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND EWO.WIP_ENTITY_NAME = 'AU14857998'
ORDER BY MMT.TRANSACTION_DATE DESC;

```

11. Resources (equipment) assigned to an employee

```

SELECT
    PEO.FULL_NAME,
    BR.RESOURCE_CODE,
    BR.DESCRPTION                AS RESOURCE_DESCRIPTION,
    BR.UNIT_OF_MEASURE,
    BRE.EFFECTIVE_START_DATE,
    BRE.EFFECTIVE_END_DATE
FROM APPS.PER_ALL_PEOPLE_F PEO

```

```

        JOIN BOM.BOM_RESOURCE_EMPLOYEES BRE
            ON BRE.PERSON_ID = PEO.PERSON_ID
            AND SYSDATE <= BRE.EFFECTIVE_END_DATE
        JOIN BOM.BOM_RESOURCES BR
            ON BR.RESOURCE_ID = BRE.RESOURCE_ID
            AND BR.ORGANIZATION_ID = BRE.ORGANIZATION_ID
WHERE
    SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
    AND BR.ORGANIZATION_ID = 1169
    AND UPPER(PEO.FULL_NAME) LIKE UPPER('%Smith%')
ORDER BY PEO.FULL NAME, BR.RESOURCE CODE;

```

12. Work order operations with department name

```

SELECT
    EWO.WIP_ENTITY_NAME          AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    WO.OPERATION_SEQ_NUM        AS OP_SEQ,
    BD.DEPARTMENT_CODE,
    BD.DESCRPTION              AS DEPARTMENT_DESCRIPTION,
    WO.OPERATION_COMPLETED,
    WO.LAST_UPDATE_DATE
FROM APPS.EAM_WORK_ORDERS_V EWO
    JOIN APPS.WIP_OPERATIONS_V WO
        ON WO.WIP_ENTITY_ID = EWO.WIP_ENTITY_ID
        AND WO.ORGANIZATION_ID = EWO.ORGANIZATION_ID
    JOIN BOM.BOM_DEPARTMENTS BD
        ON BD.DEPARTMENT_ID = WO.DEPARTMENT_ID
        AND BD.ORGANIZATION_ID = WO.ORGANIZATION_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND EWO.WIP_ENTITY_NAME = 'AU14857998'
ORDER BY WO.OPERATION_SEQ_NUM;

```

13. Open DM work orders at operation step 10 with assigned resource

```

SELECT DISTINCT
    EWO.WIP_ENTITY_NAME,
    EWO.WIP_ENTITY_ID,
    TO_CHAR(EWO.CREATION_DATE,
            'MM/DD/YYYY HH24:MI:SS') AS CREATION_DATE_TIME,
    EWO.ASSET_NUMBER,
    EWO.WORK_ORDER_STATUS,
    WO.OPERATION_SEQ_NUM,

```

```

        WO.OPERATION_COMPLETED,
        RES.INSTANCE_NAME,
        EWO.DESCRPTION
FROM APPS.WIP_OPERATIONS_V WO1
    JOIN APPS.EAM_WORK_ORDERS_V EWO
        ON EWO.WIP_ENTITY_ID = WO1.WIP_ENTITY_ID
    JOIN APPS.WIP_OPERATIONS_V WO
        ON EWO.WIP_ENTITY_ID = WO.WIP_ENTITY_ID
    JOIN APPS.WIP_OP_RESOURCE_INSTANCES_V RES
        ON RES.WIP_ENTITY_ID = EWO.WIP_ENTITY_ID
        AND RES.OPERATION_SEQ_NUM = WO.OPERATION_SEQ_NUM
    JOIN APPS.MTL_PARAMETERS MP
        ON MP.ORGANIZATION_ID = EWO.ORGANIZATION_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND WO1.OPERATION_SEQ_NUM = 10
    AND WO.OPERATION_SEQ_NUM = 10
    AND WO1.OPERATION_COMPLETED = 'N'
    AND EWO.USER_DEFINED_STATUS_ID = 3
    AND MP.ORGANIZATION_CODE = 'XAU'
    AND EWO.WORK_ORDER_TYPE_DISP = 'DM'
    AND EWO.ASSET_NUMBER LIKE 'AU%'
ORDER BY CREATION_DATE_TIME ASC;

```

14. QA results enriched with QA group membership

```

SELECT
    EWO.WIP_ENTITY_NAME                AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    QUG.PERSON_NAME                    AS TECHNICIAN,
    QUG.USER_NAME                      AS BADGE_NUMBER,
    QUG.GROUP_NAME                    AS QA_GROUP,
    TO_CHAR(QR.QA_CREATION_DATE,
            'MM/DD/YYYY HH24:MI:SS') AS INSPECTION_DATE,
    QR.CHARACTER1                     AS LOT_NUMBER,
    QR.CHARACTER2                     AS LOCATION,
    QR.CHARACTER3                     AS REASON,
    QR.CHARACTER4                     AS ADJUSTMENT,
    QR.COMMENT1                       AS DESCRIPTION
FROM APPS.EAM_WORK_ORDERS_V EWO
    JOIN APPS.QA_RESULTS QR
        ON QR.WORK_ORDER_ID = EWO.WIP_ENTITY_ID
        AND QR.ORGANIZATION_ID = EWO.ORGANIZATION_ID
    JOIN APPS.QA_USER_GROUP_V QUG
        ON QUG.USER_ID = QR.QA_CREATED_BY
        AND QUG.STATUS = 'A'

```

```

WHERE
    EWO.ORGANIZATION_ID = 1169
    AND QR.QA_CREATION_DATE >= SYSDATE - 1
ORDER BY QR.QA_CREATION_DATE DESC;

```

15. All work orders completed by a named employee — rolling window

```

SELECT DISTINCT
    PEO.FULL_NAME,
    FU.USER_NAME                                AS BADGE_NUMBER,
    EWO.WIP_ENTITY_NAME                        AS WORK_ORDER,
    EWO.WORK_ORDER_STATUS,
    EWO.ASSET_NUMBER,
    EWO.ASSET_ACTIVITY,
    EWO.ASSET_DESCRIPTION,
    TO_CHAR(QR.QA_CREATION_DATE,
            'MM/DD/YYYY HH24:MI:SS')          AS INSPECTION_DATE,
    QR.CHARACTER1                             AS LOT_NUMBER,
    QR.CHARACTER2                             AS LOCATION,
    QR.CHARACTER3                             AS REASON,
    QR.CHARACTER4                             AS ADJUSTMENT,
    QR.COMMENT1                               AS DESCRIPTION
FROM APPS.PER_ALL_PEOPLE_F PEO
    JOIN APPS.FND_USER FU
        ON FU.EMPLOYEE_ID = PEO.PERSON_ID
    JOIN APPS.QA_RESULTS QR
        ON QR.QA_CREATED_BY = FU.USER_ID
        AND QR.ORGANIZATION_ID = 1169
    JOIN APPS.EAM_WORK_ORDERS_V EWO
        ON EWO.WIP_ENTITY_ID = QR.WORK_ORDER_ID
        AND EWO.ORGANIZATION_ID = QR.ORGANIZATION_ID
WHERE
    SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
    AND UPPER(PEO.FULL_NAME) LIKE UPPER('%Smith%')
    AND QR.QA_CREATION_DATE >= SYSDATE - 90
ORDER BY QR.QA_CREATION_DATE DESC;

```

16. Work orders with the most part transactions — last 30 days

```

SELECT DISTINCT
    EWO.WIP_ENTITY_NAME,
    EWO.ASSET_NUMBER,

```

```

COUNT(MMT.TRANSACTION_ID) AS PART_TRANSACTIONS
FROM APPS.EAM_WORK_ORDERS_V EWO
      JOIN INV.MTL_MATERIAL_TRANSACTIONS MMT
            ON MMT.TRANSACTION_SOURCE_ID      = EWO.WIP_ENTITY_ID
              AND MMT.ORGANIZATION_ID          = EWO.ORGANIZATION_ID
              AND MMT.TRANSACTION_SOURCE_TYPE_ID = 5
WHERE
      EWO.ORGANIZATION_ID = 1169
      AND MMT.TRANSACTION_DATE >= SYSDATE - 30
GROUP BY
      EWO.WIP_ENTITY_NAME,
      EWO.ASSET_NUMBER
ORDER BY PART_TRANSACTIONS DESC
FETCH FIRST 10 ROWS ONLY;

```

This query now acts as the summary layer for `run_top_part_transactions.py`. The workbook output is:

- Summary sheet with the top work orders, part rollups, latest QA-derived technician, and latest inspection date
- one sheet per work order with part number, part description, transaction detail, and work order context

For this report, the person/date context comes from the latest `QA_RESULTS` row for each work order:

- technician: `QA_RESULTS.QA_CREATED_BY -> FND_USER -> PER_ALL_PEOPLE_F`
- latest work-order context date: `max QA_CREATION_DATE per WORK_ORDER_ID`

Tier 3 — Complex Queries (CTEs, Aggregations, Multi-source)

17. Top 10 assets by work order volume — last 12 months

Full ranking with all work order detail, QA results, and technician per asset:

```

WITH ORG AS (
    SELECT MP.ORGANIZATION_ID, MP.ORGANIZATION_CODE, HOU.NAME AS ORG_NAME
    FROM APPS.MTL_PARAMETERS MP
           JOIN HR.HR_ALL_ORGANIZATION_UNITS HOU ON HOU.ORGANIZATION_ID = MP.ORGANIZATION_ID
    WHERE MP.ORGANIZATION_CODE = 'XAU' AND HOU.DATE_TO IS NULL
),
TOP_ASSETS AS (
    SELECT

```

```

        EWO.ASSET_NUMBER,
        EWO.ASSET_DESCRIPTION,
        ORG.ORGANIZATION_CODE,
        ORG.ORGANIZATION_NAME,
        ORG.ORGANIZATION_ID,
        COUNT(DISTINCT EWO.WIP_ENTITY_ID) AS WORK_ORDER_COUNT,
        RANK() OVER (ORDER BY COUNT(DISTINCT EWO.WIP_ENTITY_ID) )
FROM APPS.EAM_WORK_ORDERS_V EWO
        JOIN ORG ON ORG.ORGANIZATION_ID = EWO.ORGANIZATION_ID
WHERE EWO.ASSET_NUMBER IS NOT NULL
        AND EWO.CREATION_DATE >= ADD_MONTHS(SYSDATE, -12)
GROUP BY EWO.ASSET_NUMBER, EWO.ASSET_DESCRIPTION,
        ORG.ORGANIZATION_CODE, ORG.ORGANIZATION_NAME, ORG.ORGANIZATION_ID
ORDER BY WORK_ORDER_COUNT DESC
        FETCH FIRST 10 ROWS WITH TIES
    )
SELECT
    TA.ORGANIZATION_CODE,
    TA.ASSET_RANK,
    TA.ASSET_NUMBER,
    TA.ASSET_DESCRIPTION,
    TA.WORK_ORDER_COUNT          AS TOTAL_WO_COUNT_12_MONTHS,
    EWO.WIP_ENTITY_NAME          AS WORK_ORDER,
    EWO.WORK_ORDER_STATUS,
    EWO.WORK_ORDER_TYPE_DISP     AS WO_TYPE,
    TO_CHAR(EWO.CREATION_DATE, 'MM/DD/YYYY HH24:MI:SS') AS WO_CREATED,
    PEO.FULL_NAME                AS TECHNICIAN,
    FU.USER_NAME                 AS BADGE_NUMBER,
    TO_CHAR(QR.QA_CREATION_DATE, 'MM/DD/YYYY HH24:MI:SS') AS INSPECTION_DATE,
    QR.CHARACTER1 AS LOT_NUMBER,
    QR.CHARACTER2 AS LOCATION,
    QR.CHARACTER3 AS REASON,
    QR.CHARACTER4 AS ADJUSTMENT,
    QR.COMMENT1 AS DESCRIPTION
FROM TOP_ASSETS TA
        JOIN APPS.EAM_WORK_ORDERS_V EWO
            ON EWO.ASSET_NUMBER = TA.ASSET_NUMBER
            AND EWO.ORGANIZATION_ID = TA.ORGANIZATION_ID
            AND EWO.CREATION_DATE >= ADD_MONTHS(SYSDATE, -12)
        LEFT JOIN APPS.QA_RESULTS QR
            ON QR.WORK_ORDER_ID = EWO.WIP_ENTITY_ID
            AND QR.ORGANIZATION_ID = EWO.ORGANIZATION_ID
        LEFT JOIN APPS.FND_USER FU
            ON FU.USER_ID = QR.QA_CREATED_BY
        LEFT JOIN APPS.PER_ALL_PEOPLE_F PEO
            ON PEO.PERSON_ID = FU.EMPLOYEE_ID
            AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
ORDER BY TA.ASSET_RANK, TA.ASSET_NUMBER, EWO.CREATION_DATE DESC;

```

18. Audit trail — quick version (everything a user touched)

```

SELECT *
FROM (
    SELECT
        'QA_RESULTS'          AS source_table,
        qr.work_order_id      AS entity_id,
        qr.qa_last_update_date AS change_date
    FROM APPS.QA_RESULTS qr
    WHERE qr.qa_last_updated_by = 35566
    UNION ALL
    SELECT
        'WIP_ENTITIES',
        we.wip_entity_id,
        we.last_update_date
    FROM APPS.WIP_ENTITIES we
    WHERE we.last_updated_by = 35566
    UNION ALL
    SELECT
        'WIP_OPERATIONS',
        wo.wip_entity_id,
        wo.last_update_date
    FROM APPS.WIP_OPERATIONS wo
    WHERE wo.last_updated_by = 35566
)
ORDER BY change_date DESC;

```

19. Audit trail — full version (created and updated, with date filter)

```

SELECT *
FROM (
    SELECT
        'QA_RESULTS'          AS source_table,
        qr.work_order_id      AS entity_id,
        NVL(qr.qa_last_update_date, qr.qa_creation_date) AS change_date,
        CASE
            WHEN qr.qa_created_by      = 35566 THEN 'CREATED'
            WHEN qr.qa_last_updated_by = 35566 THEN 'UPDATED'
        END AS action
    FROM APPS.QA_RESULTS qr
    WHERE 35566 IN (qr.qa_created_by, qr.qa_last_updated_by)
        AND NVL(qr.qa_last_update_date, qr.qa_creation_date)
        >= TO_DATE('25-JAN-2026','DD-MON-YYYY')
    UNION ALL

```

```

SELECT
    'WIP_ENTITIES',
    we.wip_entity_id,
    NVL(we.last_update_date, we.creation_date),
    CASE
        WHEN we.created_by      = 35566 THEN 'CREATED'
        WHEN we.last_updated_by = 35566 THEN 'UPDATED'
    END
FROM APPS.WIP_ENTITIES we
WHERE 35566 IN (we.created_by, we.last_updated_by)
    AND NVL(we.last_update_date, we.creation_date)
        >= TO_DATE('25-JAN-2026', 'DD-MON-YYYY')
UNION ALL
SELECT
    'WIP_OPERATIONS',
    wo.wip_entity_id,
    wo.last_update_date,
    'UPDATED'
FROM APPS.WIP_OPERATIONS wo
WHERE wo.last_updated_by = 35566
    AND wo.last_update_date >= TO_DATE('25-JAN-2026', 'DD-MON-YYYY')
)
ORDER BY change_date DESC;

```

20. Work order full picture — header + operations + QA + parts

Everything about a single work order in one query:

```

SELECT
    -- Work order header
    EWO.WIP_ENTITY_NAME                AS WORK_ORDER,
    EWO.WORK_ORDER_STATUS,
    EWO.WORK_ORDER_TYPE_DISP          AS WO_TYPE,
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    EWO.ASSET_ACTIVITY,
    TO_CHAR(EWO.CREATION_DATE,
            'MM/DD/YYYY HH24:MI:SS')    AS WO_CREATED,
    TO_CHAR(EWO.SCHEDULED_START_DATE,
            'MM/DD/YYYY')              AS SCHEDULED_START,
    -- Operation
    WO.OPERATION_SEQ_NUM              AS OP_SEQ,
    WO.OPERATION_COMPLETED,
    BD.DEPARTMENT_CODE,
    -- Technician
    PEO.FULL_NAME                    AS TECHNICIAN,

```

```

FU.USER_NAME                                AS BADGE_NUMBER,
-- QA results
TO_CHAR(QR.QA_CREATION_DATE,
        'MM/DD/YYYY HH24:MI:SS')            AS INSPECTION_DATE,
QR.CHARACTER1                               AS LOT_NUMBER,
QR.CHARACTER2                               AS LOCATION,
QR.CHARACTER3                               AS REASON,
QR.CHARACTER4                               AS ADJUSTMENT,
QR.COMMENT1                                 AS DESCRIPTION,
-- Parts
MSI.SEGMENT1                               AS PART_NUMBER,
MSI.DESCRPTION                             AS PART_DESCRIPTION,
MMT.TRANSACTION_QUANTITY                    AS PARTS_QTY,
MMT.TRANSACTION_UOM                         AS PARTS_UOM,
MTT.TRANSACTION_TYPE_NAME                   AS PARTS_TRANSACTION_
FROM APPS.EAM_WORK_ORDERS_V EWO
-- Operations
    LEFT JOIN APPS.WIP_OPERATIONS_V WO
        ON WO.WIP_ENTITY_ID = EWO.WIP_ENTITY_ID
        AND WO.ORGANIZATION_ID = EWO.ORGANIZATION_ID
-- Department
    LEFT JOIN BOM.BOM_DEPARTMENTS BD
        ON BD.DEPARTMENT_ID = WO.DEPARTMENT_ID
        AND BD.ORGANIZATION_ID = WO.ORGANIZATION_ID
-- QA results
    LEFT JOIN APPS.QA_RESULTS QR
        ON QR.WORK_ORDER_ID = EWO.WIP_ENTITY_ID
        AND QR.ORGANIZATION_ID = EWO.ORGANIZATION_ID
-- Technician
    LEFT JOIN APPS.FND_USER FU
        ON FU.USER_ID = QR.QA_CREATED_BY
    LEFT JOIN APPS.PER_ALL_PEOPLE_F PEO
        ON PEO.PERSON_ID = FU.EMPLOYEE_ID
        AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND
-- Parts
    LEFT JOIN INV.MTL_MATERIAL_TRANSACTIONS MMT
        ON MMT.TRANSACTION_SOURCE_ID = EWO.WIP_ENTITY_ID
        AND MMT.ORGANIZATION_ID = EWO.ORGANIZATION_ID
        AND MMT.TRANSACTION_SOURCE_TYPE_ID = 5
    LEFT JOIN INV.MTL_SYSTEM_ITEMS_B MSI
        ON MSI.INVENTORY_ITEM_ID = MMT.INVENTORY_ITEM_ID
        AND MSI.ORGANIZATION_ID = MMT.ORGANIZATION_ID
    LEFT JOIN INV.MTL_TRANSACTION_TYPES MTT
        ON MTT.TRANSACTION_TYPE_ID = MMT.TRANSACTION_TYPE_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND EWO.WIP_ENTITY_NAME = 'AU14857998'
ORDER BY
    WO.OPERATION_SEQ_NUM,

```

```
QR.QA_CREATION_DATE DESC,
MMT.TRANSACTION_DATE DESC;
```

21. Asset maintenance burden summary — work order frequency + parts volume

Ranks assets by maintenance activity over the last 12 months. This is not a true reliability metric; it is a workload/consumption proxy based on work order volume and issued parts:

```
WITH ASSET_WO AS (
    SELECT
        EWO.ASSET_NUMBER,
        EWO.ASSET_DESCRIPTION,
        COUNT(DISTINCT EWO.WIP_ENTITY_ID) AS TOTAL_WORK_ORDERS,
        SUM(CASE WHEN EWO.WORK_ORDER_TYPE_DISP = 'DM'
                THEN 1 ELSE 0 END) AS DM_WORK_ORDERS,
        SUM(CASE WHEN EWO.WIP_ENTITY_NAME LIKE 'PM%'
                THEN 1 ELSE 0 END) AS PM_WORK_ORDERS
    FROM APPS.EAM_WORK_ORDERS_V EWO
    WHERE EWO.ORGANIZATION_ID = 1169
        AND EWO.ASSET_NUMBER IS NOT NULL
        AND EWO.CREATION_DATE >= ADD_MONTHS(SYSDATE, -12)
    GROUP BY EWO.ASSET_NUMBER, EWO.ASSET_DESCRIPTION
),
ASSET_PARTS AS (
    SELECT
        EWO.ASSET_NUMBER,
        COUNT(MMT.TRANSACTION_ID) AS TOTAL_PART_TRANSACTIONS,
        SUM(ABS(MMT.TRANSACTION_QUANTITY)) AS TOTAL_PARTS_CONSUMED
    FROM APPS.EAM_WORK_ORDERS_V EWO
        JOIN INV.MTL_MATERIAL_TRANSACTIONS MMT
            ON MMT.TRANSACTION_SOURCE_ID = EWO.WIP_ENTITY_ID
            AND MMT.ORGANIZATION_ID = EWO.ORGANIZATION_ID
            AND MMT.TRANSACTION_SOURCE_TYPE_ID = 5
            AND MMT.TRANSACTION_QUANTITY < 0
    WHERE EWO.ORGANIZATION_ID = 1169
        AND MMT.TRANSACTION_DATE >= ADD_MONTHS(SYSDATE, -12)
    GROUP BY EWO.ASSET_NUMBER
)
SELECT
    AW.ASSET_NUMBER,
    AW.ASSET_DESCRIPTION,
    AW.TOTAL_WORK_ORDERS,
    AW.DM_WORK_ORDERS,
    AW.PM_WORK_ORDERS,
```

```

NVL(AP.TOTAL_PART_TRANSACTIONS, 0) AS TOTAL_PART_TRANSACTIONS,
NVL(AP.TOTAL_PARTS_CONSUMED, 0) AS TOTAL_PARTS_CONSUMED,
RANK() OVER (ORDER BY AW.TOTAL_WORK_ORDERS DESC) AS RANK_BY_WO,
RANK() OVER (ORDER BY NVL(AP.TOTAL_PARTS_CONSUMED, 0) DESC) AS RANK_BY_PC,
FROM ASSET_WO AW
LEFT JOIN ASSET_PARTS AP ON AP.ASSET_NUMBER = AW.ASSET_NUMBER
ORDER BY AW.TOTAL_WORK_ORDERS DESC
FETCH FIRST 20 ROWS ONLY;

```

22. Technician productivity summary — QA submissions per person

Ranks technicians by inspection volume over a rolling period:

```

SELECT
    PEO.FULL_NAME AS TECHNICIAN,
    FU.USER_NAME AS BADGE_NUMBER,
    COUNT(QR.ROWID) AS TOTAL_INSPECTIONS,
    COUNT(DISTINCT QR.WORK_ORDER_ID) AS UNIQUE_WORK_ORDERS,
    COUNT(DISTINCT EWO.ASSET_NUMBER) AS UNIQUE_ASSETS,
    MIN(QR.QA_CREATION_DATE) AS FIRST_INSPECTION,
    MAX(QR.QA_CREATION_DATE) AS LAST_INSPECTION
FROM APPS.QA_RESULTS QR
JOIN APPS.EAM_WORK_ORDERS_V EWO
    ON EWO.WIP_ENTITY_ID = QR.WORK_ORDER_ID
    AND EWO.ORGANIZATION_ID = QR.ORGANIZATION_ID
JOIN APPS.FND_USER FU
    ON FU.USER_ID = QR.QA_CREATED_BY
JOIN APPS.PER_ALL_PEOPLE_F PEO
    ON PEO.PERSON_ID = FU.EMPLOYEE_ID
    AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
WHERE
    QR.ORGANIZATION_ID = 1169
    AND QR.QA_CREATION_DATE >= ADD_MONTHS(SYSDATE, -3)
GROUP BY
    PEO.FULL_NAME,
    FU.USER_NAME
ORDER BY TOTAL_INSPECTIONS DESC
FETCH FIRST 20 ROWS ONLY;

```

23. Parts consumption by asset — what parts does each asset use most

```

SELECT
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    MSI.SEGMENT1
    AS PART_NUMBER,
    MSI.DESCRPTION
    AS PART_DESCRIPTION,
    COUNT(MMT.TRANSACTION_ID)
    AS TIMES_ISSUED,
    SUM(ABS(MMT.TRANSACTION_QUANTITY))
    AS TOTAL_QTY_CONSUMED,
    MMT.TRANSACTION_UOM
    AS UOM
FROM APPS.EAM_WORK_ORDERS_V EWO
    JOIN INV.MTL_MATERIAL_TRANSACTIONS MMT
        ON MMT.TRANSACTION_SOURCE_ID = EWO.WIP_ENTITY_ID
        AND MMT.ORGANIZATION_ID = EWO.ORGANIZATION_ID
        AND MMT.TRANSACTION_SOURCE_TYPE_ID = 5
        AND MMT.TRANSACTION_QUANTITY < 0 -- issued
    JOIN INV.MTL_SYSTEM_ITEMS_B MSI
        ON MSI.INVENTORY_ITEM_ID = MMT.INVENTORY_ITEM_ID
        AND MSI.ORGANIZATION_ID = MMT.ORGANIZATION_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND EWO.ASSET_NUMBER = 'AU-AFL31600-00'
    AND MMT.TRANSACTION_DATE >= ADD_MONTHS(SYSDATE, -12)
GROUP BY
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    MSI.SEGMENT1,
    MSI.DESCRPTION,
    MMT.TRANSACTION_UOM
ORDER BY TOTAL_QTY_CONSUMED DESC;

```

24. QA results — last 24 hours with technician and group

```

SELECT
    EWO.WIP_ENTITY_NAME
    AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    QUG.PERSON_NAME
    AS TECHNICIAN,
    QUG.USER_NAME
    AS BADGE_NUMBER,
    QUG.GROUP_NAME
    AS QA_GROUP,
    TO_CHAR(QR.QA_CREATION_DATE,
        'MM/DD/YYYY HH24:MI:SS')
    AS INSPECTION_DATE,
    QR.CHARACTER1
    AS LOT_NUMBER,
    QR.CHARACTER2
    AS LOCATION,
    QR.CHARACTER3
    AS REASON,
    QR.CHARACTER4
    AS ADJUSTMENT,
    QR.COMMENT1
    AS DESCRIPTION

```

```

FROM APPS.QA_RESULTS QR
JOIN APPS.EAM_WORK_ORDERS_V EWO
    ON EWO.WIP_ENTITY_ID = QR.WORK_ORDER_ID
   AND EWO.ORGANIZATION_ID = QR.ORGANIZATION_ID
JOIN APPS.QA_USER_GROUP_V QUG
    ON QUG.USER_ID = QR.QA_CREATED_BY
   AND QUG.STATUS = 'A'
WHERE
    QR.ORGANIZATION_ID = 1169
   AND QR.QA_CREATION_DATE >= SYSDATE - 1
ORDER BY QR.QA_CREATION_DATE DESC;

```

25. Released PM work orders — currently open

```

SELECT
    EWO.WIP_ENTITY_NAME                                AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    EWO.ASSET_ACTIVITY,
    EWO.WORK_ORDER_STATUS,
    EWO.CLASS_CODE,
    TO_CHAR(EWO.CREATION_DATE,
             'MM/DD/YYYY')                            AS CREATED,
    TO_CHAR(EWO.SCHEDULED_START_DATE,
             'MM/DD/YYYY')                            AS SCHEDULED_START,
    EWO.DESCRPTION                                    AS WO_DESCRIPTION
FROM APPS.EAM_WORK_ORDERS_V EWO
WHERE
    EWO.ORGANIZATION_ID = 1169
   AND EWO.WIP_ENTITY_NAME LIKE 'PM%'
   AND EWO.WORK_ORDER_STATUS = 'Released'
ORDER BY EWO.SCHEDULED_START_DATE ASC;

```

26. All employees assigned to a specific resource (reverse of Q11)

Given a resource code, find who is assigned to it:

```

SELECT
    BR.RESOURCE_CODE,
    BR.DESCRPTION                                AS RESOURCE_DESCRIPTION,
    BR.RESOURCE_TYPE,
    PEO.FULL_NAME,
    FU.USER_NAME                                AS BADGE_NUMBER,
    FU.EMAIL_ADDRESS,

```

```

        BRE.EFFECTIVE_START_DATE,
        BRE.EFFECTIVE_END_DATE
FROM BOM.BOM_RESOURCES BR
JOIN BOM.BOM_RESOURCE_EMPLOYEES BRE
    ON BRE.RESOURCE_ID = BR.RESOURCE_ID
    AND BRE.ORGANIZATION_ID = BR.ORGANIZATION_ID
JOIN APPS.PER_ALL_PEOPLE_F PEO
    ON PEO.PERSON_ID = BRE.PERSON_ID
    AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
LEFT JOIN APPS.FND_USER FU
    ON FU.EMPLOYEE_ID = PEO.PERSON_ID
WHERE
    BR.ORGANIZATION_ID = 1169
    AND BR.RESOURCE_CODE = 'YOUR-RESOURCE-CODE' -- replace with resource code
    AND SYSDATE <= BRE.EFFECTIVE_END_DATE
ORDER BY PEO.FULL_NAME;

```

27. All work orders for a department — last 90 days

Find all work orders where the primary operation belongs to a specific department:

```

SELECT
    EWO.WIP_ENTITY_NAME                                AS WORK_ORDER,
    EWO.ASSET_NUMBER,
    EWO.ASSET_DESCRIPTION,
    EWO.WORK_ORDER_STATUS,
    EWO.WORK_ORDER_TYPE_DISP                            AS WO_TYPE,
    BD.DEPARTMENT_CODE,
    BD.DESCRPTION                                       AS DEPARTMENT_DESCRIPTION,
    WO.OPERATION_SEQ_NUM                               AS OP_SEQ,
    WO.OPERATION_COMPLETED,
    TO_CHAR(EWO.CREATION_DATE,                          AS CREATED,
            'MM/DD/YYYY')
    TO_CHAR(EWO.SCHEDULED_START_DATE,                  AS SCHEDULED_START,
            'MM/DD/YYYY')
FROM APPS.EAM_WORK_ORDERS_V EWO
JOIN APPS.WIP_OPERATIONS_V WO
    ON WO.WIP_ENTITY_ID = EWO.WIP_ENTITY_ID
    AND WO.ORGANIZATION_ID = EWO.ORGANIZATION_ID
    AND WO.OPERATION_SEQ_NUM = 10
JOIN BOM.BOM_DEPARTMENTS BD
    ON BD.DEPARTMENT_ID = WO.DEPARTMENT_ID
    AND BD.ORGANIZATION_ID = WO.ORGANIZATION_ID
WHERE
    EWO.ORGANIZATION_ID = 1169
    AND BD.DEPARTMENT_CODE = 'YOUR-DEPT-CODE' -- replace with department code

```

```
AND EWO.CREATION_DATE >= SYSDATE - 90
ORDER BY EWO.CREATION_DATE DESC;
```

28. All resources and their currently assigned employees — full roster

Lists every active Person-type resource with all employees currently assigned:

```
SELECT
    BR.RESOURCE_CODE,
    BR.DESCRPTION           AS RESOURCE_DESCRIPTION,
    BR.UNIT_OF_MEASURE,
    PEO.FULL_NAME,
    FU.USER_NAME           AS BADGE_NUMBER,
    FU.EMAIL_ADDRESS,
    BRE.EFFECTIVE_START_DATE,
    BRE.EFFECTIVE_END_DATE
FROM BOM.BOM_RESOURCES BR
JOIN BOM.BOM_RESOURCE_EMPLOYEES BRE
    ON BRE.RESOURCE_ID      = BR.RESOURCE_ID
    AND BRE.ORGANIZATION_ID = BR.ORGANIZATION_ID
JOIN APPS.PER_ALL_PEOPLE_F PEO
    ON PEO.PERSON_ID        = BRE.PERSON_ID
    AND SYSDATE BETWEEN PEO.EFFECTIVE_START_DATE AND PEO.EFFECTIVE_END_DATE
LEFT JOIN APPS.FND_USER FU
    ON FU.EMPLOYEE_ID       = PEO.PERSON_ID
WHERE
    BR.ORGANIZATION_ID = 1169
    AND BR.RESOURCE_TYPE = 2           -- Person resources only
    AND BR.DISABLE_DATE IS NULL       -- Active resources only
    AND SYSDATE <= BRE.EFFECTIVE_END_DATE
ORDER BY BR.RESOURCE_CODE, PEO.FULL_NAME;
```

Quick Reference

#	Query	Tables	Complexity
1	Verify org code	MTL_PARAMETERS	Simple
2	Look up a user	FND_USER	Simple
3	Active users with EAM responsibility	FND_USER + 4 joins	Simple

#	Query	Tables	Complexity
4	All responsibilities for a user	FND_USER + 4 joins	Simple
5	QA groups for a user	QA_USER_GROUP_V	Simple
6	All members of a QA group	QA_USER_GROUP_V	Simple
7	Released work orders for an asset	EAM_WORK_ORDERS_V	Simple
8	Cancelled work orders last 15 days	EAM_WORK_ORDERS_V	Simple
9	QA results with technician name	EAM_WORK_ORDERS_V + QA_RESULTS + FND_USER + PER_ALL_PEOPLE_F	Medium
10	Parts charged to a work order	EAM_WORK_ORDERS_V + MTL_MATERIAL_TRANSACTIONS + MTL_SYSTEM_ITEMS_B + MTL_TRANSACTION_TYPES	Medium
11	Resources assigned to an employee	PER_ALL_PEOPLE_F + BOM_RESOURCE_EMPLOYEES + BOM_RESOURCES	Medium
12	Work order operations with department	EAM_WORK_ORDERS_V + WIP_OPERATIONS_V + BOM_DEPARTMENTS	Medium
13	Open DM work orders at step 10	EAM_WORK_ORDERS_V + WIP_OPERATIONS_V + WIP_OP_RESOURCE_INSTANCES_V + MTL_PARAMETERS	Medium
14	QA results with QA group	EAM_WORK_ORDERS_V + QA_RESULTS + QA_USER_GROUP_V	Medium
15	Work orders completed by an employee	PER_ALL_PEOPLE_F + FND_USER + QA_RESULTS + EAM_WORK_ORDERS_V	Medium
16	Work orders with most part transactions	EAM_WORK_ORDERS_V + MTL_MATERIAL_TRANSACTIONS + QA_RESULTS + FND_USER + PER_ALL_PEOPLE_F	Medium
17	Top 10 assets by work order volume	CTE + 6 tables	Complex
18	Audit trail — quick	QA_RESULTS + WIP_ENTITIES + WIP_OPERATIONS	Complex
19	Audit trail — full with date filter	QA_RESULTS + WIP_ENTITIES + WIP_OPERATIONS	Complex
20	Work order full picture	8 tables, all LEFT JOINs	Complex
21	Asset maintenance burden summary	CTE + EAM_WORK_ORDERS_V + MTL_MATERIAL_TRANSACTIONS	Complex
22	Technician productivity summary	QA_RESULTS + EAM_WORK_ORDERS_V + FND_USER + PER_ALL_PEOPLE_F	Complex
23	Parts consumption by asset	EAM_WORK_ORDERS_V + MTL_MATERIAL_TRANSACTIONS + MTL_SYSTEM_ITEMS_B	Complex
24	QA results last 24 hours with technician and group	QA_RESULTS + EAM_WORK_ORDERS_V + QA_USER_GROUP_V	Medium

#	Query	Tables	Complexity
25	Released PM work orders — currently open	EAM_WORK_ORDERS_V	Simple
26	All employees assigned to a resource (reverse lookup)	BOM_RESOURCES + BOM_RESOURCE_EMPLOYEES + PER_ALL_PEOPLE_F + FND_USER	Medium
27	All work orders for a department	EAM_WORK_ORDERS_V + WIP_OPERATIONS_V + BOM_DEPARTMENTS	Medium
28	Full resource roster — all active Person resources	BOM_RESOURCES + BOM_RESOURCE_EMPLOYEES + PER_ALL_PEOPLE_F + FND_USER	Medium