



Name of Release

Title	Description
Software Product Name	AMULET HOTKEY Fusion UEM
Release Type	Full Install
Release Date	26/06/2023
Software Version Number	5.4
Build Number	901
Build Release Filename	AHK-FusionUEM-Ver.5.4.901.msi
Release Note Author	Vinayak Kumbhar

Overview

This is a Beta release of AMULET HOTKEY Fusion UEM for use with Teradici Pharos ZeroClients, Windows, Linux, Android & iOS devices.

Compatibility

Server OS

- Microsoft Windows Server 2016 Standard 64bit (GUI editions) or above.
- Citrix Xen Desktop, Microsoft Hyper V & VMware virtualized instances of any of the above having minimum of 4 Virtual processors.

IIS Version

■ IIS 10.0 for Microsoft Windows Server 2016.

.Net runtime version

Microsoft .NET Framework 4.8 full version and above





Database

Recommended Microsoft 2017 SQL Server or above and its express editions

SSL certificate

OpenSSL compatible SSL certificate for HTTPS & FTPS communication.

Internet browser for Administrator console

- Google Chrome latest version.
- Mozilla Firefox latest version.

Updates in v2.0 Build 5.4.901 Release

- Implemented following module in Device Manager and Task Manager to manage Teradici devices.
 - Desired
 - o USB Authorization.
- Corrected miscellaneous issues.

Updates in previous release

- General Enhancements and Bug fixes:
- Desired
 - Audio
 - Imaging
 - o Power
 - Network
 - Upgrade Management
 - o Firmware Upgrade
 - OTA Update

V2:5.4.893

Multitrust centre Servers configuration supported

Implemented following module in Device Manager and context menu to manage Teradici devices.

- System information
- Desired





- Trusted Broker
- o Date & Time
- o Log Level
- Command
 - Restart
 - Shutdown
 - Factory Reset
- Context Menu
 - Restart
 - Shutdown
 - Factory Reset
 - Unregister Device

Fusion UEM for TrustCenter based zero client management

- Create service account
- Auto discovery of devices
- Explore device information
- Create trusted broker connection
- Remote Operations: Restart, Shutdown & Factory Reset
- Multi device support
- Multi-level group organization
- Device Inventory Reporting
- Multiple Administrator Accounts & MFA
- Administrator User Active Directory integration
- Concurrent administrative user access

Configurations features added:

- Improved/Full featured device information dashboard
- Management of multiple trusted broker connections and support for related configuration settings, update & delete
- Device settings including: NTP, Time Zone, Log level, Keyboard, Device removal etc.
- Trust CenterConfiguration
 - Multitrust center Servers configuration supported

TrustCenter server related configurations





- New account password change
- Automation of Service account creation
- Automatic sync for predefined interval
- TrustCenter Connection status
- Multi-tenancy Support to connect to desired TrustCenter Installation
- Help information incorporated in built-in HTML and PDF user guides

Known Limitations

- Group inheritance will not work for below modules.
 - 1. Audio
 - 2. Imaging
 - 3. Power
 - 4. Network

Known Issues

- Un-registration of zero client not working: Not getting response from Trust centre.
- For some modules template manager will not work as expected.

Filenames in this Release

AHK-FusionUEM-Ver.5.4.901.msi

Special Instructions

- For management console, the default login user name is 'admin' and password is 'admin'
- In case of Fusion installation using self-signed certificates, local CA trust certificate should be installed on systems used for accessing Fusion admin console.

Document References

- Refer to Fusion UEM Installation Guide for installation Instructions
- Refer to Fusion UEM Administrator User Guide for user instructions