

Name of Release

Title	Description
Software Product Name	Fusion UEM
Release Type	Full Install
Release Date	23/06/2023
Software Version Number	5.4
Build Number	920
Build Release Filename	FusionUEM-Ver.5.4.920.msi
Release Note Author	Vinayak Kumbhar

Overview

This is a Standard release of Fusion UEM for use with Windows, Linux, Android & iOS devices, Teradici Device.

Compatibility

➤ Server OS

- Microsoft Windows Server 2016 Standard 64bit (GUI editions)
- Microsoft Windows Server 2012 / R2 64bit all (GUI editions)
- Citrix Xen Desktop, Microsoft Hyper V & VMware virtualized instances of any of the above having minimum of 4 sockets & 4 Virtual processors.

➤ IIS Version

- IIS 10.0 for Microsoft Windows Server 2016.
- IIS 8.0 & 8.5 Windows Server 2012 and above.

➤ .Net runtime version

- Microsoft .NET Framework 4.5.2 full version (4.5.50709.378389).

➤ Database

- Recommended Microsoft 2017 SQL Express or Microsoft SQL 2012 and above and its express editions.

➤ SSL certificate

- OpenSSL compatible SSL certificate for HTTPS & FTPS communication.

➤ Internet browser for Administrator console

- Google Chrome version 60 and above (for Windows, Linux & Android OS).
- Microsoft Internet explorer Version 10.0 & 11.0.
- Mozilla Firefox version 30 and above (for Windows, Linux & Android OS).

Updates in v2.0 Build 5.4.920 Release

➤ General Enhancements and Bug fixes:

- Implemented following module in Device Manager and Task Manager to manage Teradici devices.
 - Desired
 - USB Authorization.
- Corrected miscellaneous issues.

Updates in Previous Releases

➤ Ver. 5.4.918

- Implemented following module in Device Manager and Task Manager to manage Teradici devices.
 - Desired
 - Audio
 - Imaging
 - Power
 - Network

- Upgrade Management
 - Firmware Upgrade
 - OTA Update

➤ Ver.5.4.908

- Multiple Trust Centre configuration.

Known Limitations

- Group inheritance will not work for below modules.
 1. Audio
 2. Imaging
 3. Power
 4. Network

Known Issues

- Context Menu: Un-registration of device not Working: Not getting from response from Trust centre.

Filenames in this Release

- FusionUEM-Ver.5.4.920.msi

Special Instructions

- For management console, the default login username is 'admin' and password is 'admin'.
- In case of Fusion installation using self-signed certificates, local CA trust certificate should be installed on systems used for accessing Fusion admin console.
- Compulsory FQDN browsing required for opening Apple MDM Configuration menu present in the configuration view.
- For applying Open VPN Settings and Firewall Settings, the Open VPN application and Net guard application should be respectively installed on the Android device.
- Only write filter log is enabled on Agent by default.

-
- VNC connection does not work in case the end point is already shadowed using RDP session or System is in Logged Off state.
 - For Windows Task Scheduler to sync tasks present on device, it is mandatory to enable “Sync Task Scheduler” from Remote Agent > Advanced Settings.

Document References

- Refer to VXL Fusion UEM Installation Guide for installation Instructions.
- Refer to Fusion UEM Administrator User Guide for user instructions