SRN Software Release Note

Name of Release

Title	Description
Software Product Name	Fusion UEM
Release Type	Full Install
Release Date	05/06/2023
Software Version Number	5.4
Build Number	918
Build Release Filename	FusionUEM-Ver.5.4.918.msi
Release Note Author	Vinayak Kumbhar

Overview

This is a Standard release of Fusion UEM for use with Windows, Linux, Android & iOS devices, Teradici Device.

Compatibility

> **Server OS**

- Microsoft Windows Server 2016 Standard 64bit (GUI editions)
- Microsoft Windows Server 2012 / R2 64bit all (GUI editions)
- Citrix Xen Desktop, Microsoft Hyper V & VMware virtualized instances of any of the above having minimum of 4 sockets & 4 Virtual processors.

> **IIS Version**

- IIS 10.0 for Microsoft Windows Server 2016.
- IIS 8.0 & 8.5 Windows Server 2012 and above.

> **.Net runtime version**

- Microsoft .NET Framework 4.5.2 full version (4.5.50709.378389).

➢ **Database**

- Recommended Microsoft 2017 SQL Express or Microsoft SQL 2012 and above and its express editions.

➢ **SSL certificate**

- OpenSSL compatible SSL certificate for HTTPS & FTPS communication.

➢ **Internet browser for Administrator console**

- Google Chrome version 60 and above (for Windows, Linux & Android OS).
- Microsoft Internet explorer Version 10.0 & 11.0.
- Mozilla Firefox version 30 and above (for Windows, Linux & Android OS).

Updates in v2.0 Build 5.4.918 Release

➢ **General Enhancements and Bug fixes:**

- Implemented following module in Device Manager and Task Manager to manage Teradici devices.
  - Desired
    - o Audio
    - o Imaging
    - o Power
    - o Network
    - o USB Authorization.
  - Upgrade Management
    - o Firmware Upgrade
    - o OTA Update

Updates in Previous Releases

➢ **Ver. 5.4.908**

- Multiple Trust Centre configuration.

Known Limitations

- Group inheritance will not work for below modules.
  1. Audio
  2. Imaging
  3. Power
  4. Network

Known Issues

- Context Menu: Un-registration of device not Working: Not getting from response from Trust centre.

Filenames in this Release

- FusionUEM-Ver.5.4.918.msi

Special Instructions

- For management console, the default login username is 'admin' and password is 'admin'.
- In case of Fusion installation using self-signed certificates, local CA trust certificate should be installed on systems used for accessing Fusion admin console.
- Compulsory FQDN browsing required for opening Apple MDM Configuration menu present in the configuration view.
- For applying Open VPN Settings and Firewall Settings, the Open VPN application and Net guard application should be respectively installed on the Android device.
- Only write filter log is enabled on Agent by default.
- VNC connection does not work in case the end point is already shadowed using RDP session or System is in Logged Off state.

- For Windows Task Scheduler to sync tasks present on device, it is mandatory to enable "Sync Task Scheduler" from Remote Agent > Advanced Settings.

Document References

- Refer to VXL Fusion UEM Installation Guide for installation Instructions.
- Refer to Fusion UEM Administrator User Guide for user instructions