

RESULTADO FINAL DAS APLICAÇÕES DE CHAMADAS NO POSTMAN:

The screenshot shows the Postman interface with a collection named 'PIX API Mocks'. A request is made to the endpoint `/pix/validate` at 10:41:20 PM. The request is a POST with the following headers and body:

```
REQUEST HEADERS
x-forwarded-for: "xxxxxxxxx"
x-forwarded-proto: "xxxxxxxxx"
x-forwarded-port: "xxxxxxxxx"
host: "cbf3d611-197c-46bb-8932-ded5238f469f.mock.pstmn.io"
x-amzn-trace-id: "Root=1-677b34bf-1534d35e64f677id0cfb4878"
content-length: "49"
content-type: "application/json"
user-agent: "PostmanRuntime/7.43.0"
accept: "*/*"
cache-control: "no-cache"
postman-token: "xxxxxxxxx"
accept-encoding: "gzip, deflate, br"

REQUEST BODY
{key: "65656565656", keyType: "CPF"}
  key: "65656565656"
  keyType: "CPF"

RESPONSE HEADERS
Content-Type: "application/json"

RESPONSE BODY
{status: "error", message: "Timeout no servidor"}
  status: "error"
  message: "Timeout no servidor"
```

The response status is **Timeout**. A Postbot notification at the bottom right says 'Postbot Ctrl Alt P'.

The screenshot shows the Postman interface with the same collection 'PIX API Mocks'. A second request is made to the endpoint `/pix/validate` at 10:41:01 PM. The request is a POST with the following headers and body:

```
REQUEST HEADERS
x-forwarded-for: "xxxxxxxxx"
x-forwarded-proto: "xxxxxxxxx"
x-forwarded-port: "xxxxxxxxx"
host: "cbf3d611-197c-46bb-8932-ded5238f469f.mock.pstmn.io"
x-amzn-trace-id: "Root=1-677b34ac-31efa53088caec5567f24338"
content-length: "49"
content-type: "application/json"
user-agent: "PostmanRuntime/7.43.0"
accept: "*/*"
cache-control: "no-cache"
postman-token: "xxxxxxxxx"
accept-encoding: "gzip, deflate, br"

REQUEST BODY
{key: "01010101010", keyType: "CPF"}
  key: "01010101010"
  keyType: "CPF"

RESPONSE HEADERS
Content-Type: "application/json"

RESPONSE BODY
{status: "error", message: "Token expirado"}
  status: "error"
  message: "Token expirado"
```

The response status is **Falha de Autenticação**. A Postbot notification at the bottom right says 'Postbot Ctrl Alt P'.

HomeWorkspacesAPI Network

Search Postman

Invite

Upgrade

PIX API Mocks

No environment

PIX API Mocks

Copy URLView Collection DocsEdit Configuration

Today at 10:40:49 PM

POST /pix/validate

Sucesso

REQUEST HEADERS

x-forwarded-for: "xxxxxxx"

x-forwarded-proto: "xxxxxxx"

x-forwarded-port: "xxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5230f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b34a1-688277b322677323221cdf78"

content-length: "140"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{transactionId: "abc123456", amount: 100, recipient: "+55-11-99999-8888"}

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "success", message: "Transação aprovada"}

Today at 10:38:20 PM

POST /pix/keys

Chave PIX inválida

REQUEST HEADERS

x-forwarded-for: "xxxxxxx"

x-forwarded-proto: "xxxxxxx"

x-forwarded-port: "xxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5230f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b340c-7ee93fb8471fe545085f86a9"

content-length: "49"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{key: "00000000000", keyType: "CPF"}

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "error", message: "Chave PIX inválida"}

Today at 10:37:51 PM

POST /pix/keys

Chave PIX inválida

REQUEST HEADERS

x-forwarded-for: "xxxxxxx"

x-forwarded-proto: "xxxxxxx"

x-forwarded-port: "xxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5230f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b340c-7ee93fb8471fe545085f86a9"

content-length: "49"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{key: "00000000000", keyType: "CPF"}

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "error", message: "Chave PIX inválida"}

HomeWorkspacesAPI Network

Search Postman

Invite

Upgrade

PIX API Mocks

No environment

PIX API Mocks

Copy URLView Collection DocsEdit Configuration

Today at 10:38:20 PM

POST /pix/keys

Chave PIX inválida

REQUEST HEADERS

x-forwarded-for: "xxxxxxx"

x-forwarded-proto: "xxxxxxx"

x-forwarded-port: "xxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5230f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b340c-7ee93fb8471fe545085f86a9"

content-length: "49"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{key: "00000000000", keyType: "CPF"}

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "error", message: "Chave PIX inválida"}

Today at 10:37:51 PM

POST /pix/keys

Chave PIX inválida

REQUEST HEADERS

x-forwarded-for: "xxxxxxx"

x-forwarded-proto: "xxxxxxx"

x-forwarded-port: "xxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5230f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b340c-7ee93fb8471fe545085f86a9"

content-length: "49"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{key: "00000000000", keyType: "CPF"}

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "error", message: "Chave PIX inválida"}

≡

←

→

Home

Workspaces ▾

API Network

Search Postman

Invite

Upgrade ▾

—

×

PIX API Mocks

+

No environment ▾

PIX API Mocks

Copy URL

View Collection Docs

Edit Configuration

...

message: Chave PIX inválida

Today at 10:37:51 PM

POST /pix/keys

Chave PIX Válida

REQUEST HEADERS

x-forwarded-for: "xxxxxxxxx"

x-forwarded-proto: "xxxxxxxxx"

x-forwarded-port: "xxxxxxxxx"

host: "cbf3d611-197c-46bb-8932-ded5238f469f.mock.pstmn.io"

x-amzn-trace-id: "Root=1-677b33ee-5ea5fb885bf862ed2674515b"

content-length: "49"

content-type: "application/json"

user-agent: "PostmanRuntime/7.43.0"

accept: "*/*"

cache-control: "no-cache"

postman-token: "xxxxxxxxx"

accept-encoding: "gzip, deflate, br"

REQUEST BODY

{key: "12345678900", keyType: "CPF"}

key: "12345678900"

keyType: "CPF"

RESPONSE HEADERS

Content-Type: "application/json"

RESPONSE BODY

{status: "success", key: "12345678900"}

status: "success"

key: "12345678900"

Postbot

Ctrl Alt P

Online

Find and replace

Console

Postbot

Runner

Start Proxy

Cookies

Vault

Trash