

# Software Requirements Specification

## Squirrel Marking System

Version: 1.0

Organization:

University of Pretoria: Group 3

GitHub:

[https://github.com/Roach-301/CS301\\_Group3](https://github.com/Roach-301/CS301_Group3)

Authors:

Johan Esterhuyse (10043283)

Tokoloko Machaba (12078027)

Heelin Mistry (10299344)

Pieter le Roux (1045486)

Rudiger Roach (11004322)

Thulasizwe Mavuso (29236259)

March 13, 2014

## Contents

<b>1</b>	<b>Software architecture design .....</b>	<b>3</b>
1.1	Choices of technologies.....	3
1.2	Chosen frameworks.....	3
1.3	Chosen protocols.....	3
1.4	Chosen libraries.....	3
<b>2</b>	<b>Application design .....</b>	<b>4</b>
2.1	Back-end.....	4
2.2	Web Application .....	10
2.3	User Interface Design .....	10
<b>3</b>	<b>Application layer Level .....</b>	<b>16</b>
3.1	Protocols to be used.....	16
3.2	Android Application.....	16

# 1 Software architecture design

## 1.1 Choices of technologies

The existing web server runs on Apache, therefore our system will continue the use thereof.

Django web server, running on Apache, will be our interface to run on.

Djangos Object Relational Mapper Will be used to persist information to the database.

Django unittest module will be used to perform unit tests with. MySQL server already runs on the CS server and this existing database will be used to pull information from and store information to.

The android application will be built using JAVA.

## 1.2 Chosen frameworks

Django application server will eventually be the framework onto which the system will be deployed and Djangos bundled Object-Relational mapper will be used to access the database.

## 1.3 Chosen protocols

To send data between objects, it will first be encoded into JSON strings. JSON is an easy to use standard that can be parsed by most programming languages. This will enhance our ability to keep layers separate from each other and just pass JSON strings between layers.

## 1.4 Chosen libraries

PDF creation will be done using iTextPDF from [itextpdf.com](http://itextpdf.com). iTextPDF is open source with implementations on multiple different platforms. It is also licensed to enable re-use by developers.

PDF rendering will be done by using the PDFrender library from <https://github.com/katjas/PDFrender>. This library is LGPL-2.1 licensed and therefore fine for use by us. The library is written in JAVA and uses JAVA2D to render PDF documents.

To marshall and de-marshall JSON, Apache camel will be used from <http://camel.apache.org/>. This library is fully compatible with java and independent from the transport used.

## 2 Application design

### **Back-end**

When we speak of the back-end part of the system, we refer to the system only viewing it from functionality perspective, eliminating the user interface perspective and breaking down the system into much finer parts to assess the individual part that makes the system function and deliver the end results.

Firstly, diving into the system, we will describe the software being used and how the software functions to create the effective and functioning system. Then we will explain how these individual parts interact to allow the system to flow and carry out the instructions.

### LDAP Authorization Structure

The LDAP Structure has the purpose of allowing people (students, tutors and lecturers) to access the system and create a specific authorization in a sense. LDAP is a Lightweight Directory Access Protocol that requires a single sign on password and username with the goal to grant access to a user that has such privileges. Users will be added to this system and given a password as well.

### MySQL Database Structure



After being authorized to enter the system, we will almost always be directed to the MySQL database where all the core and important data is stored. One single database using MySQL will be used to store the marks of the students and it would be sufficient to use the singleton design pattern to make sure only one of these data structures exist and that no additional and most likely false databases are created.

For the most part of using the database, one would simply use it to view marks. For this the Visitor design pattern can be used to only use a reference of the database than using the actual database. This will keep the internal data structure of the database intact as well as the information in the database.

The structure will be linked together to keep the system functioning correctly and working to an optimal goal of satisfying the client.


## API:

Visual Paradigm for UML Community Edition [not for commercial use]




## Class Diagram:


Visual Paradigm for UML Community Edition [not for commercial use]




## Sequence and/or activity diagrams for detailed system process specifications: Lecturer Activity Diagram:



## Lecturer Sequence Diagram:




## Marker Activity Diagram:







### Marker Sequence Diagram:



### Student Activity Diagram:



Lecturer Sequence Diagram:



## Web Application

- When the user directs to the system through one of the widely used browsers, a login screen is displayed.
- The login screen will be developed with HTML 5 and CSS3
- It will consist of textboxes for the username and password and a button to send the information to the server.

## Authentication Level

LDAP Authentication:

- The system accesses the CS LDAP to validate and grant privilege to the logged in user.
- When the user has been authenticated, pages are sent over to client browser over HTTPS


## Home Page Level

Possible actions according to privilege:

- A student will be directed to a page where he/she will only be able to view leaf and aggregate marks.
- Markers will be presented with options to either:
  - Create an assessment
  - Edit marks for a specific student through a search interface
  - Delete marks and a text-area for the reason for doing so.
  - Changes committed will be displayed immediately through the use of JavaScript and JSON.
- Lecturers will be able to:
  - Manage information about the course through an easy to use interface that will make use of JSON to send data back and forth.
  - Manage assessments:
    - The lecturer will determine how marks are aggregated.
    - Lecturer will decide which assessments are the leaf assessments.
    - He will specify how much each leaf assessment contributes to the aggregated mark.
  - Generate report:
    - The report can be generated into either a PDF or CSV at any level of granularity.

## 2.3 User Interface Design

Login screen:



The login screen features a black background. At the top, there is a white rectangular box containing the University of Pretoria logo (a shield with a crown) and the text '100 1908 - 2008' on the left, and 'UNIVERSITEIT VAN PRETORIA', 'UNIVERSITY OF PRETORIA', and 'YUNIBESITHI YA PRETORIA' on the right. Below this box, the labels 'Username :' and 'Password :' are followed by two light blue input fields. At the bottom, a white rounded rectangular button contains the text 'COMPUTER SCIENCE' in black capital letters.

### Students Menu:

[Logout](#)[View Marks](#)

### Courses

- COS 222
- COS 226

### Students Marks:

[Logout](#)[View Marks](#)

COS 222		
Practicals	Marks	Weight
Prac 1	8/10	2%
Prac 2	6/10	2%
Prac 3	7/10	2%
Prac 4	5/10	2%
Prac 5	9/10	2%
Prac ...	..../10	10%
Semester Test 1	35/10	20%
Semester Test 2	25/10	20%
Exam	/10	40%

### Markers Menu:

[Logout](#)[Update Marks](#)

### Courses

- COS 222
- COS 226

### Markers Select:

[Logout](#) [Update Marks](#)

Student #	Name	Surname
• 10299344	Heelin	Mistry
• 10043283	David	Esterhuyse
• 12078027	Tokologo	Machaba
• 11004322	Rudger	Roach
• 10454862	Pieter	Le Roux
• 29236259	Thulasizwe	Mavuso

### Markers Update:

[Logout](#) [Update Marks](#)

**COS 222**  
11004322 - Rudger Roach

Practicals	Marks	Weight
Prac 1	8/10	2%
Prac 2	<input type="text" value=""/> /10	2%
Prac 3	<input type="text" value=""/> /10	2%
Prac 4	<input type="text" value=""/> /10	2%
Prac 5	<input type="text" value=""/> /10	2%
Prac ...	.../10	10%
Semester Test 1	<input type="text" value=""/> /10	20%
Semester Test 2	<input type="text" value=""/> /10	20%

[Update](#)

### Lecturer Menu:

[Logout](#) [Sessions](#) [Graphs](#)

**Menu**

- [Sessions](#)
- [Graphs](#)
- [Export Marks/Graph to pdf](#)

### Lecturer Session:

Logout

Sessions

Graphs

## Sessions

- Create Session
- Assign Marker
- Assign Students

### Lecturer Create Session:

Logout

Sessions

Graphs

## Create Session

Day :

Monday  
Tuesday  
Wednesday  
Thursday  
Friday

Time :

07:30  
08:30  
09:30  
10:30  
11:30

Duration :

1 hour  
2 hours  
3 hours

### Lecturer Assign Marker:

Logout

Sessions

Graphs

## Assign Marker

Search Session

Day	Time	Mark
Tuesday	16:30	<input type="radio"/>
Thursday	08:30	<input type="radio"/>

Search Markers

Student #	Surname	Mark
12345678	Don	<input type="radio"/>
87654321	Doe	<input type="radio"/>

Assign

## Lecturer Assign Student:

Logout
Sessions
Graphs

### Assign Marker

Search Session


Day	Time	Mark
Tuesday	16:30	<input type="radio"/>
Thursday	08:30	<input checked="" type="radio"/>

Search Students

Student #	Surname	Mark
10454862	Le Roux	<input checked="" type="radio"/>
29236259	Mavuso	<input type="radio"/>

Assign

## Lecturer Graph:



## Database Design

The Database will be centralised to one simple design which will be used by all aspects of the system wherever Database access is required.

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	PRI	NULL	auto_increment
code	varchar(20)	YES		NULL	
name	varchar(255)	NO			
lecturer	varchar(255)	NO		0	
description	text	YES		NULL	
semester	smallint(6)	NO		0	
has_webct	tinyint(4)	YES		NULL	
year_group	int(11)	YES		NULL	
hidden	tinyint(3) unsigned	NO		0	
last_updated	datetime	NO		0000-00-00 00:00:00	
discussion_board	tinyint(4)	YES		NULL	
tutors_allowed	tinyint(2)	YES		NULL	

### 3 Application layer Level

#### 3.1 Protocols to be used

- SOAP interface will be used through XML unmarshalling when accessed by other systems.
- The application will run over, thus SOAP will run over HTTPS for a secure connection.

#### 3.2 Android Application

The specifications of lower levels of granularity.

Users will also have to be able to login to the application using their CS details. Users that should be able to use the application are markers, lecturers and students (who have android smart phones).



- Students:
  - Students should be able to check their marks with the android application.
- Markers:
  - After logging in markers will be able to insert the marks of students that have been assigned to them, for the subject they are marking. They should only be able to insert marks during the practical session (unless otherwise stated).
  - Markers can edit student marks but only for a reasonable circumstance.
  - Markers can search for students by student number, name and surname.
  - Marks will be saved locally between updates to the server, so if anything happens to the application or the phone information will be saved, therefore no need to reinsert data already done
- Lecturers:
  - Lecturers should be able to login and choose between a menu of creating a session or viewing marks.
  - When creating a session, a day, time and duration of the session should be assigned
  - When assigning students and markers to session, they can be searched for by using student numbers, names and surnames. Multiple students can be assigned to a session by marking the students with a radio button.
  - After assigning students and markers information should be saved locally between updates to the server.




- The application:
  - The system should log out after no more than 10 minutes of not being used.
  - The mobile uses MySQL database which it interacts with via the server.
  - Updates between the application and the server should be saved locally on the mobile memory.
  - When a mark is sent to the system it should be checked to see if it was actually inserted, if not it should try again, if repeated failures are encountered an exception should be thrown telling the user to either retry or try to upload the marks later.
  - Mark sheets should lock after the practical session has ended, so that no more marks can be inserted (unless otherwise stated).

## API Specifications


In the Android application the markers will be handling the marks as shown below:



The android application will work according to sessions and whether or not they are open.




Class Diagrams The Android Application will have the following structure:




Source: <http://developer.android.com/>

## System Process Specifications

### Login activity Diagram:




### Marker's View Point:




## User Interface Design:


Login screen:



Students Menu:




### Students Marks:




Practical	Mark	Weight
Prac 1	8/10	2%
Prac 2	6/10	2%
Prac 3	7/10	2%
Prac 4	5/10	2%
Prac 5	9/10	2%
Prac ...	.../10	10%
ST 1	35/50	20%
ST 2	25/50	20%
Exam	/50	40%


### Markers Menu:




### Markers Select:




### Markers Update:




### Lecturer Menu:



### Lecturer Session:



Lecturer Create:



The 'Create Session' form is displayed within a mobile app interface. At the top, there is a navigation bar with icons for settings, a calendar, a document, a microphone, a folder, and a play button. The form itself has a dark grey background with a red back arrow and the title 'Create Session' in red. It contains three sections: 'Day' with a dropdown menu showing 'Monday' and 'Tuesday'; 'Time' with a dropdown menu showing '07:30' and '08:30'; and 'Duration' with a dropdown menu showing '1 hour' and '2 hours'.


**Create Session**

**Day:** Monday  
Tuesday

**Time** 07:30  
08:30

**Duration:** 1 hour  
2 hours

Lecturer Assign:



The 'Assign Session' form is displayed within a mobile app interface. At the top, there is a navigation bar with icons for settings, a calendar, a document, a microphone, a folder, and a play button. The form has a dark grey background with a red back arrow and the title 'Assign Session' in red. It features two search sections: 'Search Marker' and 'Search Student'. The 'Search Marker' section shows a table with columns '#', 'Name', and 'Surname', containing two rows of data. The 'Search Student' section shows a table with columns '#', 'Surname', and a profile picture icon, containing two rows of data. An 'Assign' button is located at the bottom right of the form.

**Assign Session**

Search Marker

#	Name	Surname
<a href="#">12345678</a>	<a href="#">John</a>	<a href="#">Doe</a>
<a href="#">87654321</a>	<a href="#">Jamie</a>	<a href="#">Don</a>


Search Student

#	Surname	
<a href="#">10454862</a>	<a href="#">le Roux</a>	●
<a href="#">29236259</a>	<a href="#">Mavuso</a>	●

Assign



## Lecturer Graphs:



Workflow android and web:

