AI-powered agriculture for smallholder farmers

"Identify recent research (2023–2026) on AI-powered agriculture, including crop recommendation, soil and weather analysis, yield prediction, cultivation cost estimation, market demand and price forecasting, and pre-harvest oversupply prediction. Summarize existing methods, limitations, research gaps, and opportunities for developing practical, affordable AI decision-support systems for smallholder farmers worldwide. Include relevant papers with titles, authors, publication years, and DOIs." *Generated by LeapSpace*

AI-Powered Agriculture for Smallholder Decision Support at a Glance

Key Findings Table

Area	What recent research shows	Smallholder relevance	Key citations
Crop recommendation	Soil-climate tabular models, especially Random Forest, XGBoost, CatBoost, LightGBM, and stacked ensembles, dominate practical systems and often report very high accuracy, though validation is frequently weak or incomplete [1] [2] [3] [4] [5] [6] [7] [8].	Promising for low-cost advisory if locally calibrated and not over-trusted outside training regions [9] [10] [11].	[1] [3] [11]
Explainability	SHAP, LIME, attention maps, and counterfactuals are increasingly used to explain crop advice, but explanations do not prove robustness or causality [12] [13] [14] [15].	Important for farmer trust, extension workflows, and human-in-the-loop use [16] [17] [18].	[15] [17]
Soil and weather analytics	Multimodal fusion of sensors, weather, and satellite data improves soil/moisture and field-state prediction, but fully standardized fusion pipelines remain uncommon [19] [20] [21] [22].	Useful for localized advice, especially with Raspberry Pi, Arduino, LoRa, and offline architectures [23] [24] [25].	[19] [23] [25]

Area	What recent research shows	Smallholder relevance	Key citations
Yield prediction	Sentinel-1/2, MODIS, NDVI/EVI, and phenology features support moderate to strong yield forecasts, but unseen-year and unseen-site tests often reduce performance sharply [26] [27] [28] [29] [30] [31].	Valuable for planning and risk alerts, but operational use requires blocked validation and recalibration [30] [32] [33].	[26] [29] [30]
Cost/profit/resource optimization	Economic decision support is less mature than agronomic prediction; many studies optimize inputs or infer profit indirectly rather than model explicit farmer-level cost functions [34] [35] [36].	High potential, especially where irrigation/fertilizer optimization shows measurable savings and yield gains [37] [38].	[36] [38]
Market and price forecasting	LSTM/GRU, Transformers, decomposition models, and hybrids often outperform classical baselines on volatile price series, especially with exogenous variables [39] [40] [41] [42] [43] [44].	Can support sales timing and crop planning, but translation into farmer-actionable rules is still limited [45] [46] [47].	[42] [46] [47]
Pre-harvest oversupply	Direct AI oversupply prediction is largely missing; most work uses yield, acreage, production, or price forecasts as indirect proxies [48] [49] [50] [51].	Major opportunity for farmer-facing storage, aggregation, and marketing alerts before harvest [51] [52].	[48] [51]

Direct Answer

Recent research from 2023–2026 indicates that the most practical AI for smallholder agriculture today is concentrated in **crop recommendation, soil/weather analytics, and yield prediction**, where low-cost tabular ensembles and sensor/satellite fusion perform well enough for advisory use when they are locally calibrated and deployed through simple mobile or edge systems [1] [23] [27].

The weakest parts of the evidence base are **farmer-level cultivation cost estimation, explicit net-profit optimization, market demand translation into farmer decisions, and especially direct pre-harvest oversupply prediction**; these areas are much less mature and are often treated only indirectly through yield, acreage, production, or price forecasting [35] [36] [46] [49].

For developing practical and affordable systems worldwide, the strongest opportunity is not another isolated high-accuracy model, but an **integrated offline-first advisory stack** that combines:

1. local soil-weather inputs,
2. optional satellite updates,
3. robust blocked validation across seasons and sites,
4. explainable recommendations, and
5. a lightweight economic and market layer that converts predicted production into profit-risk and oversupply alerts [11] [25] [30] [47] [53].

A key evidence gap is that the supplied material does **not** contain a complete verifiable list of titles, full author lists, and DOIs for all recent studies, so only identifiable papers/systems explicitly present in the evidence can be listed below without fabrication [1] [48].

Confidence level: High - The cross-cutting patterns are strongly repeated across the supplied syntheses and topic-specific findings [1] [23] [26] [48] [53].

Study Scope

- **Period covered:** 2023–2026, with some earlier foundational papers included where the supplied evidence explicitly identifies them as methodological precursors [54] [55] [56] [57].
- **Disciplines covered:** AI/ML, remote sensing, IoT/edge systems, agronomy, farm economics, and market forecasting [48] [53] [58] [59].
- **Methods covered:** tree ensembles, boosting, stacking, CNN/LSTM/GRU/Transformer variants, multimodal fusion, XAI, blocked and cross-year validation, and edge/mobile DSS deployment [30] [36] [43] [60] [61].

Assumptions & Limitations

- Reported headline accuracies are often based on hold-out or random CV rather than strong external validation, so real-world generalization may be overstated [3] [26] [31].
- The provided evidence contains incomplete bibliographic metadata for many recent papers, especially full authors and DOIs, so this report avoids inventing them [48].
- Direct evidence for standalone pre-harvest oversupply prediction is sparse; most evidence is indirect via yield, production, acreage, or price forecasts [49] [50].

Suggested Further Research

- Develop direct **pre-harvest oversupply/glut models** combining yield forecasts, acreage, arrivals, storage, and local demand [49] [50].
- Build **joint agronomic-economic optimization** with explicit cost, revenue, and risk functions rather than using yield as a proxy for profit [36] [62].
- Standardize **multimodal fusion pipelines** for sensors, satellite, and weather data with transparent missing-data and uncertainty handling [63] [64].

- Expand **cross-country, cross-year, and blocked validation** to test transferability under climate and management shifts [30] [31] [32].
- Evaluate **maintenance cost, calibration drift, battery life, and total cost of ownership** for low-resource deployments [25] [65].

Full Report Body

Introduction

AI-powered agriculture for smallholder decision support now spans six linked functions: crop choice, soil/weather analysis, yield forecasting, input/cost optimization, market forecasting, and pre-harvest planning [26] [48] [53] [58] [66]. Across these areas, the literature shows rapid technical progress, but also a persistent gap between benchmark performance and real-world utility in low-resource settings [9] [30] [47] [53].

Taken together, the supplied evidence suggests a field that is **technically strongest in agronomic prediction** and **least mature in economic and market-facing decision support** [26] [35] [49]. This matters because smallholders need end-to-end decisions, not isolated predictions: what to plant, how much to spend, when to irrigate, what yield to expect, and whether to sell, store, or switch markets [47] [53] [67].

Confidence level: High - This synthesis is directly supported by repeated cross-topic summaries in the supplied evidence [1] [48] [53].

Foundational Context

Three concepts organize the recent literature.

1. Prediction task types

Most systems operate on one of four task families:

- **Classification/recommendation:** choosing a crop or input action from soil and climate features [36] [66].
- **Regression/forecasting:** estimating soil moisture, yield, cost, or price trajectories [19] [27] [39].
- **Optimization:** selecting input levels or timing to improve yield, reduce waste, or increase profit [34] [38].
- **Decision support:** packaging predictions into farmer-usable mobile, web, voice, or edge tools [11] [53] [68].

2. Why ensembles remain dominant

Across tabular farm data, tree ensembles and boosting methods remain attractive because they perform strongly on mixed numeric features such as N, P, K, pH, rainfall, temperature, and humidity, while remaining easier to deploy than heavier deep models [1] [23] [36] [69] [70]. Deep learning appears most useful when temporal structure, imagery, or multimodal fusion are central, such as remote sensing or price-sequence forecasting [28] [43].

3. Why validation design matters

A recurring methodological issue is that random train-test splits can overestimate performance when agricultural data are autocorrelated across neighboring fields, seasons, or regions [3] [30]. Stronger tests such as leave-one-year-out, leave-one-site-year-out, and spatial block CV usually produce lower but more realistic estimates of operational skill [31] [32] [33].

Confidence level: High - These are explicit, repeated methodological themes in the source material [3] [30] [48].

Crop Recommendation for Smallholder Farms

Recent crop recommendation systems typically use soil nutrients, pH, temperature, humidity, and rainfall, sometimes with additional agronomic context, to recommend location-specific crops through mobile, web, or offline interfaces [66] [71] [72] [73] [74] [75]. No supplied study clearly verifies the use of detailed farm-profile variables beyond soil-climate inputs, so this remains a notable design gap [2] [3] [4] [5] [6] [7] [8] [76].

Methods and performance

The strongest directly evidenced models are ensemble-based. BORS-CRP used nested cross-validation and reported accuracy and macro-F1 of 0.9957±0.0026, while also noting no statistically significant gain over strong baselines such as Random Forest [3]. Another study on 2,200 instances and 22 crops used both 80:20 split and 10-fold CV, with Random Forest and Naive Bayes each reaching 99.54% test accuracy and 99.36% mean CV accuracy [2]. Other studies report Random Forest at 99.32%, CatBoost at 0.9977, stacked LightGBM+CatBoost at 99.84%, and Random Forest/CatBoost/XGBoost fusion at 99.70%, though their validation detail is weaker in the supplied excerpts [4] [5] [6] [7].

Deep and hybrid models also appear, including ResNet and 1D-CNN at 99% accuracy in E-Krishi and a CNN/ViT ensemble reaching 100% after augmentation and K-fold validation, but the supplied evidence does not provide full experimental specifics for most recommendation-focused deep systems [77] [78] [79].

Explainability and trust

SHAP, LIME, attention maps, and counterfactuals are now common additions to crop recommendation systems [12] [13] [80]. They consistently highlight nitrogen, potassium, rainfall, humidity, soil moisture, phosphorus, NDVI, and canopy temperature as influential features [18] [81] [82] [83]. Their practical value is mainly communicative: they provide feature-level reasons and "what-if" guidance that can help farmers and extension agents inspect model advice [12] [17] [82]. However, the literature also cautions that post-hoc explanation does not guarantee causal validity or robustness under distribution shift [14] [15] [84].

Deployment constraints

Deployment is moving toward Android apps, Raspberry Pi edge inference, offline or multilingual interfaces, and web dashboards [11] [85] [86]. Yet recurring constraints are data sparsity, class imbalance, single-region training, weak geographic transferability, and limited transparency about real-world field testing [9] [10] [87]. For smallholders, this means a model can be accurate in a benchmark sense while still being unreliable when transferred to new agroecologies [88] [89].

Research gap and opportunity

The crop recommendation literature is mature enough to support usable systems, but the biggest opportunity is to combine **ensemble prediction + XAI + out-of-distribution checks + local recalibration** rather than simply chasing higher in-sample accuracy [11] [90].

Confidence level: High - Evidence is rich and internally consistent, especially on ensemble dominance and validation weakness [1] [3] [9].

Soil Health and Weather Analytics

Soil and weather analytics increasingly fuse IoT sensors, tabular soil variables, weather feeds, and satellite imagery to improve field-state estimation beyond single-source models [19] [20] [91]. This is especially relevant for smallholders because accurate local soil-moisture and microclimate estimates can improve irrigation, fertilizer scheduling, and crop-risk alerts [23] [92].

Multisource data fusion

One framework aligned soil moisture, temperature, humidity, and precipitation through preprocessing, resampling, and time alignment, producing better soil-moisture prediction than weather-only modeling [19]. A 10 m soil-moisture mapping study combined Sentinel-1 SAR, Sentinel-2 optical imagery, and a DEM using XGBoost regression, reaching $R^2 = 0.891$ and RMSE = 0.875% [21]. Another fused thermal infrared bands and vegetation indices with in situ soil moisture and achieved $R^2 = 0.78$, RMSE = 1.43, and MAE = 1.19 in one plot-year [93].

Interpretable tabular deep models

TabNet, FT-Transformer, and related models appear in crop/soil/fertilizer recommendation work, with preprocessing such as imputation, normalization, encoding, and sometimes SMOTE [60] [94] [95] [96]. However, the evidence still favors simpler tree models for deployment-friendliness and latency in smallholder-facing systems [23] [97].

Low-cost edge and offline architectures

Raspberry Pi, Arduino, LoRa, MQTT, ESP32, and offline-local storage are recurring design choices [24] [25] [98] [99]. Reported performance includes 0.393 ms end-to-end latency in a fog-assisted MQTT/Raspberry Pi setup, 250–450 ms latency in an ESP32/MQTT cloud pipeline, and stable LoRa links under favorable conditions [99] [100] [101]. But field limitations remain substantial: calibration drift, soil-specific sensor calibration, weather and dust exposure, network dependence, and reduced LoRa range in obstructed environments [25] [65] [102].

Key limitations

The strongest gap is not proof-of-concept prediction accuracy but incomplete multimodal standardization: few papers fully specify asynchronous alignment, uncertainty propagation, long-term maintenance, and validation across heterogeneous landscapes [63] [64] [103].

Confidence level: Medium-High - Strong evidence exists for fusion and edge deployment, but complete integrated pipelines are less common [19] [23] [64].

Yield Prediction and Phenology Modeling

Yield prediction is one of the most developed parts of the literature, especially with Sentinel-1/2, MODIS, NDVI/EVI, rainfall, temperature, and phenology-derived features [26] [27] [28] [104]. The central lesson is that useful forecasts are possible, but robustness drops under unseen seasons and sites [29] [31].

Core models and inputs

Smallholder maize yield estimation using Sentinel-2 phenological metrics and crop-cut data from 123 farms achieved $R^2 = 0.56$ with Ridge and RMSE = 1148 kg ha^{-1} under leave-one-season-out validation [27]. EO models for fragmented smallholder systems in Ethiopia achieved ensemble $R^2 = 0.56$ and RMSE = 0.85 t ha^{-1} across 2016–2023 [105]. A Sentinel-1/Sentinel-2 fusion system forecast wheat one month and rice two and a half months before harvest at field scale before upscaling to governorate level [28].

Generalization across years and sites

This is where the literature becomes more cautious. A multi-year Sentinel-2 cotton study showed good performance when training and testing within the same multi-year pool, but a sharp drop on unseen years, with RNN R^2 falling to 0.17–0.42 [29]. Reviews and comparative papers repeatedly argue that random CV inflates skill because it leaks spatiotemporal structure; blocked temporal and spatial validation better estimates real extrapolation [30] [31] [106]. Performance losses are linked to drought, extreme values, management changes, cultivar differences, climate non-stationarity, and limited training diversity [107] [108] [109].

Recurring predictors

Across studies, the most consistent drivers are temperature, rainfall/precipitation, greenness indices such as NDVI and related VIs, and phenology or growth-stage timing [110] [111] [112] [113] [114]. Planting date is less consistently evidenced than temperature and greenness in the supplied material [110] [111] [112].

Implication for smallholders

Taken together, these findings suggest that yield modules are ready to serve as **risk estimates** rather than precise guarantees. For smallholders, a moderate but honest pre-harvest forecast with uncertainty bounds is likely more useful than a highly optimistic model trained with weak validation [26] [30].

Confidence level: High - The evidence base is broad and repeatedly emphasizes the same generalization problem [26] [31] [32].

Cultivation Cost, Profit, and Resource Optimization

Compared with agronomic prediction, explicit economic modeling is much thinner [35] [36]. Many systems assume that improved prediction quality translates into improved profit, but few papers directly model farmer-level cost or revenue functions [62] [115] [116].

What is being modeled

Some recent systems estimate yield, revenue, cost, and net profit explicitly; one framework outputs total yield, total revenue, total cost, net profit, and per-mu profit [117]. MAION fuses field images, meteorological data, soil states, and management records to estimate yield, cost, and net profit, then generate profit-maximizing input strategies, though the supplied evidence indicates benchmark validation rather than farmer-record or field-trial validation [34].

Field-validated resource savings

The strongest practical evidence is from resource-optimization studies rather than cost-estimation studies. Review evidence reports gains such as 55% lower water use, 51% lower energy use, 20% lower fertilizer use, and 20% higher yield relative to traditional/manual practice, though explicit cost-function details are not provided [37]. A field-tested AI-DSS combining Random Forest and LSTM over three seasons improved yield by up to 13.1%, water-use efficiency by up to 15.5%, and benefit-cost ratio by 8.5–15.0%, while reducing nitrate leaching [38].

Adoption barriers

Adoption remains constrained by cost, connectivity, digital skills, infrastructure, trust, and weak institutional support [53] [118] [119]. Evidence from advisory systems suggests that perceived usefulness, ease of use, local language support, voice or icon-based feedback, and reliable offline functionality strongly affect uptake [120] [121] [122].

Opportunity

The main opportunity is to move from “yield improvement implies profit improvement” toward explicit **profit-risk DSS** that combine agronomy with actual cost structures and farmer records [36] [62].

Confidence level: Medium - The direction is clear, but the evidence base is thinner and more heterogeneous than for crop and yield prediction [35] [53].

Market Demand, Price Forecasting, and Pre-Harvest Oversupply Prediction

Market forecasting research is active, but its translation into smallholder-ready advice is still partial [47] [48]. Most studies focus on forecasting prices or volatility rather than converting those forecasts into concrete selling, storage, or crop-switching decisions [46] [123].

Price and demand forecasting methods

LSTM and GRU models generally outperform classical baselines on volatile agricultural price series, especially for nonlinear dynamics [39] [70] [124] [125] [126]. Seasonal and decomposition-aware methods are common: PaSTANet uses a Gaussian seasonality-trend model plus CNN for one-year crop forecasts, and NBEATS-X decomposes trend and seasonality components [41] [42]. Transformer and hybrid models also appear, such as Transformer plus metaheuristic tuning for weekly potato prices and stacked LSTM+Transformer for one-month corn prediction [40] [43].

Role of exogenous variables

External signals such as arrivals, weather, meteorological indicators, production area, trading volume, and broader economic/environmental variables often improve forecast accuracy when they are available and reliable [44] [127] [128] [129] [130]. But many deep models still rely mainly on univariate price series, limiting their usefulness for real supply-demand reasoning [131] [132].

Pre-harvest oversupply prediction

The clearest answer from the supplied evidence is that direct AI prediction of pre-harvest oversupply is mostly absent [48] [49]. Instead, studies forecast yield quantity before harvest, sometimes 6–3 months ahead or weeks to months before harvest, and frame those forecasts as support for marketing, storage, agribusiness planning, or policy [49] [51] [52] [133]. Acreage and production forecasts also contribute to longer-horizon planning, as in tea area/production/yield forecasting through 2024–2030 [50]. This pattern implies that oversupply is currently being treated as an **inference problem built on production outlooks**, not as a standalone supervised target [49] [50].

Deployment constraints

Smallholder-facing market tools must be affordable, explainable, interoperable with advisory workflows, and workable under poor connectivity [47] [53] [134] [135]. Black-box forecasting without actionable rules is unlikely to be adopted [67] [135].

Confidence level: High - The evidence strongly supports the claim that direct oversupply modeling is underdeveloped relative to price forecasting [48] [49] [51].

Cross-Cutting Synthesis: What Methods Work, What Fails, What Is Missing

What works now

Across domains, the most stable practical pattern is the strength of **tabular ensembles** on structured agronomic inputs and the growing value of **multimodal fusion** when local sensing and satellite data can be combined [1] [23] [28]. Edge and offline deployment is also moving from concept to implementation through Raspberry Pi, LoRa, Android, and multilingual interfaces [11] [24] [134].

What fails repeatedly

The most common failure mode is overclaiming performance from weak validation [3] [30]. Models that look excellent under random splits often degrade under unseen years, unseen fields, or new agroecologies [29] [31]. Another repeated problem is that explanation is used as a trust signal even when robustness remains untested [15] [135].

Major research gaps

The largest gaps are:

- direct oversupply/glut prediction [49] [50];
- joint agronomic-economic optimization

References

1. Masanta, A., Pandey, A., Priya, C.K., (...), Kumar, R. (2026) KisanBandhu: AI-Based Crop Recommendation and Decision Support System for Farmers. *Proceedings of the 18th International Conference on Electronics, Computers and Artificial Intelligence, ECAI 2026*. https://doi.org/10.1109/ECAI69016.2026.11613749
2. Sametha, R.B.S., Chaitanya, D.S., Raghu, K., (...), Dar, J.A. (2026) An Interpretable and Deployment-Ready Machine Learning Framework for Crop Advisory Using Soil and Climate Signals. *2026 IEEE 18th International Conference on Computational Intelligence and Communication Networks, CICN 2026*. https://doi.org/10.1109/CICN70047.2026.11594314
3. Chandrakar, S., Pandey, M., Jade, R.K. (2026) BORS-CRP: a Bayesian optimized stacking framework for crop recommendation in precision agriculture. *Quality and Quantity*. https://doi.org/10.1007/s11135-026-02742-w
4. Upreti, K., Singh, J., Alapatt, B.P. (2025) Smart Farming with Ensemble Learning: A Soil-Driven Crop Suggestion Model for Sustainable Agriculture. *Turkish Journal of Engineering*. https://doi.org/10.31127/tuje.1688064
5. Negi, A.S., Rawat, A., Agarwal, V., Kumar, R. (2025) Comparative Analysis of Machine Learning Algorithms for Crop Recommendation Systems. *Proceedings of the IEEE International Conference Image Information Processing*. https://doi.org/10.1109/ICIIP68302.2025.11346354
6. Devi, K.K., Kumar, J.P., Karanth, S. (2025) Optimized Method for Prediction and Recommendation of Crops Using Fusion Ensemble Learning Crop Recommendation Model. *2025 5th International Conference on Advances in Electrical, Computing, Communication and Sustainable Technologies, ICAECT 2025*. https://doi.org/10.1109/ICAECT63952.2025.10958850
7. Salmani, S., Shaikh, A.A., Shinde, P., Tiwari, P. (2025) Comparative Analysis and Hybrid Optimization of Machine Learning Algorithms for Intelligent Crop Recommendation. *Proceedings of IEEE International Conference on Modelling, Simulation and Intelligent Computing, MoSICom 2025*. https://doi.org/10.1109/MoSICom67153.2025.11398287
8. Shawon, S.M., Rahman, M.S., Haider, S.N., (...), Austin, S. (2025) Fed-XGBoost-LGBM: Privacy-Preserving Multi-Crop Recommendation Using Federated XGBoost-LGBM Ensemble on Imbalanced Soil Data. *2025 IEEE International Conference on Quantum Photonics, Artificial Intelligence, and Networking, QPAIN 2025*. https://doi.org/10.1109/QPAIN66474.2025.11171770
9. Mancer, M., Terrissa, S.L., Ayad, S. (2025) A Systematic Literature Review of Crop Recommendation Systems for Agriculture 4.0. *CEUR Workshop Proceedings*. https://www.scopus.com/pages/publications/105010694754
10. Ayesha Barvin, P.A., Vignesh, K., Jayalakshmi, M., Maharajan, K. (2026) A Comprehensive Review Of AI-Driven Crop Recommendation Systems Using Deep Learning: Architectures, Datasets, And Future Research Directions. *International Journal of Artificial Intelligence and Machine Learning*. https://doi.org/10.51483/IJAIML.6.7s.2026.1136-1149

11. Vuppalapati, C., Ilapakurti, A., Vuppalapati, S., (...), Vuppalapati, J. (2025) Toward An Environmental, Social, and Governance (ESG)-Centric Edge AI Architecture for Smallholder Farmers. *Applied Human Factors and Ergonomics International*. https://doi.org/10.54941/ahfe1006928

12. Mahmood, I.N., Gergely, B., Abuzaraida, M.A., Szepreti, Z. (2026) An interpretable deep embedding framework for data-driven discovery of crop families. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102571

13. Xu, B., Yang, G. (2025) Interpretability research of deep learning: A literature survey. *Information Fusion*. https://doi.org/10.1016/j.inffus.2024.102721

14. Fu, Y., Zhou, H., Heitman, J., (...), Horton, R. (2026) Artificial intelligence and digital sensing for multiscale soil structure: from observation to decision-making. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2026.112343

15. Ganesalingam, G., Nasser, M., Algbear, A.F., (...), Ravi, V. (2026) Explainable and lightweight deep learning models for tea leaf disease detection: A systematic review and future research directions. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102042

16. https://www.sciencedirect.com/science/article/pii/S2731080926009518

17. Fan, Di, Ab Razak, Nazrul Hisyam, Soh, Wei Ni (2025) Financial trading decision model based on deep reinforcement learning for smart agricultural management. *PeerJ Computer Science*. https://doi.org/10.7717/peerj-cs.3196

18. https://www.sciencedirect.com/science/article/pii/S1573767525000179

19. Asha Bharathi, S., Hamsa, S., Sinha, B., (...), Shwetha, M.R. (2026) Integrating IoT Soil Sensors and Satellite Weather Data with AI for Sustainable Precision Agriculture. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-28307-8_20

20. Keshavamurthy, T.G., Sapna, M.K., Sindhu, K., (...), Basavaraj, B. (2026) AgriSense: An AI-Powered Multi-Source Crop Yield Prediction and Advisory Framework for Smallholder Farming. *7th International Conference on Inventive Research in Computing Applications, ICIRCA 2026 - Proceedings*. https://doi.org/10.1109/ICIRCA69024.2026.11570548

21. Gómez, Yesica Tatiana Beltrán, Cerquera, Manuel Ricardo Pérez, Colorado, Julian D. (2026) Smart Irrigation through IoT and Sensor Fusion: A Multiscale Review for Precision Agriculture. *Crop Design*. https://doi.org/10.1016/j.cropd.2026.100164

22. Abowarda, A.S., Bai, L., Zhang, C., (...), Sun, Z. (2021) Generating surface soil moisture at 30 m spatial resolution using both data fusion and machine learning toward better water resources management at the field scale. *Remote Sensing of Environment*. https://doi.org/10.1016/j.rse.2021.112301

23. Sharafat, S., Kabya, N.D., Emu, R.I., (...), Khan, R. (2025) An IoT-enabled AI system for real-time crop prediction using soil and weather data in precision agriculture. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2025.101263

24. https://www.sciencedirect.com/science/article/pii/S2661890725003539

25. Durgam, M., Mailapalli, D.R., Singh, R. (2025) LoRa-based data communication, acquisition, and visualization system for real-time monitoring of soil parameters. *Cogent Food and Agriculture*. https://doi.org/10.1080/23311932.2025.2527279

26. Masiza, W., Nkuna, B.L., Ratshiedana, P.E., (...), Hamandawana, H. (2026) Predicting smallholder maize yield using sentinel-2-derived phenological metrics. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.101870

27. Masiza, W., Nkuna, B.L., Ratshiedana, P.E., (...), Hamandawana, H. (2026) Predicting smallholder maize yield using sentinel-2-derived phenological metrics. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.101870

28. Tarín-Mestre, J., Franch Gras, B., Moletto-Lobos, I., (...), Szantoi, Z. (2026) Sentinel-1 and Sentinel-2 data fusion for wheat and rice yield forecasting in the Nile Delta. *International Journal of Applied Earth Observation and Geoinformation*. https://doi.org/10.1016/j.jag.2026.105353

29. Li, S., Guo, W. (2026) Multi-scale cotton yield prediction using machine learning and Sentinel-2 imagery. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.101999

30. Gracia Rojas, D.A., Gómez Díaz, H.J., de Jesus Gil Herrera, R. (2026) Remote sensing-based machine learning and deep learning for agriculture and forestry: Yield estimation, land-cover mapping, and plant stress – A systematic review (2020–2025). *Remote Sensing Applications: Society and Environment*. https://doi.org/10.1016/j.rsase.2026.102279

31. Radocaj, D., Plašćak, I., Juřisić, M. (2026) Winter wheat yield prediction based on a multi-year phenological modeling from Sentinel-1 radar vegetation indices and machine learning. *Remote Sensing Applications: Society and Environment*. https://doi.org/10.1016/j.rsase.2026.102004

32. Scarpin, G.J., Studstill, S.B., Monfort, W.S., (...), Bastos, L.M. (2026) Peanut yield and grade prediction in Georgia, USA: integrating management, climate, and remote sensing data with explainable AI. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2025.111270

33. Pei, J., Tan, S., Zou, Y., (...), Huang, J. (2025) The role of phenology in crop yield prediction: Comparison of ground-based phenology and remotely sensed phenology. *Agricultural and Forest Meteorology*. https://doi.org/10.1016/j.agrformet.2024.110340

34. Fu, Z., Zhang, Y., Yu, S., (...), Song, Y. (2026) Sensor-Based Cross-Modal Spatiotemporal Alignment and Causal Profit Modeling for Agricultural Input Optimization. *Sensors*. https://doi.org/10.3390/s26154994

35. https://www.sciencedirect.com/science/article/pii/S2661890725008853

36. Shams, M.Y., Gamel, S.A., Talaat, F.M. (2024) Enhancing crop recommendation systems with explainable artificial intelligence: a study on agricultural decision-making. *Neural Computing and Applications*. https://doi.org/10.1007/s00521-023-09391-2

37. https://www.sciencedirect.com/science/article/pii/S3004926125011844

38. Emara, E.I.R., Al-Saeed, A.M., Hamed, L.M.M. (2026) AI-driven decision support system enhances productivity, water use efficiency, and soil sustainability of strategic crops in sandy soils. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2026.110198

39. Mei, F., Zhu, J., Chen, Z., (...), Hu, J. (2026) On the use of multiple machine learning algorithms for pig price prediction and their performance comparison. *Proceedings of SPIE - The International Society for Optical Engineering*. https://doi.org/10.1117/12.3114050

40. Nayak, G.H.H., Alam, M.W., Naik, B.S., (...), Singh, K.N. (2025) Meta-transformer: leveraging metaheuristic algorithms for agricultural commodity price forecasting. *Journal of Big Data*. https://doi.org/10.1186/s40537-025-01196-5

41. Anandhajothi Nalini, R., Ishwarya, M., Thamizhisai, D., Sriranganathan, G. (2025) Intelligent Deep Learning Framework for Real-Time Agricultural Price Prediction using NBEATS-X. *4th International Conference on Automation, Computing and Renewable Systems, ICACRS 2025 - Proceedings*. https://doi.org/10.1109/ICACRS67045.2025.11324187

42. Hong, W., Choi, S.C., Oh, S. (2024) Parametric seasonal-trend autoregressive neural network for long-term crop price forecasting. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0311199

43. Kaabi, J., Harrath, Y., Price, E. (2025) Utilizing Ensemble Learning Techniques to Enhance Corn Price Prediction: A Case Study on South Dakota. *Agronomy*. https://doi.org/10.3390/agronomy15112447

44. https://www.sciencedirect.com/science/article/pii/S1433305826007045

45. B, B., Sowjanya, M. (2024) Unravelling the use of artificial intelligence in management of insect pests. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2024.100517

46. Vishnoi, S., Goel, R.K. (2024) Climate smart agriculture for sustainable productivity and healthy landscapes. *Environmental Science and Policy*. https://doi.org/10.1016/j.envsci.2023.103600

47. Chen, X., Liao, S., Chu, D., (...), Li, X. (2026) Artificial intelligence in agricultural production systems: Decision roles, deployment constraints, and evidence for system-level outcomes. *Agricultural Systems*. https://doi.org/10.1016/j.agsy.2026.104906

48. Fulkar, B., Patil, P., Bardhiya, H., Mahale, P. (2025) AI-Powered Market Price Prediction for Agricultural Products. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034854331

49. Iizumi, T., Shin, Y. (2025) Launch of the global preharvest crop forecast of climate-induced yield variations. *Climate Research*. https://doi.org/10.3354/cr01751

50. Singh Raghav, Y.S., Alqasem, O.A., Mishra, N., (...), Alakkari, K.M. (2025) FORECAST USING LSTM-CNN MODEL (AREA, PRODUCTION AND YIELD RATE) OF TEA IN INDIA. *Journal of Animal and Plant Sciences*. https://doi.org/10.36899/JAPS.2025.3.0065

51. Dutta, P.S., Paul, A.B., Bordoloi, S. (2025) Comparative analysis of Hybrid Machine learning Models for Crop Yield Prediction. *6th IEEE International Conference on Recent Advances in Information Technology, RAIT 2025*. https://doi.org/10.1109/RAIT65068.2025.11089382
52. Carbajal, M., Jones, D., Williams, C., Nelson, N.G. (2026) In-season yield forecasting using multitemporal remote sensing environmental observations and machine learning: Applications for sweetpotato in North Carolina, USA. *European Journal of Agronomy*. https://doi.org/10.1016/j.eja.2025.127818
53. Satpati, S. (2026) Systematic review of artificial intelligence in precision agriculture for smallholder farmers. *Discover Global Society*. https://doi.org/10.1007/s44282-026-00546-9
54. Breiman, L. (2001) Random forests. *Machine Learning*. https://doi.org/10.1023/A:1010933404324
55. ZHU, X., Chen, J., Gao, F., (...), Masek, J.G. (2010) An enhanced spatial and temporal adaptive reflectance fusion model for complex heterogeneous regions. *Remote Sensing of Environment*. https://doi.org/10.1016/j.rse.2010.05.032
56. Huete, A., Didan, K., Miura, T., (...), Ferreira, L.G. (2002) Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*. https://doi.org/10.1016/S0034-4257(02)00096-2
57. Hochreiter, S., Schmidhuber, J. (1997) Long Short-Term Memory. *Neural Computation*. https://doi.org/10.1162/neco.1997.9.8.1735
58. Elsalahi, R.H., Mudawi, H.I., Ahmed, M.M., (...), Smith, D.L. (2026) Embracing AI and IoT to Ensure a Sustainable Agricultural Future for Global Food Security. *Advancing Precision Agriculture With AI and IoT*. https://doi.org/10.4018/979-8-3373-7257-0.ch014
59. Li, F., Baber, S., Sahajpal, R., (...), Nerry, F. (2026) Earth observation derived yield forecasting and estimation in low- and lower-middle-income countries dominated by smallholder agriculture: A review. *International Journal of Applied Earth Observation and Geoinformation*. https://doi.org/10.1016/j.jag.2026.105216
60. Sabareeswari, T.C., Patturnnarajam, P., Vidhyashree, S. (2026) Smart Crop Recommendation System using TabNet and LLM Integration. *2026 International Conference on Data Science, Agents and Artificial Intelligence, ICDSAAI 2026*. https://doi.org/10.1109/ICDSAAI69492.2026.11505173
61. Choudhary, M., Singh, N., Malik, M., (...), Chandervanshi, Y. (2026) Integrated pest management (IPM) in the AI era. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102397
62. Dey, B., Ferdous, J., Ahmed, R. (2024) Machine learning based recommendation of agricultural and horticultural crop farming in India under the regime of NPK, soil pH and three climatic variables. *Heliyon*. https://doi.org/10.1016/j.heliyon.2024.e25112
63. Jena, P., Dutta, F. (2026) Data-driven strategies for reducing agricultural water footprint. *Developments in Environmental Science*. https://doi.org/10.1016/B978-0-443-36428-0.00016-4

64. Al-Yaari, A., Wigneron, J.-P., Dorigo, W., (...), de Lannoy, G. (2019) Assessment and inter-comparison of recently developed/reprocessed microwave satellite soil moisture products using ISMN ground-based measurements. *Remote Sensing of Environment*. https://doi.org/10.1016/j.rse.2019.02.008

65. Kalaany, C.M.A., Kimaita, H.N., Abdelmoneim, A.A., (...), Dragonetti, G. (2025) The Potential of Low-Cost IoT-Enabled Agrometeorological Stations: A Systematic Review. *Sensors*. https://doi.org/10.3390/s25196020

66. Balakrishnan, D., Kumar, A.P., Sai Kiran Reddy, K., (...), Madhan, S. (2023) Agricultural Crop Recommendation System. *2023 3rd International Conference on Intelligent Technologies, CONIT 2023*. https://doi.org/10.1109/CONIT59222.2023.10205756

67. Redouane, K., Fikri, Y., Garine, R., (...), Jaiswal, J. (2025) An Overview of Artificial Intelligence-Driven Intelligent Agronomy for Sustainable Productivity and Agri-Finance Transformation. *ES Food and Agroforestry*. https://doi.org/10.30919/faf1938

68. George, V. (2025) Harnessing digital dividends: A systematic review of ICT initiatives for transformation in Tanzanian agriculture. *Social Sciences and Humanities Open*. https://doi.org/10.1016/j.ssaho.2025.101716

69. Okupska, E., Gozdowski, D., Pudełko, R., Wójcik-Gront, E. (2025) Cereal and Rapeseed Yield Forecast in Poland at Regional Level Using Machine Learning and Classical Statistical Models. *Agriculture (Switzerland)*. https://doi.org/10.3390/agriculture15090984

70. Manimegalai, R., Logendar, G., Srirengapriya, G., Shaik, S.K. (2026) A Data-Driven Framework for Crop Price Prediction Using ML, Statistical, and Hybrid Ensemble Models. *Platform Engineering: Concepts, Challenges, and Applications*. https://doi.org/10.1002/9781394395910.ch17

71. Bhutada, S., Yamaganti, R., Kompalli, N.S.J., (...), Reddy, M.M. (2025) Optimizing Agricultural Practices with a Data-Driven Crop Recommendation System. *16th International Conference on Advances in Computing, Control, and Telecommunication Technologies, ACT 2025*. https://www.scopus.com/pages/publications/105034874781

72. Subiyanto, S., Widiyawati, E., Saputra, B., (...), Sutrisno, D. (2026) A New Model Application of AIoT-Based Crop Recommendation and Monitoring System. *International Journal on Engineering Applications*. https://doi.org/10.15866/irea.v14i2.25818

73. Elavarasi, A., Gowtham, R., Hareeshkumar, S. (2025) AI-based Voice-Interactive Crop Suggestion System with Real-Time Weather Analysis. *Proceedings of International Conference on Sustainable Communication Networks and Application, ICSCN 2025*. https://doi.org/10.1109/ICSCN67106.2025.11308203

74. Behera, S., Pradhan, S., Reddy, N.T.K., (...), Patra, M.R. (2025) Enhancing Agricultural Decision Making with an AI-Powered Crop Recommendation Engine. *2025 International Conference on Next Generation of Green Information and Emerging Technologies, GIET 2025*. https://doi.org/10.1109/GIET65294.2025.11234840

75. Kannan, M., Vinothkanna, R., Berlin, A., (...), Saravanakumar, R. (2026) A Comparative and Performance-Driven Machine Learning Framework for Accurate Crop Recommendation Using Multivariate Agricultural Data. *2026 International Conference on Next Generation Electronics, NELEX 2026*. https://doi.org/10.1109/NELeX69209.2026.11590792

76. Singh, V.K., SankaraNarayanan, S., Gouthaman, P. (2025) Optimized Crop Recommendation using Stacked Ensemble Machine Learning for Sustainable Smart Agriculture. *2025 2nd Asia Pacific Conference on Innovation in Technology, APCIT 2025*. https://doi.org/10.1109/APCIT65661.2025.11411394

77. Mishra, A., Pandey, A., Diwedi, A., (...), Agarwal, S. (2026) E-Krishi: Intelligent Soil Analytics for High-Yield Farming. *Proceedings of 2026 5th OPJU International Technology Conference on Smart Computing for Innovation and Advancement in Industry 5.0, OTCON 2026*. https://doi.org/10.1109/OTCON69332.2026.11629991

78. Sheth, F., Mathur, P., Gupta, A.K., Chaurasia, S. (2025) An advanced artificial intelligence framework integrating ensembled convolutional neural networks and Vision Transformers for precise soil classification with adaptive fuzzy logic-based crop recommendations. *Engineering Applications of Artificial Intelligence*. https://doi.org/10.1016/j.engappai.2025.111425

79. Durai Arumugam, D.A., Praveen Kumar, P.K. (2024) Serial cascaded deep feature extraction-based adaptive attention dilated model for crop recommendation framework. *Applied Soft Computing*. https://doi.org/10.1016/j.asoc.2024.111790

80. Govea, Jaime, Gutierrez, Rommel, Villegas-Ch, William (2024) Transparency and precision in the age of AI: evaluation of explainability-enhanced recommendation systems. *Frontiers in Artificial Intelligence*. https://doi.org/10.3389/frai.2024.1410790

81. Ramesh, V., Perumal, P. (2026) Hybrid bio-inspired optimization and Q-learning framework for deep learning crop yield prediction. *Array*. https://doi.org/10.1016/j.array.2026.100982

82. Barbedo, J.G.A., da Silva, M.S., Cazzolato, M.T., (...), Zhao, L. (2026) Explainability and privacy in AI-enabled crop monitoring: Trends and future directions in soybean research. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2025.111392

83. Sangpradit, K., Samseemoung, G. (2026) Field-validated explainable AI-based UAV remote sensing for variable-rate fertilization in precision sugarcane nutrient management. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102585

84. McBratney, A., Minasny, B. (2026) The New Precision Agronomy. *Advances in Agronomy*. https://doi.org/10.1016/bs.agron.2026.07.004

85. Rafi, M.A.H., Haque, M.D., Islam, N., (...) (2026) Explainable AI-Integrated Real-Time Portable Crop Recommendation System Based on Internet of Things for Precision Agriculture. *Advances in Agriculture*. https://doi.org/10.1155/aia/1219945

86. Krishna Senapaty, M.K., Ray, A., Padhy, N. (2024) A Decision Support System for Crop Recommendation Using Machine Learning Classification Algorithms. *Agriculture (Switzerland)*. https://doi.org/10.3390/agriculture14081256

87. Abayeva, S., Kabdrakhmanova, S. (2026) Digital Technologies in Crop Production: A Scoping Review with Transferability Analysis for Central Asia. *AgriEngineering*. https://doi.org/10.3390/agriengineering8050199

88. Kinfu, T., Gizachew, B., Assamnew, F. (2026) A systematic literature review of artificial intelligence and internet of things enabled crop farming. *Discover Computing*. https://doi.org/10.1007/s10791-026-10549-4

89. Cravero, A., Sepúlveda Cuevas, S., Gutiérrez, F., Muñoz, L. (2026) From Precision Agriculture to Intelligent Agricultural Ecosystems: A Systematic Review of Machine Learning and Big Data Applications. *Agronomy*. https://doi.org/10.3390/agronomy16050516

90. Zhao, Peihan, Li, Wenteng, Wang, Chao, (...), Wang, Fushun (2026) UAV remote sensing for yield prediction in staple crops: a review. *Frontiers in Plant Science*. https://doi.org/10.3389/fpls.2026.1840669

91. Kadam, A., Bansod, N., Bakal, S., (...), Shelke, S. (2025) Predictive Crop Health Analytics via Sensor Fusion: Integrating Soil IoT, UAV Multispectral Data, and Machine Learning. *2025 IEEE International Conference on Blockchain and Distributed Systems Security, ICBDS 2025*. https://doi.org/10.1109/ICBDS67396.2025.11377223

92. Chainok, B., Chainok, P. (2026) An IoT and AI-Driven Smart Farming System for Real-Time Soil Nutrient and Environmental Monitoring. *International Journal on Electrical Engineering and Informatics*. https://doi.org/10.15676/ijeei.2026.18.1.4

93. Imtiaz, F., Farooque, A.A., Randhawa, G.S., (...), Hashemi Garmdareh, S.E. (2024) An inclusive approach to crop soil moisture estimation: Leveraging satellite thermal infrared bands and vegetation indices on Google Earth engine. *Agricultural Water Management*. https://doi.org/10.1016/j.agwat.2024.109172

94. Ramya, M., Mohamed, N., Reddy, M.D. (2026) AI-Powered Crop Recommendation System using FT-Transformer for Precision Agriculture. *Proceedings of 7th International Conference on Intelligent Communication Technologies and Virtual Mobile Networks, ICICV 2026*. https://doi.org/10.1109/ICICV68925.2026.11554816

95. Mondal, P., Jain, A., Phulre, A.K., Jain, A. (2026) TabNet-Based Crop Yield Prediction for Smart Agriculture. *Communications in Computer and Information Science*. https://doi.org/10.1007/978-3-032-09572-5_7

96. Masud, S.R., Hossain, S.K.M., Sarkar, M.R., (...), Sajib, R.H. (2025) An Explainable Ensemble Learning Framework for Crop Classification with Optimized Feature Pyramids and Deep Networks. *2025 28th International Conference on Computer and Information Technology, ICCIT 2025*. https://doi.org/10.1109/ICCIT68739.2025.11491657

97. Sharafat, S., Kabya, N.D., Emu, R.I., (...), Khan, R. (2025) An IoT-enabled AI system for real-time crop prediction using soil and weather data in precision agriculture. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2025.101263

98. Reddy, G.R., Manisha, B., Vemula, R. (2026) AI Based Irrigation and Weather Forecasting System Using Lorawan. *Proceedings of the 6th International Conference on Trends in Material Science and Inventive Materials, ICTMIM 2026*. https://doi.org/10.1109/ICTMIM68190.2026.11507562

99. Pandey, H.B., Varma, V., Gupta, S., (...), Kumar, S. (2026) AgroMitra: An IoT–Edge–Cloud and AI-Integrated Precision Agriculture Platform. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-27563-9_39

100. Prashanth, P., Muniraj, H.K., Primilla, P., (...), Ajith Jubilson, E. (2024) AGRIFOG: Fog-Assisted IOT Enabled Agriculture Monitoring System. *Proceedings - 2024 International Conference on Social and Sustainable Innovations in Technology and Engineering, SASI-ITE 2024*. https://doi.org/10.1109/SASI-ITE58663.2024.00088

101. Negulescu, C., Borangíu, T., Raïleanu, S., Anghel, V.-V. (2026) An Embedded Multi-Sensor IoT Platform for Agricultural Monitoring Using Meshtastic-Based LoRa Communication and Cloud Microservices. *Sensors*. https://doi.org/10.3390/s26185839

102. Dafonte, J., González, M.Á., Comesaña, E., (...), Cancela, J.J. (2024) Soil Water Status Monitoring System with Proximal Low-Cost Sensors and LoRa Technology for Smart Water Irrigation in Woody Crops. *Sensors*. https://doi.org/10.3390/s24248104

103. Dorigo, W.A., Scipal, K., Parinussa, R.M., (...), Naeimi, V. (2010) Error characterisation of global active and passive microwave soil moisture datasets. *Hydrology and Earth System Sciences*. https://doi.org/10.5194/hess-14-2605-2010

104. Guo, Z., Chamberlin, J., You, L. (2023) Smallholder maize yield estimation using satellite data and machine learning in Ethiopia. *Crop and Environment*. https://doi.org/10.1016/j.crope.2023.07.002

105. Gelagay, H.S., Leroux, L., Tamene, L., (...), Corbeels, M. (2026) Space-time dynamics of rainfed wheat yield in Ethiopia: Insights from remote sensing. *ISPRS Journal of Photogrammetry and Remote Sensing*. https://doi.org/10.1016/j.isprsjprs.2026.08.037

106. Dharpure, J.K., Cobos, C., Baath, G.S., (...), Lewis, K.L. (2026) Cover crop biomass estimation using UAV-based multispectral feature fusion and machine learning. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102350

107. https://www.sciencedirect.com/science/article/pii/S157316182600102X

108. Petrović, B., Roubík, H., Csambalik, L., (...), Banout, J. (2026) Multi-sensor integration and cloud-native AI for climate-smart agricultural monitoring: A systems framework. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2026.112182

109. Mirhoseini Nejad, S.M.M., Abbasi-Moghadam, D., Sharifi, A., Tariq, A. (2024) Capsular attention Conv-LSTM network (CACN): A deep learning structure for crop yield estimation based on multispectral imagery. *European Journal of Agronomy*. https://doi.org/10.1016/j.eja.2024.127369

110. Tamayo-Vera, D., Mesbah, M., Zhang, Y., Wang, X. (2025) Advanced machine learning for regional potato yield prediction: analysis of essential drivers. *npj Sustainable Agriculture*. https://doi.org/10.1038/s44264-025-00052-6

111. Mishra, H., Saxena, K. (2026) Predictive crop yield analysis based on weather and soil data for agriculture optimization. *Computational Techniques in Precision Agriculture: Advances and Applications*. https://doi.org/10.1201/9781003520733-11

112. Aboulhosn, S., Akkawi, M., Kadry, S. (2026) Comparative Evaluation of Machine Learning Models in Forecasting Crop Yields Amid Climate Change. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-07735-6_18

113. Yu, J., Dong, L., Zeng, W., Lei, G. (2025) Rice yield predictions from remote sensing inputs in machine learning models. *Agronomy Journal*. https://doi.org/10.1002/agj2.70254

114. Ganie, M.W., Wani, M.A., Wani, A.H. (2025) Deep Learning for Prediction of Crop Yield: A Systematic Literature Review. *Proceedings of 2025 2nd International Conference on Cognitive Robotics and Intelligent Systems, ICC - ROBINS 2025*. https://doi.org/10.1109/ICC-ROBINS64345.2025.11086237

115. Sharma, P., Dadheech, P., Aneja, N., Aneja, S. (2023) Predicting Agriculture Yields Based on Machine Learning Using Regression and Deep Learning. *IEEE Access*. https://doi.org/10.1109/ACCESS.2023.3321861

116. Prity, F.S., Hasan, M.D.M., Saif, S.H., (...), Lavlu, M.T.H. (2024) Enhancing Agricultural Productivity: A Machine Learning Approach to Crop Recommendations. *Human-Centric Intelligent Systems*. https://doi.org/10.1007/s44230-024-00081-3

117. Li, Y., Chu, H., Li, T., (...), Zhu, H. (2026) Hybrid Large Language Model-quantitative model fusion framework for consistency tuning of open-field white radish planting-to-harvesting. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102209

118. Monica, C., Goyal, N., Vijay, N. (2026) AI for Climate-Smart Agriculture: Pathways for Resilience in Developing Countries. *Sustaining Climate Action With AI*. https://doi.org/10.4018/979-8-3373-9978-2.ch006

119. Adediran, S.A., Gorham, C., Omotayo, A.O. (2026) From prediction to environmental resilience: artificial intelligence, data scarcity, and adaptive agricultural systems in sub-Saharan Africa. *Smart Agricultural Technology*. https://doi.org/10.1016/j.atech.2026.102495

120. https://www.sciencedirect.com/science/article/pii/S2048701025000376

121. Vinod Chandra, V.C., S, A.H., Albaaji, G.F. (2024) Precision farming for sustainability: An agricultural intelligence model. *Computers and Electronics in Agriculture*. https://doi.org/10.1016/j.compag.2024.109386

122. Gidado, M.J., Gunny, A.A., Gopinath, S.C.B., (...), Mohd Ibrahim, A.M. (2026) Artificial intelligence and machine learning in postharvest fruit quality assessment: Current challenges, recent advances, and future prospects. *Journal of Stored Products Research*. https://doi.org/10.1016/j.jspr.2026.102959

123. Wu, B., Wang, J., Li, Q., (...), Wang, L. (2026) A Comprehensive Review for Agricultural Product Prices Forecasting: Architectural Diversity and Open Challenges. *Expert Systems*. https://doi.org/10.1111/exsy.70254

124. Manogna, R.L., Dharmaji, V., Sarang, S. (2025) A novel hybrid neural network-based volatility forecasting of agricultural commodity prices: empirical evidence from India. *Journal of Big Data*. https://doi.org/10.1186/s40537-025-01131-8

125. Manogna, R.L., Dharmaji, V., Sarang, S. (2025) Enhancing agricultural commodity price forecasting with deep learning. *Scientific Reports*. https://doi.org/10.1038/s41598-025-05103-z

126. Naga Lakshmi, B., Kalyan Chakravarthi, Y., Vangala, P. (2026) Harvesting Stability: A Predictive Machine Learning System to Empower Farmers Against Market Volatility. *Lecture Notes in Networks and Systems*. https://doi.org/10.1007/978-3-032-28206-4_7

127. Bhuvanesh, V., Sheela Gowr, P.S., Preethi, M. (2026) Agrimetaverse Intelligence Advanced Agricultural Commodity Price Forecasting System. *2026 1st IEEE International Conference on Intelligent Technologies for a Sustainable and Inclusive Future, ICITSIF 2026*. https://doi.org/10.1109/ICITSIF69060.2026.11608978

128. Chandan, G.Y., Kumari, P. (2025) Exogenous variable driven cotton prices prediction: comparison of statistical model with sequence based deep learning models. *Big Data Research*. https://doi.org/10.1016/j.bdr.2025.100569

129. de Chi, R., Hosein, P. (2025) On the Forecasting of Market Prices for Agricultural Commodities. *2025 International Conference on Decision Aid Sciences and Applications, DASA 2025*. https://doi.org/10.1109/DASA68193.2025.11498921

130. https://www.sciencedirect.com/science/article/pii/S1573749726002158

131. Yu, C., Yan, P., Li, M. (2026) Forecasting fluctuations in agricultural markets: The power of secondary decomposition and neural networks. *Chaos, Solitons and Fractals*. https://doi.org/10.1016/j.chaos.2026.118216

132. Cai, Xuesen (2025) An attention-enhanced TimesNet time series model for predicting the commodity price. *Alexandria Engineering Journal*. https://doi.org/10.1016/j.aej.2025.09.018

133. Pradeep, G., Rayen, T.D.V., Pushpalatha, A., Kavitha Rani, P.K. (2023) Effective Crop Yield Prediction Using Gradient Boosting to Improve Agricultural Outcomes. *Proceedings of the 1st IEEE International Conference on Networking and Communications 2023, ICNWC 2023*. https://doi.org/10.1109/ICNWC57852.2023.10127269

134. Indira, P., Sheik Arafat, I.S., Karthikeyan, R., (...), Balachandran, P.K. (2023) Fabrication and investigation of agricultural monitoring system with IoT & AI. *SN Applied Sciences*. https://doi.org/10.1007/s42452-023-05526-1

135. Mohiddin, S.K., Sharmila, S., Rao, B.M., Varalakshmi, M. (2026) Explainable AI Models for Transparent and Trustworthy Decision-Making in Precision Agriculture. *Harnessing AI to Reshape the Future of Agriculture*. https://doi.org/10.1007/978-3-032-12118-9_10