Testing Of Team Broadsword Access User

$\begin{array}{c} {\rm Team\ longsword\ Access} \\ {\rm May\ 2017} \end{array}$

TEAM LISP

Surname, First Name	${\bf Student\ Number}$	
Merissa Joubert	15062440	
Corne Els	14148872	
van der Westhuizen Idrian	15078729	

Contents

1 Users

2 Service Contracts

- 1. Authenticate user
- 2. Login
- 3. Register
- 4. View user profile
- 5. Update user information
- 6. delete user information
- 7. Manage user information
- a. Delete user
- b. Add user
- c. Grant admin rights

2.1 Authenticate user

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Status	String	"guest" "admin" "user"	Satisfies value specification	Does not satisfy value specification	Empty string, Null

Test case generation/use case based test:

Test case	Username	Valid	Expected result	Actual result
1	"guest"	Valid	Proceed to requested page as guest	Proceed to requested page as guest
2	"admin"	Valid	Proceed to requested page as admin	Proceed to requested page as admin
3	"user"	Valid	Proceed to requested page as user	Proceed to requested page as user
4	,	Invalid	Show error message	Proceed to requested page as guest
5	"randomString"	Invalid	Show error message	Proceed to requested page as guest

2.2 Login

input varues.					
Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Username	String	Non-empty string With length of 9. A registered username.	Satisfies value specification	Does not satisfy value specification or is not a registered username	Usernames with special characters or spaces
Password	String	Non-empty string. Match password for given username.	Satisfies value specification	Does not satisfy value specification or is does not match password for username	Empty string, invalid characters.

Test case generation/Use case based test:

Test case	Username	Valid username	Password	Valid password	Expected result	Actual result
1	"u15099999"	Valid	"123"	Valid	Proceed to requested page	Proceed to home page
2	"u15099999"	Valid	"invalid password"	Invalid	Show error message	Show error message
3	"u15099999"	Valid	659	Invalid	Show error message	Highlights empty input field
4	· · · · · · · · · · · · · · · · · · ·	Invalid	"123"	Valid	Show error message	Highlights empty input field
5	607	Invalid	6697	Valid	Show error message	Highlights empty input field
6	"x15099999" (not registered)	Invalid	"123"	Invalid	Show error message	Show error message
7	"u150999999000000"	Invalid	"123"	Invalid	Show error message	Show error message

2.3 Register

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
First name	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Surname	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Student Number / EMPLID	String	Non-empty string With length of 9. A non-registered username.	Satisfies value specification	Does not satisfy value specification or is a registered username	Usernames with special characters or spaces
Email	String	Non-empty string. Contains "@" and a valid domain.	Satisfies value specification	Does not contain "@" or a valid domain	Invalid special characters.
Phone number	String	Valid RSA phone number of length 10 numerical digits.	Registered RSA number of length 10	Does not satisfy value specification	Non RSA phone numbers.
Password	String	Non-empty string.	Satisfies value specification	Does not satisfy value specification or is does not match password for username	Empty string, invalid characters.
Confirm password	String	Non-empty string, matches 'Password'	Satisfies value specification and matches 'Password'	Does not match 'Password'	None

Test case generation:

First name	Surname	Student Number / EMPLID	Email	Phone number	Password	Confirm password	Expected output
Valid	Valid	Valid	Valid	Valid	Valid	Valid	Show message for successful registration and proceeds to home page
Invalid	Invalid	Valid	Valid	Valid	Valid	Valid	Highlight invalid field
Valid	Valid	Invalid	Valid	Valid	Valid	Valid	Highlight invalid field
Valid	Valid	Valid	Invalid	Valid	Valid	Valid	Highlight invalid field
Valid	Valid	Valid	Valid	Invalid	Valid	Valid	Highlight invalid field
Valid	Valid	Valid	Valid	Valid	Invalid	Valid	Highlight invalid field
Valid	Valid	Valid	Valid	Valid	Valid	Invalid	Highlight invalid field
Valid	Valid	Valid	Valid	Valid	Invalid	Invalid	Highlight invalid fields
Valid	Valid	Invalid	Invalid	Valid	Valid	Valid	Highlight invalid fields
Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Highlight invalid fields

Use case based tests

Test	First name	Surname	Student Number / EMPLID	Email	Phone number	Passwor d	Confirm passwor d	Expected result	Actual result
1	"Jannie"	"Koos"	"u1509999999 "	"Email @exam ple.com	"0825226667 "	"123"	"123"	Show message for successful registration and proceeds to home page	Show message for successful registration and proceeds to login page
2	6627	cc>>	"u150999999 "	"Email @exam ple.com	"0825226667 "	"123"	"123"	Highlight invalid field	Highlight invalid field
3	"Jannie"	"Koos"	cc27	"Email @exam ple.com	"0825226667 "	"123"	"123"	Highlight invalid field	Highlight invalid field
4	"Jannie"	"Koos"	"u150999999 000000"	"Email @exam ple.com	"0825226667	"123"	"123"	Highlight invalid field	None
5	"Jannie"	"Koos"	"u150999999	cc>>	"0825226667	"123"	"123"	Highlight invalid field	Highlight invalid field
6	"Jannie"	"Koos"	"u150999999	"email"	"0825226667	"123"	"123"	Highlight invalid field	Disables register button
7	"Jannie"	"Koos"	"u150999999 "	"Email @exam ple.com		"123"	"123"	Highlight invalid field	Highlight invalid field
8	"Jannie"	"Koos"	"u150999999	"Email @exam ple.com	"eeeeeeeee"	"123"	"123"	Highlight invalid field	Disables register button
9	"Jannie"	"Koos"	"u150999999	"Email @exam ple.com	"0825226667	6699	6677	Highlight invalid field	Highlight invalid field
10	"Jannie"	"Koos"	"u150999999	"Email @exam ple.com	"0825226667	"123"	"456"	Highlight invalid field	Show error message for password comparison

2.4 View user profile

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Student Number / EMPLID	String	Non-empty string With length of 9 and is a registered user.	Satisfies value specification	Does not satisfy value specification.	Usernames with special characters or spaces

Test case generation/ Use case based tests:

Test case	Student Number / EMPLID	Valid	Expected result	Actual result
1	"u15099999"	Valid	Show user information	Show user information
2	6627	Invalid	Show error	Show error
3	"u1509999900000"	Invalid	Show error	Show error

2.5 Update user information

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
First name	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Surname	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Student Number / EMPLID	String	Non-empty string With length of 9 and is a registered user.	Satisfies value specification	Does not satisfy value specification.	Usernames with special characters or spaces
Email	String	Non-empty string. Contains "@" and a valid domain.	Satisfies value specification	Does not contain "@" or a valid domain	Invalid special characters.
Password	String	Non-empty string.	Satisfies value specification	Does not satisfy value specification or is does not match password for username	Empty string, invalid characters.

Test case	First name	Surname	Student Number / EMPLID	Email	Phone number	Passw ord	Expected result	Actual result
1	"Jannie"	"Koos"	"u150999999"	"Email@example.com"	"0825226667"	"123"	Show confirmation message	Update user information, show confirmation message and navigate to home page
2	,	(62)	"u150999999"	"Email@example.com"	"0825226667"	"123"	Highlight invalid field	Update user information, show confirmation message and navigate to home page
3	"Jannie"	"Koos"	6027	"Email@example.com"	"0825226667"	"123"	Show error message	Show error message
4	"Jannie"	"Koos"	"u1509999990 00000"	"Email@example.com"	"0825226667"	"123"	Show error message	Show error message
5	"Jannie"	"Koos"	"u150999999"		"0825226667"	"123"	Highlight invalid field	Update user information, show confirmation message and navigate to home page
6	"Jannie"	"Koos"	"u150999999"	"email"	"0825226667"	"123"	Highlight invalid field	Update user information, show confirmation message and navigate to home page
7	"Jannie"	"Koos"	"u150999999"	"Email@example.com"	6627	"123"	Highlight invalid field	Update user information, show confirmation message and navigate to home page
8	"Jannie"	"Koos"	"u150999999"	"Email@example.com"	"eeeeeeeee"	"123"	Highlight invalid field	Update user information, show confirmation message and navigate to home page
9	"Jannie"	"Koos"	"u150999999"	"Email@example.com"	"0825226667"		Highlight invalid field	Update user information, show confirmation message and navigate to home page

Test case generation:

First name	Surname	Student Number / EMPLID	Email	Password	Expected output
Valid	Valid	Valid	Valid	Valid	Show message for successful registration and proceeds to home page
Invalid	Invalid	Valid	Valid	Valid	Highlight invalid field
Valid	Valid	Invalid	Valid	Valid	Highlight invalid field
Valid	Valid	Valid	Invalid	Valid	Highlight invalid field
Valid	Valid	Valid	Valid	Invalid	Highlight invalid field
Valid	Valid	Invalid	Invalid	Valid	Highlight invalid fields
Invalid	Invalid	Invalid	Invalid	Invalid	Highlight invalid fields

2.6 Delete user profile

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Student Number / EMPLID	String	Non-empty string With length of 9 and is a registered user.	Satisfies value specification	Does not satisfy value specification.	Usernames with special characters or spaces

Test case generation/ Use case based tests:

Test case	Student Number / EMPLID	Valid	Expected result	Actual result
1	"u15099999"	Valid	Show user information	Show user information
2	(6)	Invalid	Show error	Show error
3	"u1509999900000"	Invalid	Show error	Show error

2.7 Manage user information

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Status	String	"admin"	Satisfies value	Does not satisfy value specification.	Special characters and
			specification		other status
Student Number	String	Non-empty string	Satisfies value	Does not satisfy value specification.	Usernames with special
/ EMPLID of		With length of 9 and is a	specification		characters or spaces
Admin		registered admin user.			
Student Number	String	Non-empty string	Satisfies value	Does not satisfy value specification.	Usernames with special
/ EMPLID of		With length of 9 and is a	specification		characters or spaces
searched student		registered user.			

Test case generation/ Use case based tests:

Test	Student	Valid	Student	Valid	Status	Valid	Expected result	Actual result
case	Number / EMPLID of Admin	admin number	Number / EMPLID of searched student	student number		status	<u>-</u>	
1	"u15099999"	Valid	"u15088888"	Valid	"admin"	Valid	Editing permissions granted	Editing permissions granted, but no further functionality supported
2	6699	Invalid	"u15088888"	Valid	"admin"	Valid	Show error	Editing permissions granted, but no further functionality supported
3	"!@\$@\$"	Invalid	"u15088888"	Valid	"admin"	Valid	Show error	Editing permissions granted, but no further functionality supported
4	"u15099999"	Invalid	"u15088888"	Invalid	,	Valid	Show error	Editing permissions granted, but no further functionality supported
5	"u15099999"	Valid	"u15088888"	Valid	"guest"	Invalid	Show error	Editing permissions granted, but no further functionality supported
6	"u15099999"	Valid	"u15088888"	Valid	"jipper"	Invalid	Show error	Editing permissions granted, but no further functionality supported
7	"u15099999"	Valid	· · · · · ·	Invalid	"admin"	Valid	Show error	Editing permissions granted, but no further functionality supported

Functionality	Mark(10)
Authenticate user	5
Login	6
Register	6
View user profile	8
Update user information	5
Delete user information	7
Manage user information	3

Figure 1: Marks

3 Non-functional requirements

- 1. Security
- 2. User interface
- 3. Performance

3.1 Security

- It is possible to change your user privileges to admin by changing the status of the user in the URL to 'admin' at any page.

 Once changing status to admin the users can officially give admin rights to themselves and other users.
- Users can edit their user information to be empty strings especially for the password.
 - A password is not required to change the password or any other user information.
- Users can login as other users by changing the user field in the URL to any valid user name.

3.2 User interface

 $\hat{a}\check{A}\acute{c}$ Features are hidden based on user status i.e. manage users tab is hidden to guest users, but is visible to admin users

3.3 Performance

Functionality	Time to load (ms)
Login	8
Register	12
Profile	9
Manage users	8
Average	9.25

Performance-wise the pages were relatively fast and had nearly no noticeable loading time.

4 Notifications

5 Service Contracts

1. Send Notification

5.1 Send Notification

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
First name	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Surname	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Student Number / EMPLID	String	Non-empty string With length of 9. A non-registered username.	Satisfies value specification	Does not satisfy value specification or is a registered username	Usernames with special characters or spaces
Email	String	Non-empty string. Contains "@" and a valid domain.	Satisfies value specification	Does not contain "@" or a valid domain	Invalid special characters.
Phone number	String	Valid RSA phone number of length 10 numerical digits.	Registered RSA number of length 10	Does not satisfy value specification	Non RSA phone numbers.
Password	String	Non-empty string.	Satisfies value specification	Does not satisfy value specification or is does not match password for username	Empty string, invalid characters.
Confirm password	String	Non-empty string, matches 'Password'	Satisfies value specification and matches 'Password'	Does not match 'Password'	None

Test case generation:

. csc ous	generatio	***						
First name	Surname	Student Number /EMPID	Email	Phone number	Password	Confirm password	Expected output	Actual output
Valid	Valid	Valid	Valid	Valid	Valid	Valid	Email gets sent to email address provided and/or sms gets sent to number provided, along with feedback saying successful registration.	No email was received, no sms was received but feedback was received saying successful registration.
Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Invalid	Feedback saying data is incorrect. No email, no sms.	Feedback was received saying data is incorrect and no sms or email was sent.

6 Data

7 GIS

8 Service Contracts

- 1. Service GIS request
- a. Get XYZ coordinates of a named location
- 2. Add GIS information
- a. Add a location with coordinates to the system
- 3. Modify GIS information
- 4. Remove GIS information
- 5. Update GIS Map
- 6. Modify GIS Map

Input values:

Input Element	Туре	Value Specification	Valid	Invalid	Exceptional Cases
Location	string	Non-empty string	Satisfies value specification	Does not satisfy value specification	None

Test case generation/use case based test:

Test case	Location	Valid	Expected result	Actual result
1	Get Current Location	Valid	Receive coordinates of current location	Receive default coordinates
2	EMB	Valid	Receive coordinates of EMB building	Receive coordinates of EMB building
3	IT Building	Valid	Receive coordinates of IT building	Receive coordinates in path in front of IT building, inaccurate coordinates.
4	Amphitheatre	Valid	Receive coordinates of Amphitheatre	Receive coordinates in path in front of Amphitheatre, inaccurate coordinates.
5	Chapel	Valid	Receive coordinates of Chapel building	Receive coordinates in path in front of Chapel building, inaccurate coordinates.
6	Engineering1	Valid	Receive coordinates of Engineering 1 building	Receive coordinates in path in front of Engineering1 building, inaccurate coordinates.

- There is no method to only access a location. In order to see where the EMB building is for example, one has to navigate there from the current position or another location.
- The coordinates given are not accurate. One expects the coordinates of a building to represent the centre of that building not the area in front of it.
 - 8.1 Service GIS request
 - 8.2 Add GIS information
 - 8.3 Modify GIS information

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
_		_			_
Location Name	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Coordinates	integer	X and Y coordinates of	Satisfies value specification	Does not satisfy value specification	None
		the location separated			
		by a,			

Test case generation/use case based test:

Test case	Name	Valid	Coordinates	Valid	Expected result	Actual result
1 Change IT Building information to:	UP Arts Building	Valid	-25.755730, 28.227820	Valid	Message that says the information was changed. The show the changed information.	Nothing Happens
2 Change EMS Building information to:	Merissa's Location	Valid	0,0	Valid	Message that says the information was changed. The show the changed information.	Nothing Happens
3 Change Amphitheatre information to:	1234567	Invalid	0,1	Valid	Message that warns about the invalid name and prompts the user to enter a laew name	Nothing Happens
4 Change chapel information to:	cc>>	Invalid	1,1	Valid	Message that prompts the user to enter a name	Nothing Happens
5 Change IT Building information to:	Test	Valid	"Sdsxss"	Invalid	Message that warns the user about the invalid coordinates and prompts the user to enter valid coordinates	Nothing Happens

Input values:

Input Element	Type	Value Specification	Valid	Invalid	Exceptional Cases
Location Name	String	Non-empty string	Satisfies value specification	Does not satisfy value specification	None
Coordinates	integer	X and Y coordinates of the location separated by a,	Satisfies value specification	Does not satisfy value specification	None

Test case generation/use case based test:

Test case	Name	Valid	Coordinates	Valid	Expected result	Actual result
1	UP Arts Building	Valid	-25.755730, 28.227820	Valid	Message that the location has been added to the GIS database	Message that the location has been added to the GIS database
2	Merissa's Location	Valid	0,0	Valid	Message that the location has been added to the GIS database	Message that the location has been added to the GIS database
3	1234567	Invalid	0,1	Valid	Message that warns about the invalid name of the location	Message that the location has been added to the GIS database
4	6627	Invalid	1,1	Valid	Message that warns about the invalid name of the location	Message that warns about the invalid name of the location
5	Test	Valid	"Sdsxss"	Invalid	Message that warns about the invalid coordinates	Message that warns about the invalid name of the location
6	4427	Invalid	6633	Invalid	Message that asks for input in both fields	Message that warns about the invalid name of the location

• There is no data validation in this section. The GIS objects are saved but they can be null and contain nonsensical data. Thus making the GIS objects that are persisted essentially useless.

8.4 Remove GIS information

Input values:

*	
Input Element	Туре
Click delete button	Button Click

Test case generation/use case based test:

Test case	Button Click	Valid	Expected result	Actual result
1	yes	Valid	Display confirmation of delete message and redirect to list of locations page to show deleted content	Display confirmation of delete message and redirect to list of locations page to show deleted content
2	no	Valid	Redirect back to list of locations page	Redirect back to list of locations page

8.5 Update GIS Map

Input values:

Input Element	Туре
User interaction with map	Mouse

Test case generation/use case based test:

Test case	Username	Valid	Expected result	Actual result
1	Click and drag map around	Valid	Map updates to new locations that it has been dragged to	Map updates to new locations that it has been dragged to
2	Click the + and – signs on the map	Valid	Map zooms in and out	Map zooms in and out
3	Walk around	Valid	Map updates the current location	Nothing happens

8.6 Modify GIS Map

There is no functionality to modify the given map.

9 Non-functional requirements

Non-Functional Requirements	Mark (10)
User Interface	6
Performance	8

9.1 User interface

âĂć The interface for adding GIS information is confusing. After saving the required information into the database, the information stays open and you cannot enter a new object until you refresh the page. âĂć There is no limit on how far the user can zoom in and out. This leaves the user fully able to see the entire world map and view other locations, which should not be able to happen in the NavUp application. âĂć The map can be dragged outside the boundaries of campus. This is not in the scope of the application. âĂć The interface for GIS data modification is confusing. The labels do not guide the user in what he or she is doing in any way.

- 10 Points of interest
- 11 Navigation