

The SAMPLE Book

SAMPLE Team

2026-01-08 · Version 1.0.0

Contents

Documentation Framework	12
Overview	12
Document structure	12
Technical features	13
Home	14
About this document	14
Document structure	15
Core chapters	15
Examples	15
Appendices	15
Navigation	15
Technical foundation	15
Dedication	16
Preface	17
About this documentation	17
Target audience	17
How to use this documentation	17
Acknowledgements	17
Chapter 1 - Observable patterns	18
Historical development	18
Early pioneers	18
Modern developments	18
Categories of patterns	18
Creational patterns	18
Structural patterns	18
Behavioural patterns	18
Advantages of using patterns	18
Limitations and challenges	19
Practical application	19
Summary	19
Chapter 2 - Comparative tables	20
Fundamentals of tabular presentation	20
Structure and organisation	20
Design principles	20
Comparison of programming paradigms	20
Detailed consideration	20

Technology comparisons	21
Web framework comparison	21
Evaluation criteria	21
Database comparison	21
CAP theorem	21
Best practices for tables	21
Content aspects	22
Visual design	22
Summary	22
Epilogue	23
The documentation journey	23
Looking forward	23
Final thoughts	23
Citation & Footnote Examples	24
Footnotes	24
Named vs Numbered Footnotes	24
Citation Styles	24
APA Style (7th Edition)	24
IEEE Style	24
Chicago Style (Author-Date)	25
Zenodo Standard (DOI-based)	25
BibTeX Format	25
In-Text Citations	26
Narrative Citations	26
Parenthetical Citations	26
Citation with Footnotes Combined	26
Licence Attribution (Zenodo/CC Standard)	26
Cross-References	27
Emoji examples - Activities & travel	28
Special features	28
Emoji test	28
Sample set	28
Emoji examples - Nature & food	29
Test scope	29
Emoji test	29
Sample set	29
Emoji examples - Objects, symbols & flags	30
Technical challenges	30
Flag emojis	30
Symbol emojis	30
Emoji test	30
Sample set	30
Emoji examples - Smileys & people	31
Why these tests are important	31
Emoji test	31
Sample set	31
Examples	32
Overview of example categories	32

Emoji tests	32
Image tests	32
Language tests	32
Purpose of the examples	32
Image examples - Assets & layout	33
Image formats compared	33
Raster images (PNG)	33
Vector images (SVG)	33
Diagrams and workflows	33
Best practices	33
Image sizes	33
File formats	33
Alt texts	33
Image examples - Captions & density	36
Gallery (SVG)	36
Mixed (SVG + PNG)	36
Technical aspects	37
Image captions	37
Layout challenges	37
Accessibility	37
Language Samples - 100 Languages	39
 DE - Germany (Deutschland)	39
Deutsch	39
 AT - Austria (Österreich)	39
Deutsch	39
 CH - Switzerland (Schweiz)	39
Deutsch	39
Français	39
Italiano	39
Rumantsch	39
 GB - United Kingdom (United Kingdom)	39
English	39
 US - United States (United States)	39
English	39
 ES - Spain (España)	39
Español	39
Català	40
Euskara	40
Galego	40
 MX - Mexico (México)	40
Español	40
 BR - Brazil (Brasil)	40
Português	40
 PT - Portugal (Portugal)	40
Português	40
 FR - France (France)	40
Français	40
 IT - Italy (Italia)	40
Italiano	40
 NL - Netherlands (Nederland)	40
Nederlands	40

 BE - Belgium (België / Belgique)	40
Nederlands	40
 PL - Poland (Polska)	41
Polski	41
 CZ - Czechia (Česko)	41
Čeština	41
 SK - Slovakia (Slovensko)	41
Slovenčina	41
 HU - Hungary (Magyarország)	41
Magyar	41
 RO - Romania (România)	41
Română	41
 SE - Sweden (Sverige)	41
Svenska	41
 NO - Norway (Norge)	41
Norsk	41
 DK - Denmark (Danmark)	41
Dansk	41
 FI - Finland (Suomi)	41
Suomi	41
 EE - Estonia (Eesti)	42
Eesti	42
 LV - Latvia (Latvija)	42
Latviešu	42
 LT - Lithuania (Lietuva)	42
Lietuvių	42
 GR - Greece (Ελλάδα)	42
Ελληνικά	42
 TR - Turkey (Türkiye)	42
Türkçe	42
 IL - Israel (ישראל)	42
עברית	42
 SA - Saudi Arabia (المملكة العربية السعودية)	42
العربية	42
 EG - Egypt (مصر)	42
العربية	42
 IR - Iran (ایران)	42
فارسی	42
 AF - Afghanistan (افغانستان)	43
دري	43
 PK - Pakistan (پاکستان)	43
اردو	43
 BD - Bangladesh (বাংলাদেশ)	43
বাংলা	43
 IN - India (भारत)	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43
भारत	43

 SI - Slovenia (Slovenija)	47
Slovenščina	47
 AL - Albania (Shqipëria)	47
Shqip	47
 IS - Iceland (Ísland)	47
Íslenska	47
 IE - Ireland (Éire)	47
Gaeilge	47
 MT - Malta (Malta)	47
Malti	47
 ET - Ethiopia (ኢትዮጵያ)	47
አማርኛ	47
 ER - Eritrea (ኤርትራ)	47
ትግርኛ	47
 SO - Somalia (Soomaaliya)	47
Soomaali	47
 KE - Kenya (Kenya)	48
Kiswahili	48
 TZ - Tanzania (Tanzania)	48
Kiswahili	48
 UG - Uganda (Uganda)	48
English	48
 NG - Nigeria (Nigeria)	48
Yoruba	48
 GH - Ghana (Ghana)	48
English	48
 SN - Senegal (Sénégal)	48
Wolof	48
 CM - Cameroon (Cameroun)	48
Français	48
 CD - DR Congo (République démocratique du Congo)	48
Lingála	48
 AO - Angola (Angola)	48
Português	48
 MZ - Mozambique (Moçambique)	49
Português	49
 ZA - South Africa (South Africa)	49
English	49
 MA - Morocco (المغرب)	49
العربية	49
 DZ - Algeria (الجزائر)	49
العربية	49
 TN - Tunisia (تونس)	49
العربية	49
 JO - Jordan (الأردن)	49
العربية	49
 AE - United Arab Emirates (الإمارات العربية المتحدة)	49
العربية	49
 IQ - Iraq (العراق)	49
العربية	49
 GT - Guatemala (Guatemala)	49
Español	49
 CL - Chile (Chile)	50
Español	50

Task Lists	65
Nested Task Lists	65
Strikethrough	65
Subscript and Superscript	65
Subscript	65
Superscript	65
Highlighting / Mark	65
Definition Lists	66
Abbreviations	66
Mathematical Equations	66
Inline Math	66
Display Math	66
Callouts / Admonitions	66
Extended Code Features	67
Code with Line Numbers	67
Code with Highlighting	67
Code with Filename	67
Long Code Fence Wrapping	67
Tables with Alignment	68
Complex Table	68
Table with Formatting	68
Keyboard Keys	68
HTML Entities and Special Characters	68
Arrows and Symbols	68
Mathematical Symbols	68
Currency and Units	68
Typography	68
Details / Accordion	69
Issue 1: Installation fails	69
Issue 2: Font rendering problems	69
Horizontal Rules with Different Styles	69
Escaped Characters	69
Line Breaks and Spacing	69
Comments	69
Emojis with Shortcodes	69
Links with References	70
Combined Advanced Features	70
 Emoji in headings - Header samples	71
🔒 Test scenarios	71
📄 Emoji test	71
Sample set	71
Template for multilingual neutral text	72
Principles	72
Language considerations	72
Avoid	72
Prefer	72
Content patterns	72
Technical documentation	72
Code examples	73
Mathematical notation	73
Visual elements	73
Metadata structure	73

Testing checklist	73
Translation workflow	73
Templates	75
Purpose	75
Available templates	75
Multilingual neutral text	75
Template structure	75
How to use templates	75
Template categories	75
Content templates	75
Metadata templates	76
Multilingual templates	76
Translator's Note	77
Translation principles	77
Language considerations	77
British English conventions	77
Unicode support	77
Translation workflow	77
List of Tables	78
Purpose	78
Organization	78
List of Figures	79
Purpose	79
Supported formats	79
Organization	79
List of Abbreviations	80
Technical abbreviations	80
Appendices	82
Purpose	82
Organisation	82
Structure	82
Frontmatter	82
Content patterns	82
Navigation	82
Cross-referencing	83
Types of appendices	83
Technical appendices	83
Reference appendices	83
Legal appendices	83
Appendix A - Data sources and table layout	84
Table design principles	84
Readability	84
Consistency	84
Table types	84
Comparative tables	84
Reference tables	84
Multi-level tables	84
Data sources	85

Primary sources	85
Data verification	85
Update policy	85
Formatting conventions	85
Numerical data	85
Text alignment	85
Special symbols	85
Caption format	85
Accessibility	86
Screen readers	86
Print readability	86
Example table	86
Example code block	86
Appendix B - Emoji & font coverage	87
Font stack	87
Primary text fonts	87
Emoji fonts	87
Emoji categories tested	87
😊 People & Emotions	87
🐾 Animals & Nature	87
🍕 Food & Drink	88
⚽ Activities & Sports	88
🚗 Travel & Places	88
💡 Objects	88
🗺 Symbols	88
🚩 Flags	88
Complex emoji sequences	88
Zero-Width Joiner (ZWJ) sequences	88
Skin tone modifiers	88
Flag sequences	89
Script coverage	89
Latin-based scripts	89
Cyrillic	89
Greek	89
Asian scripts	89
Arabic & RTL scripts	89
South Asian scripts	89
Other scripts	89
Testing methodology	90
Visual verification	90
Font fallback chain	90
Known limitations	90
Font configuration	90
Example table	90
Example code block	90
Legal Notice	91
Publisher information	91
Copyright notice	91
Licence terms	91
Liability disclaimer	91
Data protection	91
Contact	91

Glossary	93
A	93
B	93
C	93
D	93
E	93
F	93
G	93
I	94
L	94
M	94
O	94
P	94
R	94
S	94
U	95
V	95
X	95
Y	95
Z	95
 Citations & further reading	 96
Purpose	96
Citation style	96
Categories	96
Technical standards	96
Documentation	96
Articles and tutorials	96
Books	96
Example entries	97
Standards	97
Software documentation	97
Articles	97
Further resources	97
Online communities	97
Learning platforms	97
Tools	97
Source verification	97
Contribution guidelines	97
 Index	 99
Purpose	99
Structure	99
Usage	99
In printed versions	99
In digital versions	99
Indexing	99
Entries	99
Conventions	99
Automatic generation	100
Best practices	100
Maintenance	100
 Acknowledgments & Attributions	 101

Font attributions	101
Twemoji Mozilla	101
DejaVu Fonts	101
Twitter Color Emoji	101
Software tools	101
Python libraries	101
Content and methodology	101
Contributors	102
Licence compliance	102
Errata	103
Purpose	103
How to report issues	103
Errata format	103
Version 1.0.0	103
Continuous improvement	103
Release Notes	104
Version 1.0.0 (2024-06-01)	104
Initial release	104
Known limitations	104
Requirements	104
Version history format	104
Version X.Y.Z (YYYY-MM-DD)	104
Semantic versioning	105
Colophon	106
Production details	106
Typography	106
Software and tools	106
Document format	106
Design principles	106
Licensing	106
Revision	106

Documentation Framework

This documentation demonstrates a complete publishing workflow from Markdown source files to professional PDF output.

Overview

The framework supports:

- **Multi-language content:** Parallel English and German versions
- **Structured navigation:** Hierarchical table of contents with PDF bookmarks
- **Rich formatting:** Tables, code blocks, lists, and images
- **Unicode support:** Extensive language and emoji coverage
- **Metadata management:** YAML frontmatter for document properties

Document structure

The documentation is organised into:

- **Chapters:** Main content sections
- **Examples:** Demonstration files for various features
- **Appendices:** Supplementary reference material

Technical features

This framework showcases:

- Reproducible PDF generation
- Font management and fallback chains
- Image asset handling (raster and vector)
- Cross-reference management
- Automated list generation (tables, figures, abbreviations)

Home



Figure 1: SAMPLE Logo

Welcome to this technical documentation framework demonstration.

About this document

This publication showcases capabilities of modern documentation systems:

- **Multilingual support:** Parallel English and German versions
- **Rich formatting:** Tables, figures, code blocks, and lists
- **Unicode excellence:** 100+ languages, emoji, and complex scripts
- **Professional output:** High-quality PDF generation with proper typography

Document structure

The content is organized into:

Core chapters

Main content demonstrating various documentation patterns and structures.

Examples

Practical demonstrations of:

- Emoji rendering across categories
- Image formats (raster and vector)
- Language samples and scripts

Appendices

Supplementary material including:

- Technical specifications
- Font coverage analysis
- Reference materials

Navigation

Use the table of contents (sidebar or PDF bookmarks) to navigate between sections. Each chapter includes:

- Clear heading hierarchy
- Cross-references where relevant
- Practical examples

Technical foundation

Built with:

- **Markdown:** Source content format
- **YAML frontmatter:** Structured metadata
- **Python pipeline:** Automated build and validation
- **LaTeX/XeLaTeX:** Professional PDF typesetting

Dedication

To all contributors to the open-source community who generously share their knowledge, code, and time.

To the pioneers of digital typography who made beautiful, accessible documents possible for everyone.

To the readers who seek understanding through well-crafted documentation.

Preface

Documentation is the bridge between knowledge and understanding. Well-structured documentation empowers readers to grasp complex concepts, reference critical information, and apply learned principles effectively.

About this documentation

This document serves multiple purposes:

1. **Demonstration:** Showcasing a complete documentation workflow
2. **Reference:** Providing examples of various documentation patterns
3. **Testing:** Validating the publishing pipeline across different scenarios

Target audience

This documentation is designed for:

- Technical writers seeking workflow examples
- Developers implementing documentation systems
- Content creators exploring publishing options
- Anyone interested in structured document creation

How to use this documentation

Readers can approach this document in different ways:

- **Sequential reading:** Follow the chapters in order for a comprehensive understanding
- **Reference use:** Navigate directly to specific sections using the table of contents
- **Example study:** Examine the examples section for practical demonstrations

Acknowledgements

This documentation framework builds upon established best practices from the technical writing community and leverages modern open-source tools for document processing and PDF generation.

Chapter 1 - Observable patterns

In software development, we repeatedly encounter similar problems for which proven solutions have been established over time. These recurring structures are referred to as design patterns.

Historical development

The systematic documentation of design patterns began in the 1990s. Inspired by architecture, where Christopher Alexander described patterns for building construction, software developers transferred this idea to programming.

Early pioneers

The so-called “Gang of Four” (Gamma, Helm, Johnson, Vlissides) published the seminal work “Design Patterns” in 1994, which categorised and described 23 patterns.

Modern developments

Today, hundreds of documented patterns exist for a wide variety of application areas – from microservices and reactive programming to cloud architectures.

Categories of patterns

Design patterns can be divided into three main categories:

Creational patterns

These patterns deal with object creation and attempt to make object instantiation more flexible:

- **Singleton:** Ensures that only one instance of a class exists
- **Factory:** Encapsulates object creation
- **Builder:** Separates the construction of complex objects from their representation

Structural patterns

Structural patterns describe how classes and objects can be composed into larger structures:

- **Adapter:** Enables collaboration between incompatible interfaces
- **Composite:** Forms tree structures to represent part-whole hierarchies
- **Decorator:** Dynamically extends objects with additional functionality

Behavioural patterns

These patterns address the interaction between objects and the distribution of responsibilities:

- **Observer:** Defines a dependency between objects so that changes are automatically propagated
- **Strategy:** Encapsulates interchangeable algorithms
- **Command:** Encapsulates requests as objects

Advantages of using patterns

Using established design patterns offers several advantages:

1. **Common language:** Teams can communicate complex concepts precisely

2. **Proven solutions:** Patterns have been proven in practice and are well documented
3. **Maintainability:** Code becomes more structured and easier to understand
4. **Flexibility:** Changes can often be implemented with less effort

Limitations and challenges

Despite their advantages, design patterns are not a panacea:

- **Over-engineering:** Not every problem requires a complex pattern
- **Learning curve:** Understanding and correct application require experience
- **Context dependency:** A pattern must fit the specific situation

Practical application

When deciding on a design pattern, the following questions should be asked:

1. What problem needs to be solved?
2. Is there an established pattern for this problem?
3. Does the complexity of the pattern justify the expected benefit?
4. Does the pattern fit with the existing architecture?

Summary

Design patterns are a valuable tool in software development. They provide tested solutions for recurring problems and promote a common technical language. However, their sensible application requires experience and judgement to avoid falling into the trap of over-engineering.

Chapter 2 - Comparative tables

Tables are an indispensable tool for the structured presentation of information. They enable direct comparison of different options, technologies, or concepts at a glance.

Fundamentals of tabular presentation

A well-designed table follows clear principles:

Structure and organisation

Element	Description	Purpose
Header row	Contains column labels	Orientation for the reader
Data rows	Contain the actual information	Comparable presentation
Summary	Optional: sums or averages	Aggregated insights

Design principles

Effective tables are characterised by the following features:

1. **Clarity:** Unambiguous column and row labels
2. **Consistency:** Uniform formatting within columns
3. **Readability:** Appropriate line spacing and font sizes
4. **Relevance:** Display only necessary information

Comparison of programming paradigms

A practical example of using comparison tables is the juxtaposition of different programming paradigms:

Paradigm	Main features	Typical languages	Application areas
Imperative	Step-by-step instructions	C, Pascal, BASIC	Systems programming
Object-oriented	Classes and objects	Java, C++, Python	Enterprise applications
Functional	Immutable data	Haskell, Erlang, F#	Data processing
Declarative	What instead of How	SQL, HTML, Prolog	Database queries

Detailed consideration

Each paradigm has its strengths and weaknesses:

Imperative programming - Direct control over flow - Efficient at hardware level - Can become confusing with complexity

Object-oriented programming - Modular structure - Reusability through inheritance - Can lead to overhead

Functional programming - No side effects - Easy to test - Learning curve for switchers

Technology comparisons

Comparison tables are particularly suitable for technology decisions:

Web framework comparison

Framework	Language	Performance	Learning curve	Community
Django	Python	Medium	Medium	Very large
Flask	Python	High	Low	Large
Spring	Java	Medium	High	Very large
Express	JavaScript	High	Low	Very large
Rails	Ruby	Medium	Medium	Large

Evaluation criteria

Various factors play a role in technology selection:

1. **Performance:** Throughput and response times
2. **Developer productivity:** Speed of development
3. **Maintainability:** Long-term maintenance effort
4. **Scalability:** Growth potential
5. **Ecosystem:** Available libraries and tools

Database comparison

Another common application area is database comparisons:

Type	Example	Consistency	Scaling	Use case
Relational	PostgreSQL	ACID	Vertical	Transactions
Document	MongoDB	Eventual	Horizontal	Flexible schemas
Key-value	Redis	Eventual	Horizontal	Caching
Graph	Neo4j	ACID	Vertical	Relationships
Column	Cassandra	Eventual	Horizontal	Time series

CAP theorem

For distributed databases, the CAP theorem is relevant:

- **Consistency:** All nodes see the same data
- **Availability:** System always responds
- **Partition tolerance:** System functions despite network failures

According to the CAP theorem, only two of the three properties can be guaranteed simultaneously.

Best practices for tables

When creating comparison tables, the following points should be considered:

Content aspects

- Select relevant comparison criteria
- Use objective and verifiable data
- Cite sources where necessary
- Ensure data is current

Visual design

- Zebra pattern for better readability in long tables
- Highlighting of important rows or columns
- Responsive design for different screen sizes
- Sorting and filtering options for interactive tables

Summary

Comparison tables are a powerful tool for the structured presentation of complex information. They enable quick comparisons and informed decisions. The key to success lies in carefully selecting relevant criteria and presenting them clearly and consistently.

Epilogue

Documentation is a living artefact. As technologies evolve and understanding deepens, good documentation grows and adapts to serve its readers better.

The documentation journey

Creating effective documentation is an iterative process:

1. **Initial creation:** Capturing knowledge whilst it's fresh
2. **Review and refinement:** Improving clarity and accuracy
3. **User feedback:** Learning from readers' experiences
4. **Continuous improvement:** Evolving with changing needs

Looking forward

The principles demonstrated in this documentation – clear structure, comprehensive examples, and attention to technical detail – remain relevant regardless of the specific tools or technologies employed.

Final thoughts

Good documentation respects the reader's time and intelligence. It provides clear paths to understanding whilst remaining accessible to those encountering the material for the first time.

May your own documentation efforts be similarly rewarding, both in their creation and in the value they provide to your readers.

Citation & Footnote Examples

This page demonstrates various citation styles and footnote usage in Markdown documents.

Footnotes

Markdown supports footnotes¹ that appear at the bottom of the page. You can reference the same footnote multiple times².

Here's a longer footnote with multiple paragraphs³.

Inline footnotes are also possible.⁴

Named vs Numbered Footnotes

You can use descriptive names for footnotes⁵ or just numbers⁶.

Citation Styles

APA Style (7th Edition)

Books:

Smith, J. A., & Johnson, M. B. (2023). *Research Methods in Documentation*. Academic Press.

Journal Articles:

Brown, L. K., Davis, R. T., & Wilson, S. E. (2024). Advanced typesetting techniques for multilingual documents. *Journal of Technical Communication*, 45(3), 234-256. <https://doi.org/10.1234/jtc.2024.01>

Online Sources:

Unicode Consortium. (2023, September 12). *Unicode Standard 15.1.0*. <https://www.unicode.org/versions/Unicode15.1.0/>

IEEE Style

Journal Article:

1 L. K. Brown, R. T. Davis, and S. E. Wilson, "Advanced typesetting techniques for multilingual documents," *J. Tech. Commun.*, vol. 45, no. 3, pp. 234-256, 2024, doi: 10.1234/jtc.2024.01.

Conference Paper:

[2] J. A. Smith and M. B. Johnson, "Automated documentation pipelines," in *Proc. Int. Conf. Software Engineering*, London, UK, 2023, pp. 123-130.

¹This is a simple footnote with a reference back to the text.

²This is a simple footnote with a reference back to the text.

³This is a longer footnote with multiple paragraphs.

You can include additional paragraphs by indenting them.
Even code blocks can appear in footnotes:

```
def example():  
    return "footnote code"
```

⁴This is an inline footnote.

⁵Descriptive names make footnotes easier to manage in large documents.
They're especially useful when you need to reorganise content.

⁶Footnotes can be numbered sequentially.

Book:

[3] A. Martinez, *Modern Documentation Frameworks*, 2nd ed. Boston, MA, USA: Tech Publishers, 2024.

Chicago Style (Author-Date)

Books:

Martinez, Ana. 2024. *Modern Documentation Frameworks*. 2nd ed. Boston: Tech Publishers.

Journal Articles:

Brown, Laura K., Robert T. Davis, and Sarah E. Wilson. 2024. "Advanced Typesetting Techniques for Multilingual Documents." *Journal of Technical Communication* 45 (3): 234-256. <https://doi.org/10.1234/jtc.2024.01>.

Zenodo Standard (DOI-based)

Zenodo provides persistent identifiers (DOIs) for research data and publications⁷.

Dataset:

Smith, John A.; Johnson, Mary B. (2023). Sample Documentation Dataset (Version 1.2) [Data set]. Zenodo. <https://doi.org/10.5281/zenodo.1234567>

Software:

Brown, Laura K.; Davis, Robert T. (2024). GitBook Worker: Automated Documentation Pipeline (v1.0.0). Zenodo. <https://doi.org/10.5281/zenodo.7654321>

Publication:

Martinez, Ana; Wilson, Sarah E.; Thompson, James R. (2023). Best Practices for Technical Documentation. *Zenodo Preprints*. <https://doi.org/10.5281/zenodo.8901234>

BibTeX Format

For LaTeX/academic documents:

```
@article{brown2024advanced,  
  title={Advanced Typesetting Techniques for Multilingual Documents},  
  author={Brown, Laura K and Davis, Robert T and Wilson, Sarah E},  
  journal={Journal of Technical Communication},  
  volume={45},  
  number={3},  
  pages={234--256},  
  year={2024},  
  doi={10.1234/jtc.2024.01}  
}
```

```
@software{brown2024gitbook,  
  author={Brown, Laura K and Davis, Robert T},  
  title={GitBook Worker: Automated Documentation Pipeline},  
  version={1.0.0},  
  year={2024},  
  publisher={Zenodo},
```

⁷Zenodo is an open-access repository operated by CERN, providing DOIs for research outputs including data, software, publications, and more. See <https://zenodo.org> for details.

```

    doi={10.5281/zenodo.7654321},
    url={https://doi.org/10.5281/zenodo.7654321}
}

@dataset{smith2023sample,
  author={Smith, John A and Johnson, Mary B},
  title={Sample Documentation Dataset},
  version={1.2},
  year={2023},
  publisher={Zenodo},
  doi={10.5281/zenodo.1234567}
}

```

In-Text Citations

Narrative Citations

As Smith and Johnson (2023) demonstrated, automated documentation pipelines significantly reduce manual effort.

Brown et al. (2024) found that multilingual support improves documentation accessibility by 67%.

Parenthetical Citations

Recent research shows improved documentation quality with automation (Smith & Johnson, 2023; Brown et al., 2024).

Multiple studies support this approach (Martinez, 2024; Wilson & Thompson, 2023; Davis, 2022).

Citation with Footnotes Combined

According to recent research⁸, automated documentation systems show promise⁹. The study by Brown et al. (2024) provides empirical evidence for these claims¹⁰.

Licence Attribution (Zenodo/CC Standard)

Font Attribution:

Twemoji Mozilla (2023). Twitter Emoji (Twemoji) COLRv1 Font. Licensed under CC BY 4.0. Available at: <https://github.com/mozilla/twemoji-colr>. DOI: 10.5281/zenodo.3234567 (example DOI).

Data Attribution:

This document uses language samples from the Unicode Common Locale Data Repository (CLDR), licensed under Unicode License Agreement. Unicode Consortium (2023). <https://www.unicode.org/copyright.html>

⁸Martinez, A. (2024). *Modern Documentation Frameworks*, pp. 45-67.

⁹Specifically, build automation and validation pipelines reduce errors by approximately 80% (Smith & Johnson, 2023).

¹⁰The study included 150 documentation projects across 12 organisations over a 2-year period.

Cross-References

See Chapter 1 for more on design patterns.

For emoji rendering details, refer to Appendix B.

Emoji examples - Activities & travel

This page tests emojis for sports, hobbies, vehicles, and travel.

Special features

Emojis in this category contain:

- **People in action:** Athletes with skin tone and gender variants
- **Vehicles:** Cars, aeroplanes, ships in various variants
- **Buildings:** Different architectural styles
- **Symbols:** Traffic signs, warning symbols

Emoji test

Sample set

This page contains a broad emoji set for rendering/font/bookmark tests.

Travel & navigation



Vehicles



Places



Activities & sports



Weather (as travel context)



Emoji examples - Nature & food

This page tests emojis from the categories of animals, plants, and food.

Test scope

Emojis in this category are usually simpler than people emojis:

- **No skin tone modifiers:** Uniform display
- **Few ZWJ sequences:** Mostly single Unicode characters
- **High compatibility:** Well supported in all fonts
- **Colour and detail:** Test for colour emoji rendering

Emoji test

Sample set

This page contains a broad emoji set for rendering/font/bookmark tests.

Plants & nature



Animals (selection)



Weather & elements

**Food (neutral, broad)**

Drinks



Emoji examples - Objects, symbols & flags

This page tests emojis for objects, symbols, and country flags.

Technical challenges

Flag emojis

Country flags are particularly complex:

- **Regional Indicator Symbols:** Two letter characters form a flag
- **ISO 3166-1:** Based on country codes (e.g. DE = 🇩🇪)
- **Font dependency:** Not all systems display all flags
- **Fallback:** Letters are displayed when support is missing

Symbol emojis

Symbols include:

- **Mathematical symbols:** + - ÷ × ÷
- **Geometric shapes:** ◻ ◻ ◻ ★
- **Pictograms:** 🚹 ⚠️ 🚰 🚰
- **Keycaps:** 0 1 2 #

Emoji test

Sample set

This page contains a broad emoji set for rendering/font/bookmark tests.

Tech & tools



Symbols & UI



Documents & organization



Flags (selection)



Emoji examples - Smileys & people

This page tests the display of facial emojis, gestures, and people with various skin tones.

Why these tests are important

Emojis representing people are particularly complex:

- **Skin tone modifiers:** Five different skin tones (U+1F3FB to U+1F3FF)
- **ZWJ sequences:** Complex emoji composed of multiple Unicode characters
- **Gender variants:** Male, female, and neutral forms
- **Font fallbacks:** Switching between text and emoji fonts

Emoji test

Sample set

This page contains a broad emoji set for rendering/font/bookmark tests.

Faces (selection)



Hands & gestures (with skin tones)



People & roles (ZWJ/sequences)



Families & relationships (ZWJ)



Examples

This section contains various example documents that demonstrate different aspects of document creation and formatting.

Overview of example categories

Emoji tests

The emoji example files test the correct display of Unicode emoji in various contexts:

- **Emoji-Headings:** Emojis in headings and TOC bookmarks
- **Smileys and People:** Faces, people, gestures
- **Nature and Food:** Animals, plants, food
- **Activities and Travel:** Sports, travel, transport
- **Objects and Symbols:** Objects, symbols, flags

Image tests

The image examples demonstrate various aspects of image integration:

- **Assets and Layout:** Basic image integration (PNG, SVG)
- **Captions and Density:** Image captions and dense image sequences

Language tests

The language samples file contains examples in over 100 languages to verify:

- Fonts and character set coverage
- Text direction (LTR, RTL)
- Hyphenation and line breaking
- PDF bookmark encoding

Purpose of the examples

These example files serve as:

1. **Regression tests** for the publishing pipeline
2. **Reference implementations** for document formats
3. **Quality assurance** for font and layout rendering
4. **Documentation** of supported features

Image examples - Assets & layout

This page demonstrates the integration of various image formats into Markdown documents. All assets used are located in the `content/.gitbook/assets/` directory and are legally safe.

Image formats compared

Raster images (PNG)

Raster images are suitable for: - Photographs and complex graphics - Images with many colour gradients - Screenshots and screen captures

Disadvantage: Enlargement can lead to quality loss.

Vector images (SVG)

Vector images offer: - Arbitrary scalability without quality loss - Small file sizes for simple graphics - Sharp display on all screen resolutions

Ideal for: Diagrams, icons, technical drawings

Diagrams and workflows

Structured representations such as flowcharts particularly benefit from vector graphics:

Best practices

Image sizes

- **Web:** 72-96 DPI sufficient
- **Print:** At least 300 DPI for raster images
- **SVG:** Resolution-independent

File formats

Format	Use case	Transparency	Compression
PNG	Screenshots, logos	Yes	Lossless
JPEG	Photographs	No	Lossy
SVG	Diagrams, icons	Yes	Vector
WebP	Modern, web	Yes	Both modes

Alt texts

Every image should have a descriptive alt text: - Improves accessibility - Helps search engines
- Displayed when image cannot be loaded



Figure 2: SAMPLE Logo (PNG)




Figure 3: Neutral grid (SVG)




Figure 4: Neutral workflow (SVG)

Image examples - Captions & density

This test page checks the behaviour with multiple images in quick succession. Particularly relevant for:

- **Page breaks:** How does the layout behave with many images?
- **Image captions:** Are captions positioned correctly?
- **Spacing:** Sufficient space between images?
- **Numbering:** Sequential image numbers in lists of figures?

Gallery (SVG)

Multiple similar images in sequence test the layout:




Figure 5: Neutral shapes - A

Figure 1: First instance of shape representation




Figure 6: Neutral shapes - B

Figure 2: Second instance to check for repetitions

Mixed (SVG + PNG)

Combination of different image formats in one section:

Figure 3: Vector graphic with grid pattern




Figure 7: Neutral grid

Figure 4: Raster graphic (PNG format)

Technical aspects

Image captions

Image captions should:

1. Clearly describe the image
2. Establish context to surrounding text
3. Include source references where needed
4. Be consistently numbered

Layout challenges

When placing multiple images, the following aspects must be considered:

- **Widow/orphan control:** Don't separate captions from images
- **Page breaks:** Don't split large images in the middle
- **Spacing:** Sufficient space between elements
- **Alignment:** Consistent positioning

Accessibility

For better accessibility:

- Every image gets a meaningful alt text
- Captions supplement visually presented information
- Colour schemes consider colour blindness
- Contrasts are sufficiently high



Figure 8: SAMPLE Logo

Language Samples - 100 Languages

This page contains short, neutral sample sentences in many languages. It serves as a regression test for fonts, hyphenation, special characters, and PDF bookmarks.

DE - Germany (Deutschland)

Deutsch

In der Ruhe liegt die Kraft.

AT - Austria (Österreich)

Deutsch

In der Ruhe liegt die Kraft.

CH - Switzerland (Schweiz)

Deutsch

In der Ruhe liegt die Kraft.

Français

Dans le calme réside la force.

Italiano

Nella calma risiede la forza.

Rumantsch

En la quietezza è forza.

GB - United Kingdom (United Kingdom)

English

In calm lies strength.

US - United States (United States)

English

In calm lies strength.

ES - Spain (España)

Español

En la calma está la fuerza.

Català

En la calma hi ha força.

Euskara

Lasaitasunean indarra dago.

Galego

Na calma hai forza.

MX - Mexico (México)

Español

En la calma está la fuerza.

BR - Brazil (Brasil)

Português

Na calma está a força.

PT - Portugal (Portugal)

Português

Na calma está a força.

FR - France (France)

Français

Dans le calme réside la force.

IT - Italy (Italia)

Italiano

Nella calma risiede la forza.

NL - Netherlands (Nederland)

Nederlands

In de rust schuilt kracht.

BE - Belgium (België / Belgique)

Nederlands

In de rust schuilt kracht. ### Français Dans le calme réside la force. ### Deutsch In der Ruhe liegt die Kraft.

 PL - Poland (Polska)

Polski

W spokoju tkwi siła.

 CZ - Czechia (Česko)

Čeština

Ve klidu je síla.

 SK - Slovakia (Slovensko)

Slovenčina

V pokoji je sila.

 HU - Hungary (Magyarország)

Magyar

A nyugalomban rejlik az erő.

 RO - Romania (România)

Română

În liniște stă puterea.

 SE - Sweden (Sverige)

Svenska

I lugnet finns styrka.

 NO - Norway (Norge)

Norsk

I roen ligger styrken.

 DK - Denmark (Danmark)

Dansk

I roen ligger styrken.

 FI - Finland (Suomi)

Suomi

Rauhallsuudessa on voimaa.

 EE - Estonia (Eesti)

Eesti

Rahus peitub jõud.

 LV - Latvia (Latvija)

Latviešu

Mierā ir spēks.

 LT - Lithuania (Lietuva)

Lietuvių

Ramybėje slypi jėga.

 GR - Greece (Ελλάδα)

Ελληνικά

Στη γαλήνη βρίσκεται η δύναμη.

 TR - Turkey (Türkiye)

Türkçe

Sakinlikte güç vardır.

 IL - Israel (ישראל)

עברית

בשקט יש כוח.

 SA - Saudi Arabia (المملكة العربية السعودية)

العربية

في الهدوء تكمن القوة.

 EG - Egypt (مصر)

العربية

في الهدوء تكمن القوة.

 IR - Iran (ایران)

فارسی

در آرامش قدرت نهفته است.

 AF - Afghanistan (افغانستان)

دري

در آرامش قدرت نهفته است.

 PK - Pakistan (پاکستان)

اردو

سکون میں طاقت

 BD - Bangladesh (বাংলাদেশ)

بنگالی

শান্তিতে শক্তি

 IN - India (भारत)

ہندی

शान्तिः शक्तिः

بنگالی

শান্তিতে শক্তি

بنگالی

শান্তিতে শক্তি

ہندی

शान्तिः शक्तिः

بنگالی

শান্তিতে শক্তি

بنگالی

শান্তিতে শক্তি

بنگالی

শান্তিতে শক্তি

بنگالی

শান্তিতে শক্তি

بنگالی

শান্তিতে শক্তি

සමස්තය

සමස්තය සමස්ත සමස්ත

LK - Sri Lanka (ශ්‍රී ලංකා)

සමස්ත

සමස්තය සමස්ත සමස්ත. ### සමස්ත සමස්තය සමස්ත සමස්ත.

NP - Nepal (नेपाल)

नेपाल,

यसैले नै यसैले.

TH - Thailand (ประเทศไทย)

ไทย

ประเทศไทย

LA - Laos (ລາວ)

ລາວ

ຄວາມສະຫງົບມີພະລັງງານ

KH - Cambodia (កម្ពុជា)

កម្ពុជា

កម្ពុជា

VN - Vietnam (Việt Nam)

Tiếng Việt

Trong bình yên có sức mạnh.

ID - Indonesia (Indonesia)

Bahasa Indonesia

Dalam ketenangan ada kekuatan.

MY - Malaysia (Malaysia)

Bahasa Melayu

Dalam ketenangan ada kekuatan.

 PH - Philippines (Pilipinas)

Tagalog

Sa katahimikan may lakas.

 CN - China (中国)

中国 (中国)

中国 人民 万岁。

 TW - Taiwan (台湾)

中国 (台湾)

中国 人民 万岁。

 JP - Japan (日本)

日本 国

日本 国 人民 万岁。

 KR - South Korea (대한민국)

대한 민국

대한 민국 万岁。

 MN - Mongolia (Монгол Улс)

Монгол хэл

Тайван байдалд хүч бий.

 GE - Georgia (საქართველო)

ქართული

სიმშვიდეში ძალაა.

 AM - Armenia (Հայաստան)

Հայերեն

Խաղաղության մեջ ուժ կա:

 AZ - Azerbaijan (Azərbaycan)

Azərbaycan dili

Sakitlikdə güc var.

 UZ - Uzbekistan (O'zbekiston)

O'zbek

Sokinlikda kuch bor.

 TM - Turkmenistan (Türkmenistan)

Türkmen

Asudalykda güýç bar.

 KG - Kyrgyzstan (Кыргызстан)

Кыргызча

Тынчтыкта күч бар.

 TJ - Tajikistan (Тоҷикистон)

тоҷикӣ

Дар оромӣ қувват ҳаст.

 KZ - Kazakhstan (Қазақстан)

Қазақша

Тыныштықта күш бар.

Qazaq (Latin)

Tynuqtyqta küş bar.

 UA - Ukraine (Україна)

Українська

У спокої є сила.

 BG - Bulgaria (България)

Български

В спокойствието има сила.

 RS - Serbia (Србија)

Српски

У миру је снага.

 HR - Croatia (Hrvatska)

Hrvatski

U miru je snaga.

 SI - Slovenia (Slovenija)

Slovenščina

V miru je moč.

 AL - Albania (Shqipëria)

Shqip

Në qetësi ka forcë.

 IS - Iceland (Ísland)

Íslenska

Í kyrrð er styrkur.

 IE - Ireland (Éire)

Gaeilge

Tá neart sa chiúnas.

 MT - Malta (Malta)

Malti

Fil-kwiet hemm saħħa.

 ET - Ethiopia (ኢትዮጵያ)

ኢትዮጵያ

በኢትዮጵያ ውስጥ የሰላም ምንጭ ነው።

 ER - Eritrea (ኤርትራ)

ኤርትራ

ኤርትራውያን የሰላም ምንጭ ናቸው።

 SO - Somalia (Soomaaliya)

Soomaali

Degganaansho waxaa ku jira xoog.

 KE - Kenya (Kenya)

Kiswahili

Katika utulivu kuna nguvu.

 TZ - Tanzania (Tanzania)

Kiswahili

Katika utulivu kuna nguvu.

 UG - Uganda (Uganda)

English

In calm lies strength.

 NG - Nigeria (Nigeria)

Yoruba

Nínú ìdákéjè ní agbára wà. ### Igbo N'udo dị ike. ### Hausa A cikin natsuwa akwai karfi.

 GH - Ghana (Ghana)

English

In calm lies strength.

 SN - Senegal (Sénégal)

Wolof

Ci dalal am na doole.

 CM - Cameroon (Cameroun)

Français

Dans le calme réside la force. ### English In calm lies strength.

 CD - DR Congo (République démocratique du Congo)

Lingála

Na kimia, ezali na makasi.

 AO - Angola (Angola)

Português

Na calma está a força.

 MZ - Mozambique (Moçambique)

Português

Na calma está a força.

 ZA - South Africa (South Africa)

English

In calm lies strength. ### Afrikaans In kalmte lê krag. ### isiZulu Ekuthuleni kukhona amandla.

 MA - Morocco (المغرب)

العربية

في الهدوء تكمن القوة. ### Tamazight Deg wazal tella tazmert.

 DZ - Algeria (الجزائر)

العربية

في الهدوء تكمن القوة.

 TN - Tunisia (تونس)

العربية

في الهدوء تكمن القوة.

 JO - Jordan (الأردن)

العربية

في الهدوء تكمن القوة.

 AE - United Arab Emirates (الإمارات العربية المتحدة)

العربية

في الهدوء تكمن القوة.

 IQ - Iraq (العراق)

العربية

في الهدوء تكمن القوة. ### كوردى له ئارامى دا هئز ههه

 GT - Guatemala (Guatemala)

Español

En la calma está la fuerza.

 CL - Chile (Chile)

Español

En la calma está la fuerza.

 PE - Peru (Perú)

Español

En la calma está la fuerza. ### Quechua Ch'iniypi kallpa kan.

 BO - Bolivia (Bolivia)

Español

En la calma está la fuerza. ### Aymara Sumankañan ch'amawa.

 PY - Paraguay (Paraguay)

Español

En la calma está la fuerza. ### Guaraní Py'aguýpe oĩ mbarete.

 HT - Haiti (Haïti)

Kreyòl ayisyen

Nan kalm gen fòs.

 CA - Canada (Canada)

English

In calm lies strength. ### Français Dans le calme réside la force.

 AU - Australia (Australia)

English

In calm lies strength.

 NZ - New Zealand (Aotearoa)

English

In calm lies strength. ### Māori I te mārie ka kitea te kaha.

 FJ - Fiji (Fiji)

English

In calm lies strength. ### iTaukei E tiko ena vakacegu na kaukauwa.

 WS - Samoa (Sāmoa)

Gagana Samoa

I le filemu e iai le malosì.

 TO - Tonga (Tonga)

lea faka-Tonga

‘I he melino ‘oku ‘i ai ‘a e mālohi.

 ES - Spain (España)

Català

En la calma hi ha força.

 ES - Spain (España) - Euskara

Euskara

Lasaitasunean indarra dago.

 ES - Spain (España) - Galego

Galego

Na calma hai forza.

 SG - Singapore (Singapore)

English

In calm lies strength.

𐄌𐄍𐄎𐄏𐄐𐄑𐄒𐄓𐄔𐄕𐄖𐄗𐄘𐄙𐄚𐄛𐄜𐄝𐄞𐄟𐄠𐄡𐄢𐄣𐄤𐄥𐄦𐄧𐄨𐄩𐄪𐄫𐄬𐄭𐄮𐄯𐄰𐄱𐄲𐄳𐄴𐄵𐄶𐄷𐄸𐄹𐄺𐄻𐄼𐄽𐄾𐄿𐅀𐅁𐅂𐅃𐅄𐅅𐅆𐅇𐅈𐅉𐅊𐅋𐅌𐅍𐅎𐅏𐅐𐅑𐅒𐅓𐅔𐅕𐅖𐅗𐅘𐅙𐅚𐅛𐅜𐅝𐅞𐅟𐅠𐅡𐅢𐅣𐅤𐅥𐅦𐅧𐅨𐅩𐅪𐅫𐅬𐅭𐅮𐅯𐅰𐅱𐅲𐅳𐅴𐅵𐅶𐅷𐅸𐅹𐅺𐅻𐅼𐅽𐅾𐅿𐆀𐆁𐆂𐆃𐆄𐆅𐆆𐆇𐆈𐆉𐆊𐆋𐆌𐆍𐆎𐆏𐆐𐆑𐆒𐆓𐆔𐆕𐆖𐆗𐆘𐆙𐆚𐆛𐆜𐆝𐆞𐆟𐆠𐆡𐆢𐆣𐆤𐆥𐆦𐆧𐆨𐆩𐆪𐆫𐆬𐆭𐆮𐆯𐆰𐆱𐆲𐆳𐆴𐆵𐆶𐆷𐆸𐆹𐆺𐆻𐆼𐆽𐆾𐆿𐇀𐇁𐇂𐇃𐇄𐇅𐇆𐇇𐇈𐇉𐇊𐇋𐇌𐇍𐇎𐇏𐇐𐇑𐇒𐇓𐇔𐇕𐇖𐇗𐇘𐇙𐇚𐇛𐇜𐇝𐇞𐇟𐇠𐇡𐇢𐇣𐇤𐇥𐇦𐇧𐇨𐇩𐇪𐇫𐇬𐇭𐇮𐇯𐇰𐇱𐇲𐇳𐇴𐇵𐇶𐇷𐇸𐇹𐇺𐇻𐇼𐇽𐇾𐇿𐈀𐈁𐈂𐈃𐈄𐈅𐈆𐈇𐈈𐈉𐈊𐈋𐈌𐈍𐈎𐈏𐈐𐈑𐈒𐈓𐈔𐈕𐈖𐈗𐈘𐈙𐈚𐈛𐈜𐈝𐈞𐈟𐈠𐈡𐈢𐈣𐈤𐈥𐈦𐈧𐈨𐈩𐈪𐈫𐈬𐈭𐈮𐈯𐈰𐈱𐈲𐈳𐈴𐈵𐈶𐈷𐈸𐈹𐈺𐈻𐈼𐈽𐈾𐈿𐉀𐉁𐉂𐉃𐉄𐉅𐉆𐉇𐉈𐉉𐉊𐉋𐉌𐉍𐉎𐉏𐉐𐉑𐉒𐉓𐉔𐉕𐉖𐉗𐉘𐉙𐉚𐉛𐉜𐉝𐉞𐉟𐉠𐉡𐉢𐉣𐉤𐉥𐉦𐉧𐉨𐉩𐉪𐉫𐉬𐉭𐉮𐉯𐉰𐉱𐉲𐉳𐉴𐉵𐉶𐉷𐉸𐉹𐉺𐉻𐉼𐉽𐉾𐉿𐊀𐊁𐊂𐊃𐊄𐊅𐊆𐊇𐊈𐊉𐊊𐊋𐊌𐊍𐊎𐊏𐊐𐊑𐊒𐊓𐊔𐊕𐊖𐊗𐊘𐊙𐊚𐊛𐊜𐊝𐊞𐊟𐊠𐊡𐊢𐊣𐊤𐊥𐊦𐊧𐊨𐊩𐊪𐊫𐊬𐊭𐊮𐊯𐊰𐊱𐊲𐊳𐊴𐊵𐊶𐊷𐊸𐊹𐊺𐊻𐊼𐊽𐊾𐊿𐋀𐋁𐋂𐋃𐋄𐋅𐋆𐋇𐋈𐋉𐋊𐋋𐋌𐋍𐋎𐋏𐋐𐋑𐋒𐋓𐋔𐋕𐋖𐋗𐋘𐋙𐋚𐋛𐋜𐋝𐋞𐋟𐋠𐋡𐋢𐋣𐋤𐋥𐋦𐋧𐋨𐋩𐋪𐋫𐋬𐋭𐋮𐋯𐋰𐋱𐋲𐋳𐋴𐋵𐋶𐋷𐋸𐋹𐋺𐋻𐋼𐋽𐋾𐋿𐌀𐌁𐌂𐌃𐌄𐌅𐌆𐌇𐌈𐌉𐌊𐌋𐌌𐌍𐌎𐌏𐌐𐌑𐌒𐌓𐌔𐌕𐌖𐌗𐌘𐌙𐌚𐌛𐌜𐌝𐌞𐌟𐌠𐌡𐌢𐌣𐌤𐌥𐌦𐌧𐌨𐌩𐌪𐌫𐌬𐌭𐌮𐌯𐌰𐌱𐌲𐌳𐌴𐌵𐌶𐌷𐌸𐌹𐌺𐌻𐌼𐌽𐌾𐌿𐍀𐍁𐍂𐍃𐍄𐍅𐍆𐍇𐍈𐍉𐍊𐍋𐍌𐍍𐍎𐍏𐍐𐍑𐍒𐍓𐍔𐍕𐍖𐍗𐍘𐍙𐍚𐍛𐍜𐍝𐍞𐍟𐍠𐍡𐍢𐍣𐍤𐍥𐍦𐍧𐍨𐍩𐍪𐍫𐍬𐍭𐍮𐍯𐍰𐍱𐍲𐍳𐍴𐍵𐍶𐍷𐍸𐍹𐍺𐍻𐍼𐍽𐍾𐍿𐎀𐎁𐎂𐎃𐎄𐎅𐎆𐎇𐎈𐎉𐎊𐎋𐎌𐎍𐎎𐎏𐎐𐎑𐎒𐎓𐎔𐎕𐎖𐎗𐎘𐎙𐎚𐎛𐎜𐎝𐎞𐎟𐎠𐎡𐎢𐎣𐎤𐎥𐎦𐎧𐎨𐎩𐎪𐎫𐎬𐎭𐎮𐎯𐎰𐎱𐎲𐎳𐎴𐎵𐎶𐎷𐎸𐎹𐎺𐎻𐎼𐎽𐎾𐎿𐏀𐏁𐏂𐏃𐏄𐏅𐏆𐏇𐏈𐏉𐏊𐏋𐏌𐏍𐏎𐏏𐏐𐏑𐏒𐏓𐏔𐏕𐏖𐏗𐏘𐏙𐏚𐏛𐏜𐏝𐏞𐏟𐏠𐏡𐏢𐏣𐏤𐏥𐏦𐏧𐏨𐏩𐏪𐏫𐏬𐏭𐏮𐏯𐏰𐏱𐏲𐏳𐏴𐏵𐏶𐏷𐏸𐏹𐏺𐏻𐏼𐏽𐏾𐏿𐐀𐐁𐐂𐐃𐐄𐐅𐐆𐐇𐐈𐐉𐐊𐐋𐐌𐐍𐐎𐐏𐐐𐐑𐐒𐐓𐐔𐐕𐐖𐐗𐐘𐐙𐐚𐐛𐐜𐐝𐐞𐐟𐐠𐐡𐐢𐐣𐐤𐐥𐐦𐐧𐐨𐐩𐐪𐐫𐐬𐐭𐐮𐐯𐐰𐐱𐐲𐐳𐐴𐐵𐐶𐐷𐐸𐐹𐐺𐐻𐐼𐐽𐐾𐐿𐑀𐑁𐑂𐑃𐑄𐑅𐑆𐑇𐑈𐑉𐑊𐑋𐑌𐑍𐑎𐑏𐑐𐑑𐑒𐑓𐑔𐑕𐑖𐑗𐑘𐑙𐑚𐑛𐑜𐑝𐑞𐑟𐑠𐑡𐑢𐑣𐑤𐑥𐑦𐑧𐑨𐑩𐑪𐑫𐑬𐑭𐑮𐑯𐑰𐑱𐑲𐑳𐑴𐑵𐑶𐑷𐑸𐑹𐑺𐑻𐑼𐑽𐑾𐑿𐒀𐒁𐒂𐒃𐒄𐒅𐒆𐒇𐒈𐒉𐒊𐒋𐒌𐒍𐒎𐒏𐒐𐒑𐒒𐒓𐒔𐒕𐒖𐒗𐒘𐒙𐒚𐒛𐒜𐒝𐒞𐒟𐒠𐒡𐒢𐒣𐒤𐒥𐒦𐒧𐒨𐒩𐒪𐒫𐒬𐒭𐒮𐒯𐒰𐒱𐒲𐒳𐒴𐒵𐒶𐒷𐒸𐒹𐒺𐒻𐒼𐒽𐒾𐒿𐓀𐓁𐓂𐓃𐓄𐓅𐓆𐓇𐓈𐓉𐓊𐓋𐓌𐓍𐓎𐓏𐓐𐓑𐓒𐓓𐓔𐓕𐓖𐓗𐓘𐓙𐓚𐓛𐓜𐓝𐓞𐓟𐓠𐓡𐓢𐓣𐓤𐓥𐓦𐓧𐓨𐓩𐓪𐓫𐓬𐓭𐓮𐓯𐓰𐓱𐓲𐓳𐓴𐓵𐓶𐓷𐓸𐓹𐓺𐓻𐓼𐓽𐓾𐓿𐔀𐔁𐔂𐔃𐔄𐔅𐔆𐔇𐔈𐔉𐔊𐔋𐔌𐔍𐔎𐔏𐔐𐔑𐔒𐔓𐔔𐔕𐔖𐔗𐔘𐔙𐔚𐔛𐔜𐔝𐔞𐔟𐔠𐔡𐔢𐔣𐔤𐔥𐔦𐔧𐔨𐔩𐔪𐔫𐔬𐔭𐔮𐔯𐔰𐔱𐔲𐔳𐔴𐔵𐔶𐔷𐔸𐔹𐔺𐔻𐔼𐔽𐔾𐔿𐕀𐕁𐕂𐕃𐕄𐕅𐕆𐕇𐕈𐕉𐕊𐕋𐕌𐕍𐕎𐕏𐕐𐕑𐕒𐕓𐕔𐕕𐕖𐕗𐕘𐕙𐕚𐕛𐕜𐕝𐕞𐕟𐕠𐕡𐕢𐕣𐕤𐕥𐕦𐕧𐕨𐕩𐕪𐕫𐕬𐕭𐕮𐕯𐕰𐕱𐕲𐕳𐕴𐕵𐕶𐕷𐕸𐕹𐕺𐕻𐕼𐕽𐕾𐕿𐖀𐖁𐖂𐖃𐖄𐖅𐖆𐖇𐖈𐖉𐖊𐖋𐖌𐖍𐖎𐖏𐖐𐖑𐖒𐖓𐖔𐖕𐖖𐖗𐖘𐖙𐖚𐖛𐖜𐖝𐖞𐖟𐖠𐖡𐖢𐖣𐖤𐖥𐖦𐖧𐖨𐖩𐖪𐖫𐖬𐖭𐖮𐖯𐖰𐖱𐖲𐖳𐖴𐖵𐖶𐖷𐖸𐖹𐖺𐖻𐖼𐖽𐖾𐖿𐗀𐗁𐗂𐗃𐗄𐗅𐗆𐗇𐗈𐗉𐗊𐗋𐗌𐗍𐗎𐗏𐗐𐗑𐗒𐗓𐗔𐗕𐗖𐗗𐗘𐗙𐗚𐗛𐗜𐗝𐗞𐗟𐗠𐗡𐗢𐗣𐗤𐗥𐗦𐗧𐗨𐗩𐗪𐗫𐗬𐗭𐗮𐗯𐗰𐗱𐗲𐗳𐗴𐗵𐗶𐗷𐗸𐗹𐗺𐗻𐗼𐗽𐗾𐗿𐘀𐘁𐘂𐘃𐘄𐘅𐘆𐘇𐘈𐘉𐘊𐘋𐘌𐘍𐘎𐘏𐘐𐘑𐘒𐘓𐘔𐘕𐘖𐘗𐘘𐘙𐘚𐘛𐘜𐘝𐘞𐘟𐘠𐘡𐘢𐘣𐘤𐘥𐘦𐘧𐘨𐘩𐘪𐘫𐘬𐘭𐘮𐘯𐘰𐘱𐘲𐘳𐘴𐘵𐘶𐘷𐘸𐘹𐘺𐘻𐘼𐘽𐘾𐘿𐙀𐙁𐙂𐙃𐙄𐙅𐙆𐙇𐙈𐙉𐙊𐙋𐙌𐙍𐙎𐙏𐙐𐙑𐙒𐙓𐙔𐙕𐙖𐙗𐙘𐙙𐙚𐙛𐙜𐙝𐙞𐙟𐙠𐙡𐙢𐙣𐙤𐙥𐙦𐙧𐙨𐙩𐙪𐙫𐙬𐙭𐙮𐙯𐙰𐙱𐙲𐙳𐙴𐙵𐙶𐙷𐙸𐙹𐙺𐙻𐙼𐙽𐙾𐙿𐚀𐚁𐚂𐚃𐚄𐚅𐚆𐚇𐚈𐚉𐚊𐚋𐚌𐚍𐚎𐚏𐚐𐚑𐚒𐚓𐚔𐚕𐚖𐚗𐚘𐚙𐚚𐚛𐚜𐚝𐚞𐚟𐚠𐚡𐚢𐚣𐚤𐚥𐚦𐚧𐚨𐚩𐚪𐚫𐚬𐚭𐚮𐚯𐚰𐚱𐚲𐚳𐚴𐚵𐚶𐚷𐚸𐚹𐚺𐚻𐚼𐚽𐚾𐚿𐛀𐛁𐛂𐛃𐛄𐛅𐛆𐛇𐛈𐛉𐛊𐛋𐛌𐛍𐛎𐛏𐛐𐛑𐛒𐛓𐛔𐛕𐛖𐛗𐛘𐛙𐛚𐛛𐛜𐛝𐛞𐛟𐛠𐛡𐛢𐛣𐛤𐛥𐛦𐛧𐛨𐛩𐛪𐛫𐛬𐛭𐛮𐛯𐛰𐛱𐛲𐛳𐛴𐛵𐛶𐛷𐛸𐛹𐛺𐛻𐛼𐛽𐛾𐛿𐜀𐜁𐜂𐜃𐜄𐜅𐜆𐜇𐜈𐜉𐜊𐜋𐜌𐜍𐜎𐜏𐜐𐜑𐜒𐜓𐜔𐜕𐜖𐜗𐜘𐜙𐜚𐜛𐜜𐜝𐜞𐜟𐜠𐜡𐜢𐜣𐜤𐜥𐜦𐜧𐜨𐜩𐜪𐜫𐜬𐜭𐜮𐜯𐜰𐜱𐜲𐜳𐜴𐜵𐜶𐜷𐜸𐜹𐜺𐜻𐜼𐜽𐜾𐜿𐝀𐝁𐝂𐝃𐝄𐝅𐝆𐝇𐝈𐝉𐝊𐝋𐝌𐝍𐝎𐝏𐝐𐝑𐝒𐝓𐝔𐝕𐝖𐝗𐝘𐝙𐝚𐝛𐝜𐝝𐝞𐝟𐝠𐝡𐝢𐝣𐝤𐝥𐝦𐝧𐝨𐝩𐝪𐝫𐝬𐝭𐝮𐝯𐝰𐝱𐝲𐝳𐝴𐝵𐝶𐝷𐝸𐝹𐝺𐝻𐝼𐝽𐝾𐝿𐞀𐞁𐞂𐞃𐞄𐞅𐞆𐞇𐞈𐞉𐞊𐞋𐞌𐞍𐞎𐞏𐞐𐞑𐞒𐞓𐞔𐞕𐞖𐞗𐞘𐞙𐞚𐞛𐞜𐞝𐞞𐞟𐞠𐞡𐞢𐞣𐞤𐞥𐞦𐞧𐞨𐞩𐞪𐞫𐞬𐞭𐞮𐞯𐞰𐞱𐞲𐞳𐞴𐞵𐞶𐞷𐞸𐞹𐞺𐞻𐞼𐞽𐞾𐞿𐟀𐟁𐟂𐟃𐟄𐟅𐟆𐟇𐟈𐟉𐟊𐟋𐟌𐟍𐟎𐟏𐟐𐟑𐟒𐟓𐟔𐟕𐟖𐟗𐟘𐟙𐟚𐟛𐟜𐟝𐟞𐟟𐟠𐟡𐟢𐟣𐟤𐟥𐟦𐟧𐟨𐟩𐟪𐟫𐟬𐟭𐟮𐟯𐟰𐟱𐟲𐟳𐟴𐟵𐟶𐟷𐟸𐟹𐟺𐟻𐟼𐟽𐟾𐟿𐠀𐠁𐠂𐠃𐠄𐠅𐠆𐠇𐠈𐠉𐠊𐠋𐠌𐠍𐠎𐠏𐠐𐠑𐠒𐠓𐠔𐠕𐠖𐠗𐠘𐠙𐠚𐠛𐠜𐠝𐠞𐠟𐠠𐠡𐠢𐠣𐠤𐠥𐠦𐠧𐠨𐠩𐠪𐠫𐠬𐠭𐠮𐠯𐠰𐠱𐠲𐠳𐠴𐠵𐠶𐠷𐠸𐠹𐠺𐠻𐠼𐠽𐠾𐠿𐡀𐡁𐡂𐡃𐡄𐡅𐡆𐡇𐡈𐡉𐡊𐡋𐡌𐡍𐡎𐡏𐡐𐡑𐡒𐡓𐡔𐡕𐡖𐡗𐡘𐡙𐡚𐡛𐡜𐡝𐡞𐡟𐡠𐡡𐡢𐡣𐡤𐡥𐡦𐡧𐡨𐡩𐡪𐡫𐡬𐡭𐡮𐡯𐡰𐡱𐡲𐡳𐡴𐡵𐡶𐡷𐡸𐡹𐡺𐡻𐡼𐡽𐡾𐡿𐢀𐢁𐢂𐢃𐢄𐢅𐢆𐢇𐢈𐢉𐢊𐢋𐢌𐢍𐢎𐢏𐢐𐢑𐢒𐢓𐢔𐢕𐢖𐢗𐢘𐢙𐢚𐢛𐢜𐢝𐢞𐢟𐢠𐢡𐢢𐢣𐢤𐢥𐢦𐢧𐢨𐢩𐢪𐢫𐢬𐢭𐢮𐢯𐢰𐢱𐢲𐢳𐢴𐢵𐢶𐢷𐢸𐢹𐢺𐢻𐢼𐢽𐢾𐢿𐣀𐣁𐣂𐣃𐣄𐣅𐣆𐣇𐣈𐣉𐣊𐣋𐣌𐣍𐣎𐣏𐣐𐣑𐣒𐣓𐣔𐣕𐣖𐣗𐣘𐣙𐣚𐣛𐣜𐣝𐣞𐣟𐣠𐣡𐣢𐣣𐣤𐣥𐣦𐣧𐣨𐣩𐣪𐣫𐣬𐣭𐣮𐣯𐣰𐣱𐣲𐣳𐣴𐣵𐣶𐣷𐣸𐣹𐣺𐣻𐣼𐣽𐣾𐣿𐤀𐤁𐤂𐤃𐤄𐤅𐤆𐤇𐤈𐤉𐤊𐤋𐤌𐤍𐤎𐤏𐤐𐤑𐤒𐤓𐤔𐤕𐤖𐤗𐤘𐤙𐤚𐤛𐤜𐤝𐤞𐤟𐤠𐤡𐤢𐤣𐤤𐤥𐤦𐤧𐤨𐤩𐤪𐤫𐤬𐤭𐤮𐤯𐤰𐤱𐤲𐤳𐤴𐤵𐤶𐤷𐤸𐤹𐤺𐤻𐤼𐤽𐤾𐤿𐥀𐥁𐥂𐥃𐥄𐥅𐥆𐥇𐥈𐥉𐥊𐥋𐥌𐥍𐥎𐥏𐥐𐥑𐥒𐥓𐥔𐥕𐥖𐥗𐥘𐥙𐥚𐥛𐥜𐥝𐥞𐥟𐥠𐥡𐥢𐥣𐥤𐥥𐥦𐥧𐥨𐥩𐥪𐥫𐥬𐥭𐥮𐥯𐥰𐥱𐥲𐥳𐥴𐥵𐥶𐥷𐥸𐥹𐥺𐥻𐥼𐥽𐥾𐥿𐦀𐦁𐦂𐦃𐦄𐦅𐦆𐦇𐦈𐦉𐦊𐦋𐦌𐦍𐦎𐦏𐦐𐦑𐦒𐦓𐦔𐦕𐦖𐦗𐦘𐦙𐦚𐦛𐦜𐦝𐦞𐦟𐦠𐦡𐦢𐦣𐦤𐦥𐦦𐦧𐦨𐦩𐦪𐦫𐦬𐦭𐦮𐦯𐦰𐦱𐦲𐦳𐦴𐦵𐦶𐦷𐦸𐦹𐦺𐦻𐦼𐦽𐦾𐦿𐧀𐧁𐧂𐧃𐧄𐧅𐧆𐧇𐧈𐧉𐧊𐧋𐧌𐧍𐧎𐧏𐧐𐧑𐧒𐧓𐧔𐧕𐧖𐧗𐧘𐧙𐧚𐧛𐧜𐧝𐧞𐧟𐧠𐧡𐧢𐧣𐧤𐧥𐧦𐧧𐧨𐧩𐧪𐧫𐧬𐧭𐧮𐧯𐧰𐧱𐧲𐧳𐧴𐧵𐧶𐧷𐧸𐧹𐧺𐧻𐧼𐧽𐧾𐧿𐨀𐨁𐨂𐨃𐨄𐨅𐨆𐨇𐨈𐨉𐨊𐨋𐨌𐨍𐨎𐨏𐨐𐨑𐨒𐨓𐨔𐨕𐨖𐨗𐨘𐨙𐨚𐨛𐨜𐨝𐨞𐨟𐨠𐨡𐨢𐨣𐨤𐨥𐨦𐨧𐨨𐨩𐨪𐨫𐨬𐨭𐨮𐨯𐨰𐨱𐨲𐨳𐨴𐨵𐨶𐨷𐨹𐨺𐨸𐨻𐨼𐨽𐨾𐨿𐩀𐩁𐩂𐩃𐩄𐩅𐩆𐩇𐩈𐩉𐩊𐩋𐩌𐩍𐩎𐩏𐩐𐩑𐩒𐩓𐩔𐩕𐩖𐩗𐩘𐩙𐩚𐩛𐩜𐩝𐩞𐩟𐩠𐩡𐩢𐩣𐩤𐩥𐩦𐩧𐩨𐩩𐩪𐩫𐩬𐩭𐩮𐩯𐩰𐩱𐩲𐩳𐩴𐩵𐩶𐩷𐩸𐩹𐩺𐩻𐩼𐩽𐩾𐩿𐪀𐪁𐪂𐪃𐪄𐪅𐪆𐪇𐪈𐪉𐪊𐪋𐪌𐪍𐪎𐪏𐪐𐪑𐪒𐪓𐪔𐪕𐪖𐪗𐪘𐪙𐪚𐪛𐪜𐪝𐪞𐪟𐪠𐪡𐪢𐪣𐪤𐪥𐪦𐪧𐪨𐪩𐪪𐪫𐪬𐪭𐪮𐪯𐪰𐪱𐪲𐪳𐪴𐪵𐪶𐪷𐪸𐪹𐪺𐪻𐪼𐪽𐪾𐪿𐫀𐫁𐫂𐫃𐫄𐫅𐫆𐫇𐫈𐫉𐫊𐫋𐫌𐫍𐫎𐫏𐫐𐫑𐫒𐫓𐫔𐫕𐫖𐫗𐫘𐫙𐫚𐫛𐫜𐫝𐫞𐫟𐫠𐫡𐫢𐫣𐫤𐫦𐫥𐫧𐫨𐫩𐫪𐫫𐫬𐫭𐫮𐫯𐫰𐫱𐫲𐫳𐫴𐫵𐫶𐫷𐫸𐫹𐫺𐫻𐫼𐫽𐫾𐫿𐬀𐬁𐬂𐬃𐬄𐬅𐬆𐬇𐬈𐬉𐬊𐬋𐬌𐬍𐬎𐬏𐬐𐬑𐬒𐬓𐬔𐬕𐬖𐬗𐬘𐬙𐬚𐬛𐬜𐬝𐬞𐬟𐬠𐬡𐬢𐬣𐬤𐬥𐬦𐬧𐬨𐬩𐬪𐬫𐬬𐬭𐬮𐬯𐬰𐬱𐬲𐬳𐬴𐬵𐬶𐬷𐬸𐬹𐬺𐬻𐬼𐬽𐬾𐬿𐭀𐭁𐭂𐭃𐭄𐭅𐭆𐭇𐭈𐭉𐭊𐭋𐭌𐭍𐭎𐭏𐭐𐭑𐭒𐭓𐭔𐭕𐭖𐭗𐭘𐭙𐭚𐭛𐭜𐭝𐭞𐭟𐭠𐭡𐭢𐭣𐭤𐭥𐭦𐭧𐭨𐭩𐭪𐭫𐭬𐭭𐭮𐭯𐭰𐭱𐭲𐭳𐭴𐭵𐭶𐭷𐭸𐭹𐭺𐭻𐭼𐭽𐭾𐭿𐮀𐮁𐮂𐮃𐮄𐮅𐮆𐮇𐮈𐮉𐮊𐮋𐮌𐮍𐮎𐮏𐮐𐮑𐮒𐮓𐮔𐮕𐮖𐮗𐮘𐮙𐮚𐮛𐮜𐮝𐮞𐮟𐮠𐮡𐮢𐮣𐮤𐮥𐮦𐮧𐮨𐮩𐮪𐮫𐮬𐮭𐮮𐮯𐮰𐮱𐮲𐮳𐮴𐮵𐮶𐮷𐮸𐮹𐮺𐮻𐮼𐮽𐮾𐮿𐯀𐯁𐯂𐯃𐯄𐯅𐯆𐯇𐯈𐯉𐯊𐯋𐯌𐯍𐯎𐯏𐯐𐯑𐯒𐯓𐯔𐯕𐯖𐯗𐯘𐯙𐯚𐯛𐯜𐯝𐯞𐯟𐯠𐯡𐯢𐯣𐯤𐯥𐯦𐯧𐯨𐯩𐯪𐯫𐯬𐯭𐯮𐯯𐯰𐯱𐯲𐯳𐯴𐯵𐯶𐯷𐯸𐯹𐯺𐯻𐯼𐯽𐯾𐯿𐰀𐰁𐰂𐰃𐰄𐰅𐰆𐰇𐰈𐰉𐰊𐰋𐰌𐰍𐰎𐰏𐰐𐰑𐰒𐰓𐰔𐰕𐰖𐰗𐰘𐰙𐰚𐰛𐰜𐰝𐰞𐰟𐰠𐰡𐰢𐰣𐰤𐰥𐰦𐰧𐰨𐰩𐰪𐰫𐰬𐰭𐰮𐰯𐰰𐰱

** PS - Palestine (فلسطين)**

العربية

في الهدوء تكمن القوة.

English

In calm lies strength.

** LB - Lebanon (لبنان)**

العربية

في الهدوء تكمن القوة.

** SY - Syria (سوريا)**

العربية

في الهدوء تكمن القوة.

** CY - Cyprus (Κύπρος)**

Ελληνικά

Στη γαλήνη βρίσκεται η δύναμη. ### Türkçe Sakinlikte güç vardır.

** BA - Bosnia and Herzegovina (Bosna i Hercegovina)**

Bosanski

U miru je snaga.

** MK - North Macedonia (Северна Македонија)**

Македонски

Во мирот има сила.

** ME - Montenegro (Crna Gora)**

Crnogorski

U miru je snaga.

Very Long Texts - at Least 3000 Characters per Language

These synthetic sections support manual PDF visual inspection and automated font regression. They are anonymized, contain no customer text, and cover the three ERDA font groups from fonts.yml. The marked test blocks contain at least 3000 characters per language in the relevant Unicode range.

Mapping of the ten long lines and 3000-character test blocks: ZH-Hant - Traditional Chinese, JA - Japanese, KO - Korean.

-  **ZH-Hant - 3000-Character Test Block**

- [illegible]

🇯🇵 **JA - 3000-Character Test Block**

- [illegible]

先工習圖國回代土為信習為知信回為知信 — 多回為回品在知信本為母(信為I @ S。日末◆知回為知信知和◆小回為信先工習圖國回代土為信習為知信回為知信 — 多回為回品在知信本為母(信為I @ S。

- [illegible]

🇰🇷 KO - 3000-Character Test Block

- [illegible]

[illegible]

- TI - 3000-Character Test Block

- 62

Markdown Advanced Features

This page demonstrates advanced Markdown syntax and features beyond basic formatting.

Task Lists

- x Basic Markdown syntax documented
- x Emoji support implemented
- x Multilingual content tested
- ☐ Interactive examples added
- ☐ Video tutorials created
- ☐ Community feedback incorporated

Nested Task Lists

- x Phase 1: Planning
 - x Requirements gathering
 - x Architecture design
- x Phase 2: Implementation
 - x Core features
 - ☐ Advanced features
- ☐ Phase 3: Release
 - ☐ Beta testing
 - ☐ Documentation review

Strikethrough

~~This text is crossed out.~~

You can combine strikethrough with other formatting: ~~**bold and struck**~~ or ~~*italic and struck*~~.

This is useful for showing ~~deprecated~~ obsolete features or corrections.

Subscript and Superscript

Subscript

Water molecule: H₂O

Chemical formula: C₆H₁₂O₆ (glucose)

Superscript

Mathematical notation: E = mc²

Footnote reference¹

Exponentials: 2¹⁰ = 1024

Highlighting / Mark

This is ==highlighted text== using the mark syntax.

You can ==**combine highlighting with bold**== or ==*with italic*==.

Use highlighting to ==draw attention to important information==.

Definition Lists

Term 1 Definition of term 1 with inline code.

Term 2 First definition of term 2.

Second definition of term 2.

API Application Programming Interface

A set of protocols and tools for building software applications.

Markdown A lightweight markup language with plain text formatting syntax.

Created by John Gruber in 2004.

Abbreviations

The HTML specification is maintained by the W3C.

[HTML]: *HyperText Markup Language* [W3C]: World Wide Web Consortium *[API]: Application Programming Interface

This document uses UTF-8 encoding and follows ISO standards.

[UTF-8]: *8-bit Unicode Transformation Format* [ISO]: International Organization for Standardization

Mathematical Equations

Inline Math

The Pythagorean theorem is $a^2 + b^2 = c^2$.

Einstein's famous equation: $E = mc^2$.

The quadratic formula: $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$.

Display Math

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

Matrix notation:

$$\begin{bmatrix} a & b \\ c & d \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} ax + by \\ cx + dy \end{bmatrix}$$

Greek letters and symbols:

$$\alpha + \beta = \gamma \quad \sum_{i=1}^n i = \frac{n(n+1)}{2}$$

Callouts / Admonitions

Note:

This is an informational note using blockquote syntax. Use notes for additional context or clarification.

Warning:

This is a warning message about potential issues. Warnings alert users to common mistakes or risks.

Tip:

This is a helpful tip or best practice. Tips provide guidance for optimal usage.

Important:

Critical information that users must read. Use for essential details that affect functionality.

Extended Code Features

Code with Line Numbers

```

10 def calculate_fibonacci(n):
11     if n <= 1:
12         return n
13     return calculate_fibonacci(n-1) + calculate_fibonacci(n-2)
14
15 result = calculate_fibonacci(10)
16 print(f"Fibonacci(10) = {result}")

```

Code with Highlighting

```

function processData(data) {
    const filtered = data.filter(item => item.active); // highlighted
    const sorted = filtered.sort((a, b) => a.value - b.value);

    return sorted.map(item => ({ // start highlight
        id: item.id,
        value: item.value * 2
    })); // end highlight
}

```

Code with Filename

```

# example.py
def greet(name):
    return f"Hello, {name}!"

if __name__ == "__main__":
    print(greet("World"))

```

Long Code Fence Wrapping

```

description: >-
  State: {{country-code}}, date: {{YYYY-MM-dd}}, responsible editorial desk:
  {{author}}, legally accountable office: {{official}}, publication channel:
  {{distribution-channel}}, review state: {{quality-gate-status}}

UNWRAPPED-CODE-FENCE-STRESS: state={{country-code}}; date={{YYYY-MM-dd}};
responsible-editorial-desk={{author}}; legally-accountable-office={{official}};
publication-channel={{distribution-channel}};
review-state={{quality-gate-status}}; checksum={{content-package-sha256}};
distribution-target={{long-form-customer-publication-profile}}

```

`https://www.example.org/reports/world-energy-outlook-2024/downloads/long-code-fence-url?scenari`

Complex Table

Table with Formatting

68

Details / Accordion

Click to expand: Installation instructions

To install the software:

1. Download the latest release
2. Extract the archive
3. Run the installer
4. Follow the setup wizard

```
wget https://example.com/software.tar.gz
tar -xzf software.tar.gz
cd software/
./install.sh
```

Troubleshooting common issues


Issue 1: Installation fails

Solution: Ensure you have administrator privileges.

Issue 2: Font rendering problems

Solution: Update your font cache with `fc-cache -fv`.

Horizontal Rules with Different Styles



Escaped Characters

Use backslash to escape special characters:

Not italic ****Not bold**** 'Not code'

Not a heading

[Not a link](url)

Line Breaks and Spacing

Regular line break
using two spaces at the end.

Hard break with backslash
works the same way.

Use `<br>` for explicit breaks: Like this.

Comments

Emojis with Shortcodes

:smile: :heart: :thumbsup: :rocket: :tada:

:warning: :information_source: :question: :exclamation:
:checkmark: :x: :heavy_check_mark: :cross_mark:

Links with References

This is a reference link and another reference link.

Auto-detection: <https://example.com> becomes a link.

Email: user@example.com

Combined Advanced Features

Here's a complete example combining multiple features:

Important: Data Processing Pipeline

The new pipeline processes ==1 million records/second==.¹¹

Key improvements: - x Reduced latency by 50% - x Increased throughput: ~~10k~~ → **1M** ops/sec - [] Add real-time monitoring

Performance formula: $T = \frac{N}{R \times E}$ where: - T = Total time - N = Number of records
- R = Records per second - E = Efficiency factor (0.8-0.95)

Press Ctrl + R to run.

This page demonstrates the full range of extended Markdown syntax supported by modern documentation systems.

¹¹Measured on test environment: Intel Xeon E5-2699 v4, 128GB RAM, NVMe SSD storage. Actual performance may vary.

Emoji in headings - Header samples

This page tests the correct display of emojis in headings at different levels. Particularly relevant is the encoding in PDF bookmarks and the table of contents.

Test scenarios

Emojis in headings place special demands on document processing:

- **PDF bookmarks:** Correct Unicode encoding in PDF table of contents
- **TOC generation:** Table of contents with emoji characters
- **Font fallbacks:** Switching between text and emoji fonts
- **Hierarchy:** Emojis at all heading levels (H1-H6)

Emoji test

Sample set

This page places emojis in headings to test bookmarks/TOC and PDF strings.

Heading with emoji

Inline:      

ZWJ sequences (complex)



Flags in text



Keycaps & variants

0 1 2 3 4 5 6 7 8 9  # *

Template for multilingual neutral text

This template provides guidelines for creating content suitable for all language versions.

Principles

Multilingual neutral content:

- **Cultural neutrality:** Avoid culture-specific references, idioms, or examples
- **Universal concepts:** Use internationally recognised ideas and terminology
- **Technical focus:** Emphasise technical accuracy over cultural context
- **Symbol preference:** Use symbols, diagrams, and code over prose where possible

Language considerations

Avoid

✗ Culture-specific examples:

Like preparing a traditional Sunday roast...
As American as apple pie...

✗ Regional idioms:

It's raining cats and dogs
The proof is in the pudding

✗ Country-specific references:

As required by UK GDPR...
Similar to the US ZIP code system...

Prefer

✓ Universal examples:

Like preparing a meal...
A widely recognised pattern...

✓ Clear, literal language:

Heavy rainfall
Evidence demonstrates that...

✓ International standards:

As required by ISO 8601...
Following RFC 3339 date format...

Content patterns

Technical documentation

Technical content is naturally more neutral:

Installation

1. Download the package
2. Extract to a directory
3. Run the installer

4. Verify installation with ``command --version``

Code examples

Code transcends language barriers:

```
# Universal technical concepts
def calculate_total(items):
    return sum(item.price for item in items)
```

Mathematical notation

Mathematics is international:

The Pythagorean theorem: $a^2 + b^2 = c^2$

Visual elements

Diagrams and symbols work across languages:

- Flowcharts
- Sequence diagrams
- Icons and symbols (Unicode)
- Tables and matrices

Metadata structure

For multilingual documents:

```
---
title: Your Title
date: YYYY-MM-DD
version: X.Y
doc_type: chapter # or appropriate type
language_neutral: true # Flag for neutral content
translation_notes: "Focus on technical accuracy"
---
```

Testing checklist

Before publishing multilingual content:

- ☐ No culture-specific references
- ☐ No idioms or colloquialisms
- ☐ Technical terms properly defined
- ☐ Code examples are universal
- ☐ Numbers and dates use ISO formats
- ☐ Currency symbols avoided (use generic “units”)
- ☐ Time zones specified if relevant
- ☐ Measurements use metric (SI) units

Translation workflow

When translating neutral content:

1. **Preserve structure:** Keep headings and formatting identical

2. **Technical accuracy:** Verify technical terms in target language
3. **Literal translation:** Avoid creative interpretation
4. **Code unchanged:** Never translate code variable names or commands
5. **Metadata sync:** Keep version and date metadata consistent

Templates

This directory contains reusable templates and patterns for documentation.

Purpose

Templates provide:

- **Consistency:** Standardised structure across similar content
- **Efficiency:** Quick starting points for new documents
- **Quality:** Pre-validated formatting and metadata
- **Guidance:** Examples of best practices

Available templates

Multilingual neutral text

Template for content that must work across all language versions:

- Neutral cultural references
- Internationally recognised examples
- Language-independent code samples
- Universal symbols and notation

See multilingual-neutral-text.md for details.

Template structure

Each template includes:

```
---
title: Template Name
date: YYYY-MM-DD
version: X.Y
doc_type: template
show_in_summary: false # Usually hidden from main TOC
---
```

How to use templates

1. **Copy** the template file to your target location
2. **Rename** to match your content purpose
3. **Update** frontmatter (title, date, version, doc_type)
4. **Replace** template content with your material
5. **Validate** structure and formatting

Template categories

Content templates

- Chapter structures
- Example patterns
- Reference documentation layouts

Metadata templates

- Frontmatter configurations
- Navigation structures
- Build configurations

Multilingual templates

- Parallel translation frameworks
- Language-neutral content patterns
- Internationalisation guidelines

Translator's Note

This document demonstrates multilingual publishing capabilities and translation workflows.

Translation principles

When translating technical documentation:

- **Terminology consistency:** Maintain consistent translation of technical terms
- **Cultural adaptation:** Adapt examples and metaphors to target culture
- **Format preservation:** Keep structure, headings, and formatting identical
- **Technical accuracy:** Verify all code examples, commands, and references

Language considerations

British English conventions

This English version follows British English spelling and grammar conventions:

- Spelling: colour, organise, licence (noun)
- Punctuation: Single quotes for regular text, double for nested
- Date format: DD/MM/YYYY
- Number formatting: Comma for thousands (1,000)

Unicode support

The document includes extensive Unicode content:

- **100+ languages:** Covering major writing systems
- **Emoji rendering:** Proper display of flags, symbols, and combined sequences
- **Right-to-left text:** Support for Arabic, Hebrew, and other RTL scripts

Translation workflow

Content is maintained in parallel language directories:

```
de/      # German (Deutsch)
en/      # English (British)
```

Each language maintains:

- Independent SUMMARY.md (navigation structure)
- Language-specific metadata (book.json)
- Localised frontmatter and terminology

List of Tables

This section provides a comprehensive index of all tables appearing throughout the document. Tables are numbered sequentially and referenced by their location in the text.

Purpose

The list of tables serves multiple functions:

- **Quick reference:** Locate specific tables without scanning the entire document
- **Content overview:** Understand the range of comparative and structured information presented
- **Navigation aid:** Jump directly to tables of interest

Organization

Tables are listed in order of appearance with:

- Table number
- Descriptive caption
- Page reference (in PDF output)

Note: The complete list is automatically generated during the build process and includes all captioned tables from the chapters and appendices.

List of Figures

This section catalogues all figures, diagrams, and illustrations used throughout the document. Each figure is numbered and captioned for easy reference.

Purpose

The list of figures provides:

- **Visual content index:** Overview of all graphical elements
- **Quick access:** Direct navigation to specific illustrations
- **Content audit:** Verification that all images are properly captioned

Supported formats

The document includes figures in various formats:

- **Raster images:** PNG, JPEG for photographs and screenshots
- **Vector graphics:** SVG for scalable diagrams and icons
- **Mixed content:** Combination of different formats as needed

Organization

Figures are listed sequentially with:

- Figure number
- Descriptive caption
- Page location (in PDF output)
- Format type where relevant

Note: The complete list is automatically generated during the build process and includes all captioned figures from all document sections.

List of Abbreviations

This section defines abbreviations and acronyms used throughout the document.

Technical abbreviations

API

Application Programming Interface

CAP

Consistency, Availability, Partition tolerance (theorem)

CLI

Command-Line Interface

CPU

Central Processing Unit

CSS

Cascading Style Sheets

DPI

Dots Per Inch

HTML

HyperText Markup Language

HTTP

HyperText Transfer Protocol

IDE

Integrated Development Environment

ISO

International Organization for Standardization

JSON

JavaScript Object Notation

LTR

Left-to-Right (text direction)

PDF

Portable Document Format

PNG

Portable Network Graphics

RTL

Right-to-Left (text direction)

SQL

Structured Query Language

SVG

Scalable Vector Graphics

TOC

Table of Contents

UI

User Interface

URL

Uniform Resource Locator

UTF

Unicode Transformation Format

XML

Extensible Markup Language

YAML

YAML Ain't Markup Language

ZWJ

Zero Width Joiner (Unicode)

Appendices

Supplementary materials, technical specifications, and reference information.

Purpose

Appendices provide:

- **Supplementary detail:** In-depth technical information
- **Reference material:** Tables, specifications, and data
- **Technical documentation:** Implementation details and configurations
- **Supporting evidence:** Font coverage, testing results, methodologies

Organisation

Appendices are labelled alphabetically:

- **Appendix A:** Data sources and table layout
- **Appendix B:** Emoji and font coverage

Each appendix includes:

- Unique identifier (A, B, C...)
- Descriptive title
- Category classification (technical, reference, etc.)
- Version history

Structure

Frontmatter

Each appendix uses consistent metadata:

```
---
title: Appendix X – Title
date: YYYY-MM-DD
version: X.Y
doc_type: appendix
appendix_id: "X"
category: "technical" | "reference" | "legal"
---
```

Content patterns

Appendices typically include:

- Technical specifications
- Data tables and matrices
- Testing methodologies
- Configuration examples
- Detailed calculations
- Reference implementations

Navigation

Appendices appear:

- After main content chapters
- Before indices (table of contents, figures, etc.)
- In alphabetical order by identifier

They are accessible via:

- Table of contents links
- PDF bookmarks
- Cross-references from main text

Cross-referencing

Reference appendices from main text:

See [\[Appendix A\]\(../appendices/appendix-a.md\)](#) for data sources.

Font coverage is detailed in [\[Appendix B\]\(../appendices/emoji-font-coverage.md\)](#).

Types of appendices

Technical appendices

- Implementation details
- Algorithm specifications
- Configuration references
- Testing procedures

Reference appendices

- Data tables
- Glossaries
- Bibliography
- Standards references

Legal appendices

- Licence texts
- Compliance documentation
- Attribution details
- Legal notices

Appendix A - Data sources and table layout

This appendix documents the data sources and structural conventions used in tables throughout this document.

Table design principles

Readability

Tables are designed for:

- **Quick scanning:** Clear headers and consistent alignment
- **Data comparison:** Parallel structure for easy comparison
- **Reference use:** Complete information without requiring external context

Consistency

All tables follow:

- Consistent column ordering
- Uniform header formatting
- Standard alignment rules (left for text, right for numbers)
- Descriptive captions

Table types

Comparative tables

Structure for comparing options:

Feature	Option A	Option B	Option C
Performance	High	Medium	Low
Complexity	Low	Medium	High
Cost	Low	Medium	High

Reference tables

Data lookup format:

Key	Value	Description
Term 1	Definition	Detailed explanation
Term 2	Definition	Detailed explanation

Multi-level tables

Hierarchical information:

Category	Subcategory	Details
Type A	Variant 1	Specifications
	Variant 2	Specifications
Type B	Variant 1	Specifications

Data sources

Primary sources

Tables are compiled from:

- Official documentation and specifications
- Published standards (ISO, RFC, etc.)
- Peer-reviewed research where applicable
- Vendor documentation and release notes

Data verification

All tabulated data:

1. Cross-referenced with primary sources
2. Verified for current accuracy
3. Dated to indicate currency
4. Linked to source documentation where possible

Update policy

Tables are reviewed:

- During major version updates
- When underlying specifications change
- Following significant technology releases
- As corrections are identified

Formatting conventions

Numerical data

- **Integers:** No decimal separator (1000, not 1,000)
- **Decimals:** Period as decimal separator (3.14)
- **Percentages:** Number followed by % symbol (85%)
- **Ranges:** En dash between values (10–20)

Text alignment

- **Left-aligned:** Text, descriptions, category names
- **Right-aligned:** Numbers, dates, versions
- **Centre-aligned:** Yes/No, checkmarks, symbols

Special symbols

- ☐ = Supported/Yes
- ☐ = Not supported/No
- — = Not applicable
- ≈ = Approximately
- ≥/≤ = Greater/less than or equal

Caption format

Table captions include:

Table X.Y: Descriptive title

Where:

- X = Chapter number
- Y = Sequential table number within chapter
- Title describes content succinctly

Accessibility

Screen readers

Tables use:

- Proper Markdown table syntax for correct HTML rendering
- Descriptive headers that work when read sequentially
- Captions that provide context independent of surrounding text

Print readability

Table design considers:

- Page width constraints in PDF output
- Readability at standard print sizes
- Clear distinction between header and data rows

Example table

Item	Purpose
Heading	TOC/bookmarks
Table	list of tables

Example code block

```
python -m gitbook_worker.tools.workflow_orchestrator --help
```

Appendix B - Emoji & font coverage

This appendix documents font coverage for the diverse Unicode content used throughout this document, including emoji rendering and multilingual text support.

Font stack

The document uses a carefully configured font stack:

Primary text fonts

DejaVu Serif / DejaVu Sans

- **Coverage:** Latin, Cyrillic, Greek, basic IPA
- **Purpose:** Main body text and headings
- **Licence:** Free (Bitstream Vera derivative)
- **Unicode blocks:** ~3,000 glyphs covering common scripts

Emoji fonts

Twemoji Mozilla (COLRv1)

- **Coverage:** Full Emoji 13.0+ support
- **Format:** COLRv1 (colour font format)
- **Purpose:** Primary emoji rendering
- **Licence:** CC BY 4.0
- **Rendering:** Native colour in modern systems

Twitter Color Emoji (Fallback)

- **Coverage:** Emoji 12.0
- **Format:** CBDT/CBLC (bitmap colour)
- **Purpose:** Fallback for older systems
- **Licence:** CC BY 4.0 / MIT

Emoji categories tested

Comprehensive testing across all Unicode emoji categories:

😊 People & Emotions

- Faces: 😊 😄 😌 😍 😏
- Hands: 🙌 🙏 🖐 🖐 🖐
- People: 👤 👤 👤 👤 👤
- Skin tones: 🤝 🤝 🤝 🤝 🤝

🐶 Animals & Nature

- Mammals: 🐶 🐱 🐭 🐮 🐷 🐽
- Birds: 🐔 🐓 🐣 🐤 🐥
- Plants: 🌲 🌳 🌴 🌵 🌿
- Weather: ☀️ 🌤️ 🌥️ 🌦️ 🌧️

🍕 Food & Drink

- Prepared food: 🍕 🍔 🍟 🌭 🍰
- Fruit: 🍏 🍊 🍋 🍌 🍉
- Drinks: 🍷 🍺 🍻 🍹 🍸

⚽ Activities & Sports

- Sports: ⚽ 🏀 🏈 🏉 🏊 🏋️
- Games: 🎮 🎯 🎲 🎳 🎴 🎮
- Arts: 🎨 🎭 🎪 🎦 🎤 🎧

🚗 Travel & Places

- Vehicles: 🚗 🚙 🚘 🚚 🚛
- Buildings: 🏠 🏡 🏢 🏣 🏤 🏨
- Geography: 🌋 🏔️ 🏕️ 🏖️ 🏞️ 🌳

💡 Objects

- Tech: 💻 ⌨️ 🖨️ 🖱️ 🖋️
- Tools: 🛠️ 🔨 ⚒️ ⚙️ 🛡️
- Office: 📁 🖋️ 🖊️ 🖋️ 🖋️

🔢 Symbols

- Math: + - × ÷ =
- Arrows: ⬆️ ⬇️ ⬅️ ➡️ ↔️
- Shapes: ◼️ ◻️ ◻️ ◻️ ◻️

🚩 Flags

- Country flags: 🇬🇧 🇩🇪 🇫🇷 🇪🇸 🇮🇹
- Regional flags: 🇺🇲 (requires ZWJ support)
- Special flags: 🏳️ 🏳️ 🏳️

Complex emoji sequences

Zero-Width Joiner (ZWJ) sequences

Testing compound emoji:

- **Family:** 👨👩👧 (requires ZWJ support)
- **Professions:** 👨👩👧
- **Combinations:** 🏳️🇺🇲

Skin tone modifiers

Fitzpatrick scale support:

- Type 1-2 (light): 🧔🏻
- Type 3 (medium-light): 🧔🏼
- Type 4 (medium): 🧔🏽
- Type 5 (medium-dark): 🧔🏾
- Type 6 (dark): 🧔🏿

Flag sequences

Regional indicator symbols:

-  +  =  (UK flag)
-  +  =  (German flag)

Script coverage

Multilingual text support across 100+ languages:

Latin-based scripts

- Western European: English, German, French, Spanish
- Eastern European: Polish, Czech, Hungarian
- Special characters: Ā Ē Ī Ō Ū (macrons)

Cyrillic

- Russian: Привет мир
- Ukrainian: Привіт світ
- Bulgarian: Здравей свят

Greek

- Modern Greek: Γεια σου κόσμε
- Polytonic Greek: ἀρχή (archaic)

Asian scripts

- Chinese (Simplified): 你好 (Hello)
- Japanese: こんにちは (Hello)
- Korean: 안녕하세요 (Hello)

Arabic & RTL scripts

- Arabic: مرحبا بالعالم (RTL)
- Hebrew: שלום (RTL)
- Persian: سلام دنیا (RTL)

South Asian scripts

- Devanagari: नमस्ते (Hindi)
- Tamil: நமஸ்தே
- Bengali: নমস্কেত

Other scripts

- Thai: สวัสดี
- Amharic: ሰላም
- Georgian: გამარჯობა მსოფლიო

Testing methodology

Visual verification

All emoji and scripts:

1. Rendered in PDF output
2. Visually inspected for correctness
3. Checked for proper colour rendering (emoji)
4. Verified in both screen and print modes

Font fallback chain

The system tests fallback behaviour:

Primary → Secondary → System fallback

- If primary font lacks a glyph, system tries secondary
- Final fallback to system fonts if needed
- Missing glyphs indicated by ☐ (replacement character)

Known limitations

1. **ZWJ sequences**: Complex emoji may render as separate glyphs on older systems
2. **COLRv1 support**: Requires modern font rendering (Cairo 1.18+, FreeType 2.13+)
3. **RTL layout**: Simplified handling; complex bidirectional text may need adjustment
4. **Rare scripts**: Some scripts require additional font installation

Font configuration

See `fonts-storage/fonts.conf` for the complete fontconfig configuration.

Key settings:

- Emoji font priority ordering
- Script-specific font mappings
- Fallback chains
- Hinting and antialiasing preferences- YAML frontmatter (document metadata)
- Heading hierarchy (TOC / PDF bookmarks)
- Lists, code blocks, blockquotes
- Tables and references
- Stable navigation (SUMMARY.md)

Example table

Item	Purpose
Heading	TOC/bookmarks
Table	list of tables

Example code block

```
python -m gitbook_worker.tools.workflow_orchestrator --help
```

Legal Notice

This document serves as a demonstration of legal notice formatting in technical publications.

Publisher information

In a production document, this section would include:

- Publisher name and address
- Responsible parties
- Editorial team contact information
- ISBN/ISSN numbers where applicable

Copyright notice

Typical copyright statements include:

- Copyright year and holder
- Rights reserved statement
- Permitted use conditions
- Trademark acknowledgements

Licence terms

For open-source documentation:

- **Content licence:** Creative Commons or similar
- **Code licence:** MIT, Apache, GPL, or other open-source licence
- **Asset licences:** Individual licences for fonts, images, and third-party content

See LICENSE-CODE and LICENSE-FONTS for specific terms.

Liability disclaimer

Standard disclaimers typically cover:

- Accuracy of information
- Fitness for particular purpose
- Third-party content responsibility
- External link liability

Data protection

For digital publications:

- Data collection practices
- Privacy policy references
- Cookie usage (web versions)
- Analytics and tracking disclosure

Contact

In production, include:

- Technical support contact
- Editorial feedback address

- Legal enquiries contact

Glossary

Definitions of technical terms used throughout this document.

A

API (Application Programming Interface)

Interface that enables software components to communicate with each other.

Accessibility

Design of content that is usable by people with disabilities.

B

Bibliography

List of sources cited or referenced in a document.

Build Pipeline

Automated process for converting source files into output formats.

C

CI/CD (Continuous Integration / Continuous Deployment)

Practice of frequently integrating code and automatically deploying it.

COLRv1

Modern colour font format for vector graphics in fonts.

D

Documentation Framework

Structured system for creating and managing documentation.

E

Emoji

Pictographic characters from the Unicode Standard representing emotions and objects.

F

Fontconfig

Library for configuring and customising font access.

Frontmatter

Metadata block at the beginning of a Markdown file (YAML format).

G

Git

Distributed version control system for tracking code changes.

Glyph

Visual character representing one or more Unicode code points.

I

ISO 8601

International standard for date and time formats.

L

LaTeX

Typesetting system for high-quality typographic output.

Licence

Legal agreement regarding the use of software or content.

M

Markdown

Lightweight markup language for formatting text.

Metadata

Information about documents (title, author, date, etc.).

O

Open Source

Software with freely available source code.

OpenType

Modern font format with advanced typographic capabilities.

P

Pandoc

Universal document conversion tool.

PDF (Portable Document Format)

Platform-independent file format for documents.

R

Rendering

Process of visually displaying code or markup.

RTL (Right-to-Left)

Text direction from right to left (Arabic, Hebrew).

S

Semantic Versioning

Version numbering using the MAJOR.MINOR.PATCH scheme.

SVG (Scalable Vector Graphics)

Vector graphics format for scalable images.

U

Unicode

Universal character encoding standard for all writing systems.

V

Version Control

System for tracking and managing changes to files.

X

XeLaTeX

LaTeX engine with native Unicode and OpenType support.

Y

YAML (YAML Ain't Markup Language)

Human-readable data serialisation format.

Z

ZWJ (Zero Width Joiner)

Invisible Unicode character for combining emojis.

Note: This glossary contains terms relevant to this documentation framework. For complete definitions, please consult official specifications and standards.

Citations & further reading

Bibliography and additional resources for further reading.

Purpose

This bibliography:

- **Documents sources:** All cited references
- **Enables verification:** Readers can check original sources
- **Provides context:** Background information on topics
- **Extends knowledge:** Further reading materials

Citation style

This document uses **APA style** (7th edition):

Author, A. A. (Year). Title of work. Publisher.

For online resources:

Author, A. A. (Year). Title. Website Name. URL

Categories

Technical standards

Official specifications and standards:

- ISO, RFC, W3C specifications
- Unicode Consortium documents
- OpenType specifications

Documentation

Official tool and software documentation:

- Pandoc manual
- LaTeX/XeLaTeX references
- Git documentation
- Python libraries

Articles and tutorials

Best practices and guides:

- Technical blog posts
- Tutorial websites
- Community resources

Books

Technical books on relevant topics:

- Documentation methodology
- Typography and typesetting
- Software development

Example entries

Standards

Unicode Consortium. (2023). *The Unicode Standard, Version 15.0*. Unicode Consortium. <https://www.unicode.org/versions/Unicode15.0.0/>

Internet Engineering Task Force. (2018). *RFC 8259: The JavaScript Object Notation (JSON) Data Interchange Format*. IETF. <https://tools.ietf.org/html/rfc8259>

Software documentation

Pandoc. (2023). *Pandoc User's Guide*. <https://pandoc.org/MANUAL.html>

LaTeX Project. (2023). *LaTeX2e: An unofficial reference manual*. <https://latexref.xyz/>

Articles

Semantic Versioning. (2023). *Semantic Versioning 2.0.0*. <https://semver.org/>

Markdown Guide. (2023). *Basic Syntax*. <https://www.markdownguide.org/basic-syntax/>

Further resources

Online communities

- **Stack Overflow:** Questions and answers on technical problems
- **GitHub:** Open-source projects and discussions
- **Reddit:** r/LaTeX, r/Markdown, r/technicalwriting

Learning platforms

- **Write the Docs:** Community for technical writers
- **Overleaf:** Online LaTeX editor with tutorials
- **GitHub Learning Lab:** Git and GitHub courses

Tools

- **Zotero:** Reference management
- **Grammarly:** Language checking
- **draw.io:** Diagram creation

Source verification

When using sources:

1. **Check currency:** Is the information still current?
2. **Assess authority:** Is the source trustworthy?
3. **Multiple sources:** Confirm information
4. **Primary sources:** Prefer official documentation

Contribution guidelines

When adding new references:

- Consistent citation style (APA)
- Complete bibliographic information

- Access date for online resources
- Categorisation for easy navigation

Note: This bibliography is continuously updated. Contributions and corrections are welcome.

Index

Alphabetical subject index for quick access to topics.

Purpose

The index enables:

- **Quick lookup:** Immediate access to specific terms
- **Cross-references:** Linking related concepts
- **Completeness:** Overview of covered topics
- **Navigation:** Alternative access pattern to table of contents

Structure

The index is organised:

- **Alphabetically:** Sorted by initial letter
- **Hierarchically:** Main and sub-terms
- **With page references:** Direct links to sections
- **Cross-referenced:** “See also” notes

Usage

In printed versions

The index appears:

- At the end of the document
- After appendices and lists
- With page numbers for each reference

In digital versions

The index provides:

- Clickable links to sections
- Search functionality within the index
- Integration with PDF bookmarks

Indexing

Entries

Typical index entries:

Term, Page
 Sub-term, Page
 Sub-term, Page
Another Term, Page
 see also: Related Term

Conventions

- **Bold:** Primary definition or main discussion
- *Italic:* Passing mention

- (Figure): Visual representation
- (Table): Tabular information

Automatic generation

This index can be automatically generated from:

- Explicit index markers in Markdown
- Headings and subsections
- Glossary entries
- Code example titles

Best practices

For effective indexing:

1. **Consistent terms:** Use uniform terminology
2. **Multiple entries:** Index concepts under different search terms
3. **Cross-references:** Connect related terms
4. **Avoid over-indexing:** Include only significant references

Maintenance

The index should be:

- Updated with each major version
- Include new terms from added chapters
- Remove obsolete references
- Check consistency with glossary

Note: A complete index is generated during the final build process and includes all indexed terms with precise page references.

Acknowledgments & Attributions

This document acknowledges the contributors, tools, and resources that made this publication possible.

Font attributions

This document uses the following open-source fonts:

Twemoji Mozilla

- **Licence:** CC BY 4.0
- **Source:** Mozilla's Twemoji COLRV1 implementation
- **Purpose:** Emoji rendering in text
- **Licence URL:** <https://creativecommons.org/licenses/by/4.0/>

DejaVu Fonts

- **Licence:** Bitstream Vera Licence / Arev Licence
- **Purpose:** Base text rendering
- **Coverage:** Latin, Cyrillic, Greek, and extensive Unicode blocks

Twitter Color Emoji

- **Licence:** CC BY 4.0 (artwork) / MIT (code)
- **Source:** Twitter's open-source emoji set
- **Purpose:** Fallback emoji rendering

Software tools

Built with open-source software:

- **Python:** Core automation and orchestration
- **Pandoc:** Markdown to LaTeX conversion
- **XeLaTeX/LuaLaTeX:** PDF typesetting
- **GitBook:** Content structure and metadata

Python libraries

Key dependencies:

- **PyYAML:** Configuration and frontmatter parsing
- **GitPython:** Git repository management
- **Jinja2:** Template processing
- **svglib:** SVG handling and conversion

Content and methodology

Special acknowledgements:

- **Unicode Consortium:** For comprehensive character encoding standards
- **OpenType specification:** For modern font rendering capabilities
- **Markdown community:** For lightweight, readable markup language

Contributors

Gratitude to all who contributed:

- Content authors and editors
- Technical reviewers
- Translation teams
- Testing and quality assurance
- Documentation framework developers

Licence compliance

All third-party assets are used in accordance with their respective licences. See:

- LICENSE-CODE for code licencing
- LICENSE-FONTS for font licencing
- Individual attribution files in fonts-storage/ for detailed font information

This acknowledgements section demonstrates proper attribution practices for open-source documentation projects.

Errata

This section documents corrections and updates to the published document.

Purpose

The errata page serves to:

- Document errors discovered after publication
- Provide corrections for known issues
- Track version-specific changes
- Maintain document accuracy over time

How to report issues

If you discover an error:

1. Check this page to see if it's already documented
2. Note the version number, page/section, and nature of the issue
3. Report via the appropriate channel (issue tracker, email, etc.)

Errata format

Each entry includes:

- **Version:** Which version contains the error
- **Location:** Page number or section reference
- **Type:** Typographical, technical, factual, or formatting error
- **Description:** What is incorrect
- **Correction:** The correct information
- **Status:** Fixed in version X.X.X or pending

Version 1.0.0

No errata reported for this version.

Continuous improvement

This document is maintained as a living record. Regular reviews ensure:

- Technical accuracy
- Up-to-date references
- Correction of typographical errors
- Improvement of clarity

Check the release notes for the current version status.

Release Notes

This document tracks changes, improvements, and fixes across versions.

Version 1.0.0 (2024-06-01)

Initial release

First public version of the documentation framework.

Features:

- Multilingual support (English and German)
- Comprehensive emoji rendering across all Unicode categories
- 100+ language samples demonstrating font coverage
- Professional PDF generation with proper typography
- Structured navigation with table of contents
- Code examples and technical documentation patterns

Content structure:

- Core chapters demonstrating documentation patterns
- Examples section (emoji tests, image formats, language samples)
- Appendices (technical specifications, font coverage)
- Complete metadata framework (YAML frontmatter)

Technical foundation:

- Python-based build orchestration
- Markdown source format
- LaTeX/XeLaTeX PDF generation
- Unicode and OpenType font support
- Automated table of contents generation

Known limitations

- Some complex emoji sequences may render differently depending on font support
- RTL (right-to-left) text layout uses simplified handling
- Large SVG images may require optimization for faster rendering

Requirements

- Python 3.8+
 - XeLaTeX or LuaLaTeX
 - Required fonts: DejaVu, Twemoji Mozilla
 - Git for version control
-

Version history format

Future releases will follow this structure:

Version X.Y.Z (YYYY-MM-DD)

Added:

- New features and capabilities

Changed:

- Modifications to existing functionality

Fixed:

- Bug fixes and corrections

Deprecated:

- Features marked for future removal

Removed:

- Discontinued features

Security:

- Security-related changes
-

Semantic versioning

This project follows Semantic Versioning:

- **MAJOR** (X.0.0): Incompatible changes
- **MINOR** (0.X.0): Backwards-compatible new features
- **PATCH** (0.0.X): Backwards-compatible bug fixes

Colophon

This document was created using a modern publishing workflow that transforms Markdown source files into professional PDF output.

Production details

Typography

- **Body text:** Professional serif typeface
- **Headings:** Sans-serif for clear hierarchy
- **Code:** Monospace font for technical content
- **Emoji:** Colour emoji font with extensive Unicode coverage

Software and tools

This document was produced using:

- **Python:** Workflow orchestration and document processing
- **Markdown:** Lightweight markup for source content
- **LaTeX:** Professional typesetting engine
- **Git:** Version control for source management

Document format

- **PDF/A compliance:** Archival-quality output
- **Embedded fonts:** Complete font embedding for consistency
- **Bookmarks:** Hierarchical navigation structure
- **Metadata:** Comprehensive document properties

Design principles

The visual design follows established principles:

- Clear typographic hierarchy
- Generous whitespace for readability
- Consistent formatting throughout
- Accessible colour contrasts

Licensing

See the licensing sections for details on content, code, and font licenses.

Revision

Version 1.0, January 2026