TL;DR IN 8 CARDS

Your Security Backlog is an Architecture Problem


AI is making vulnerabilities easier to exploit. The ability to update, isolate, and recover enterprise systems is becoming a critical security capability.

ROB BROWN

SWIPE →

Nothing changed but the odds.

A vulnerability considered too difficult to exploit two years ago can become a practical attack today. AI is reducing the effort required to investigate weaknesses and develop exploits. The software stays the same. The risk does not. Every accepted vulnerability rests on assumptions about what attackers can do. Those assumptions need to be revisited as their capabilities improve.



Finding vulnerabilities is getting easier. Fixing them isn't.

Verizon found that organizations fully remediated only 26% of known exploited vulnerabilities in 2025. Median remediation time reached 43 days. AI accelerates discovery, but production changes still require testing, coordination, and deployment. A vulnerability discovered in hours can remain exposed for weeks. The constraint is no longer just knowing what is wrong. It is being able to change the system safely.

Legacy systems can become expensive overnight

A fifteen-year-old system can look economical until a critical vulnerability appears in a dependency it cannot easily update. Suddenly, the choices are continued exposure, restricted service, or emergency modernization. The technical debt was already there. The financial consequences arrived without warning. Modernization business cases need to account for the cost of systems that cannot be patched, isolated, or replaced quickly.

The price of finding security exploits fell.

The PHP vulnerabilities disclosed in October 2026 illustrate the shift. An underlying weakness reportedly known since 2020 became part of a practical exploit chain developed with AI-assisted research. The code had not suddenly become vulnerable. The ability to exploit it had changed. Organizations can no longer assume that yesterday's difficulty will protect tomorrow's systems.



Architecture determines the consequences of a successful attack

Two organizations can run the same vulnerable software and face very different consequences. One isolates the affected service, limits its permissions, and deploys a fix independently. The other depends on tightly coupled applications and shared infrastructure. The vulnerability is identical. The exposure and recovery options are not. Isolation, deployment independence, and recoverability are security capabilities established long before an attack begins.

AI helps defenders most when their systems can change

AI can identify defects, propose corrections, and improve testing. It cannot automatically eliminate undocumented dependencies or make a tightly coupled application safe to update. Organizations with strong testing, deployment, and recovery practices can turn AI-assisted fixes into production changes faster. Those without them risk discovering problems faster than they can resolve them.

Architecture investment is becoming security investment

Security budgets address immediate threats. Modernization budgets compete on efficiency and long-term business value. That separation misses an important cost. A system that can be updated in hours instead of weeks reduces the time it remains exposed. A service that can be isolated limits the consequences of compromise. The ability to change and recover safely belongs in the security investment discussion.

Cybersecurity increasingly depends on whether enterprise systems can be changed, isolated, and recovered as quickly as threats evolve.

The article connects the October 2026 PHP vulnerabilities, Verizon's 43-day median remediation time, and the financial exposure of legacy systems. It explains why old risk decisions need reassessment and why architecture investment deserves a place in security planning.

---

https://robisit.com/thoughts/security-cost-of-hard-to-change-software/

Follow Rob Brown on LinkedIn