

## BUOY

Asks specific questions only applicable to men or women. We answered the questions the same as much as possible. We noted that the rest of the questions were the same but sometimes asked in a different order. For example, we noted that questions about stress or emotional time are asked earlier in the chat to women and much later to men. This document notes all the differences between questions that are not specifically for men or women. The only difference we made was the gender, so it was either female or male; for all the other symptoms questions, we answered them all the same.

### MAN (23) with stomach ache:

Based on what you've said, the most likely conditions right now are:

1. [Unspecified abdominal pain](#)
2. [Dyspepsia or gastritis](#)

We have a **88% belief** in these top conditions so far. There are 2 other likely conditions, and 38 other possible, but unlikely, conditions being considered.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

Best match

## Unspecified abdominal pain

The abdomen extends from below the chest to the groin. Often it is referred to as the stomach, but the abdomen includes more organs than just the stomach, like the pancreas and liver. Abdominal pain is not stomach-specific and maybe radiating from another organ.

[Read about condition](#) >

- Wait and watch
- 📅 Average recovery time is less than 1 week.
- 👤 Common  
2 in 10 people have this per year
- ✓ Because you answered:  
✓ abdominal pain (stomachache)

WOMEN (23) with stomach ache:

Based on what you've said, the most likely conditions right now are:

1. [Unspecified abdominal pain](#)
2. [Dyspepsia or gastritis](#)
3. [Normal variation of constipation](#)

We have a **75% belief** in these top conditions so far. There are 6 other likely conditions, and 43 other possible, but unlikely, conditions being considered.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

Best match

## Unspecified abdominal pain

The abdomen extends from below the chest to the groin. Often it is referred to as the stomach, but the abdomen includes more organs than just the stomach, like the pancreas and liver. Abdominal pain is not stomach-specific and maybe radiating from another organ.

[Read about condition](#) >

- Wait and watch
- 📅 Average recovery time is less than 1 week.
- 👤 Common  
2 in 10 people have this per year
- ✓ Because you answered:  
✓ abdominal pain (stomachache)

**Differences:**

Two questions that were not asked to the women but were asked to the men:

- Do his symptoms start or get worse after a meal?
- Has he felt more tired than usual?

What is interesting to note is that the woman is asked about alcohol consumption; this is not asked of the man.

MAN (23) with head ache:

Based on what you've said, the most likely conditions right now are:

1. [Normal occurrence of headache](#)
2. [Common cold](#)
3. [Recurrent tension headache](#)

We have a **74% belief** in these top conditions so far. There are 8 other likely conditions, and 35 other possible, but unlikely, conditions being considered.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

## Normal occurrence of headache

Headaches are extremely common and a primary reason people miss work or school. In many cases, the cause for headache is unknown. If her headache continues, changes or worsens, check her symptoms with us again or call her primary care doctor's office.

WOMAN (23) with head ache:

Based on what you've said, the most likely conditions right now are:

1. [Normal occurrence of headache](#)
2. [Recurrent tension headache](#)
3. [Common cold](#)

We have a **74% belief** in these top conditions so far. There are 9 other likely conditions, and 36 other possible, but unlikely, conditions being considered.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

# Normal occurrence of headache

Headaches are extremely common and a primary reason people miss work or school. In many cases, the cause for headache is unknown. If her headache continues, changes or worsens, check her symptoms with us again or call her primary care doctor's office.

## Differences:

For the question: Does he/she have any of the following related symptoms? The suggested symptoms are different for the man and woman:

Women:

- Fever
- Head or face injury
- Abdominal pain (stomachache)
- Vomiting
- New trouble seeing (blurry vision, double vision, etc)
- None of the above

Man:

- Fever
- Head or face injury
- Vomiting
- Rash
- Eye pain
- None of the above

Questions that were asked to the woman and not the man:

- Woman asked if she has issues with her back.
- Woman asked if she has symptoms from the eyes.

Questions that were asked to the man and not the woman:

- Man asked if he has a difficulty walking.
- Man asked if he lost consciousness.
- Man asked if he has muscle weakness.
- Man asked if symptoms get worse when exercising.
- Man asked if symptoms start after straining or heavy lifting.
- Man asked if running makes his symptoms worse.
- Man asked if coughing makes the symptoms worse or appear.

MAN (23) with painful shoulder:

✦ BETA

Based on what you've said, the most likely conditions right now are:

1. [Non-specific shoulder pain](#)

We have a **66% belief** in these top conditions so far.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

Best match

## Non-specific shoulder pain

The shoulder is made up of many ligaments and several bones. The cause of shoulder pain is often difficult to figure out because of how complicated the joint is.

[Read about condition](#) >

### ● Self-treatment ✓

This condition usually resolves on its own. Over-the-counter products and at-home remedies may help you

### 📅 Average recovery time is 1 to 2 weeks.

### 👤 Common

2 in 100 people have this per year

### ✓ Because you answered:

✓ shoulder pain from overuse

WOMAN (23) with painful shoulder:

✦ BETA

Based on what you've said, the most likely conditions right now are:

1. [Non-specific shoulder pain](#)

We have a **66% belief** in these top conditions so far.

Continue answering questions to narrow down the list of possible conditions and find the right care for you.

Best match

## Non-specific shoulder pain

The shoulder is made up of many ligaments and several bones. The cause of shoulder pain is often difficult to figure out because of how complicated the joint is.

[Read about condition](#) >

### ● Self-treatment ✓

This condition usually resolves on its own. Over-the-counter products and at-home remedies may help you

📅 Average recovery time is 1 to 2 weeks.

👤 Common

2 in 100 people have this per year

✓ Because you answered:

✓ shoulder pain from overuse

**Differences:**

Questions that were asked to the woman and not the man:

- Woman asked if she has issues with her hands or fingers

Questions that were asked to the man and not the woman:

- Man asked if symptoms get worse with exercise