Lazy Reimplication in Chronological Backtracking

Robin Coutelier[1] Mathias Fleury[2] Laura Kovács[1]

[1] TU Wien, Vienna, Austria
robin.coutelier@tuwien.ac.at

[2] University of Freiburg, Freiburg, Germany

August 2024



Acknowledgements

The authors acknowledge support from the ERC Consolidator Grant ARTIST 101002685; the TU Wien Doctoral College TrustACPS; the FWF SpyCoDe SFB projects F8504; the WWTF Grant ForSmart 10.47379/ICT22007; the bwHPC of the state of Baden-Württemberg; the German Research Foundation (DFG) through grant INST 35/1597-1 FUGG; and a gift from Intel Corporation. The first author's Master thesis [Coutelier, 2023] conducted at the University of Liège under the supervision of Pascal Fontaine laid the foundations of this work. We thank him for his insights. We also thank the anonymous reviewers for their valuable feedback.










Dichotomy of Chronological Bactracking



Dichotomy of Chronological Bactracking


CDCL
greedy backtracking?

Dichotomy of Chronological Bactracking




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg\underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg\underline{v_1} \vee \neg\underline{v_3} \vee \neg v_4 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_2} \vee \neg\underline{v_5} \vee \neg v_6 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg\underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg\underline{v_3} \vee \neg\underline{v_4} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_2} \vee \neg\underline{v_5} \vee \neg v_6 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_3 \vee \quad v_5 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \quad v_3 \vee \neg v_5 \vee \quad v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \underline{v_4} \vee \neg\underline{v_3} \\
C_2 &= \neg\underline{v_4} \vee \neg\underline{v_3} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \underline{v_4} \vee \neg\underline{v_3} \\
C_2 &= \neg\underline{v_4} \vee \neg\underline{v_3} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg\underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg\underline{v_3} \vee \neg\underline{v_4} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg\underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg\underline{v_3} \vee \neg\underline{v_4} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6 \\
C_7 &= \neg v_1 \vee \neg v_3
\end{aligned}
$$




Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Conflict Driven Clause Learning [Moskewicz et al., 2001]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_5 \vee \neg v_2 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Invariants in Non-Chronological Backtracking CDCL

Invariant (Implied literals)

If a literal ℓ is in the trail π, then ℓ is either a decision literal or ℓ is implied by π and its reason $\rho(\ell)$. That is,

$$\forall \ell \in \pi.\ \ell \in \pi^d \ \vee\ [\ell \in \rho(\ell)\ \wedge\ [\rho(\ell) \setminus \{\ell\} \wedge \pi] \vDash \bot]\,.$$

Invariants in Non-Chronological Backtracking CDCL

Invariant (Implied literals)

If a literal ℓ is in the trail π, then ℓ is either a decision literal or ℓ is implied by π and its reason $\rho(\ell)$. That is,

$$\forall \ell \in \pi.\ \ell \in \pi^d \ \vee\ [\ell \in \rho(\ell)\ \wedge\ [\rho(\ell) \setminus \{\ell\} \wedge \pi] \vDash \bot]\,.$$

Invariant (Topological order)

The trail π is a topological order of the implication graph.

Invariants in Non-Chronological Backtracking CDCL

Invariant (Implied literals)

If a literal ℓ is in the trail π, then ℓ is either a decision literal or ℓ is implied by π and its reason $\rho(\ell)$. That is,

$$\forall \ell \in \pi.\ \ell \in \pi^d \ \vee\ [\ell \in \rho(\ell)\ \wedge\ [\rho(\ell) \setminus \{\ell\} \wedge \pi] \vDash \bot]\,.$$


Invariant (Topological order)

The trail π is a topological order of the implication graph.

Invariant (Strong watched literals)


Consider the trail $\pi = \tau \cdot \omega$. For each clause $C \in F$ watched by the two distinct watched literals c_1, c_2, we have $\neg c_1 \in \tau \Rightarrow c_2 \in \pi$.

Dichotomy of Chronological Bactracking




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \underline{v_4} \vee \neg\underline{v_3} \\
C_2 &= \neg\underline{v_4} \vee \neg\underline{v_3} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg\underline{v_5} \vee v_6
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg \underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg \underline{v_3} \vee \neg \underline{v_4} \vee \neg v_1 \\
C_3 &= \underline{v_3} \vee \underline{v_5} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg \underline{v_5} \vee \neg \underline{v_6} \vee \neg v_2 \\
C_6 &= \underline{v_3} \vee \neg \underline{v_5} \vee v_6
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_3 \vee \quad v_5 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \quad v_3 \vee \neg v_5 \vee \quad v_6 \\
C_7 &= \neg v_1 \vee \neg v_3
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_5 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_5 \vee \neg v_2 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Chronological Backtracking [Nadel and Ryvchin, 2018]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_2 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Weak Chronological Backtracking [Coutelier, 2023]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_2 \vee \neg v_6 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Weak Chronological Backtracking [Coutelier, 2023]


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_2 \vee \neg v_6 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



C_4 violates the strong watched literals invariant.


$\neg v_3 \in \tau \Rightarrow v_2 \in \pi$

Dichotomy of Chronological Bactracking




What Happened?

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



What Happened?

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_5 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Weak Invariants in WCB


Invariant (Strong watched literals)

Consider the trail $\pi = \tau \cdot \omega$. For each clause $C \in F$ watched by the two distinct watched literals c_1, c_2, we have $\neg c_1 \in \tau \Rightarrow c_2 \in \pi$.


Invariant (Weak watched literals)

Consider the trail $\pi = \tau \cdot \omega$. For each clause $C \in F$ watched by the two distinct watched literals c_1, c_2, we have $\neg c_1 \in \tau \Rightarrow \neg c_2 \notin \tau$.

Dichotomy of Chronological Bactracking




Dichotomy of Chronological Bactracking




Restoration Strong Chronological Backtracking [Möhle and Biere, 2019]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= v_5 \vee v_3 \\
C_4 &= v_2 \vee v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee v_3 \vee v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Restoration Strong Chronological Backtracking [Möhle and Biere, 2019]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= v_5 \vee v_3 \\
C_4 &= v_2 \vee v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_2 \vee \neg v_5 \\
C_6 &= v_6 \vee \neg v_5 \vee v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Restoration Strong Chronological Backtracking [Möhle and Biere, 2019]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_2 \vee \neg v_6 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Restoration Strong Chronological Backtracking [Möhle and Biere, 2019]


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \ v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \ v_5 \vee \ v_3 \\
C_4 &= \ v_2 \vee \ v_3 \vee \neg v_5 \\
C_5 &= \neg v_2 \vee \neg v_6 \vee \neg v_5 \\
C_6 &= \ v_6 \vee \neg v_5 \vee \ v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Invariant (Strong watched literals)

Consider the trail $\pi = \tau \cdot \omega$. For each clause $C \in F$ watched by the two distinct watched literals c_1, c_2, we have $\neg c_1 \in \tau \Rightarrow c_2 \in \pi$.

Dichotomy of Chronological Bactracking




Dichotomy of Chronological Bactracking




Eager Strong Chronological Backtracking [Nadel, 2022]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Eager Strong Chronological Backtracking [Nadel, 2022]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Eager Strong Chronological Backtracking [Nadel, 2022]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Eager Strong Chronological Backtracking [Nadel, 2022]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$




Invariant (Topological order)

The trail π is a topological order of the implication graph.

Eager Strong Chronological Backtracking [Nadel, 2022]

$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_5 \vee \neg v_6 \vee \neg v_2 \\
C_6 &= \neg v_5 \vee \quad v_3 \vee \quad v_6 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Invariant (Topological order)

The trail π is a topological order of the implication graph.

Backtrack Compatible Watched Literals


Invariant (Strong watched literals)

Consider the trail $\pi = \tau \cdot \omega$. *For each clause* $C \in F$ *watched by the two distinct watched literals* c_1, c_2, *we have* $\neg c_1 \in \tau \Rightarrow c_2 \in \pi$.

Invariant (Backward compatible watched literals)


Consider the trail $\pi = \tau \cdot \omega$. *For each clause* $C \in F$ *watched by the two distinct watched literals* c_1, c_2, *we have* $\neg c_1 \in \tau \Rightarrow [c_2 \in \pi \wedge \delta(c_2) \leq \delta(c_1)]$.

Dichotomy of Chronological Bactracking



Lazy Strong Chronological Backtracking (our work)


$$
\begin{aligned}
C_1 &= \neg\underline{v_3} \vee \underline{v_4} \\
C_2 &= \neg\underline{v_3} \vee \neg\underline{v_4} \vee \neg v_1 \\
C_3 &= \underline{v_5} \vee \underline{v_3} \\
C_4 &= \underline{v_2} \vee \underline{v_3} \vee \neg v_5 \\
C_5 &= \neg\underline{v_5} \vee \neg\underline{v_6} \vee \neg v_2 \\
C_6 &= \neg\underline{v_5} \vee \underline{v_3} \vee v_6 \\
C_7 &= \neg\underline{v_3} \vee \neg\underline{v_1}
\end{aligned}
$$



Var	λ
v_1	
v_2	
v_3	
v_4	
v_5	
v_6	

Lazy Strong Chronological Backtracking (our work)


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \ v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \ v_5 \vee \ v_3 \\
C_4 &= \ v_2 \vee \ v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_5 \vee \neg v_2 \\
C_6 &= \ v_6 \vee \neg v_5 \vee \ v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Var	λ
v_1	
v_2	C_4
v_3	
v_4	
v_5	
v_6	

Lazy Strong Chronological Backtracking (our work)


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \ v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \ v_5 \vee \ v_3 \\
C_4 &= \ v_2 \vee \ v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_2 \vee \neg v_5 \\
C_6 &= \ v_6 \vee \neg v_5 \vee \ v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Var	λ
v_1	
v_2	C_4
v_3	
v_4	
v_5	
v_6	

Lazy Strong Chronological Backtracking (our work)


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_2 \vee \neg v_6 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Var	λ
v_1	
v_2	C_4
v_3	
v_4	
v_5	
v_6	

Lazy Strong Chronological Backtracking (our work)


$$
\begin{aligned}
C_1 &= \neg v_3 \vee \quad v_4 \\
C_2 &= \neg v_3 \vee \neg v_4 \vee \neg v_1 \\
C_3 &= \quad v_5 \vee \quad v_3 \\
C_4 &= \quad v_2 \vee \quad v_3 \vee \neg v_5 \\
C_5 &= \neg v_6 \vee \neg v_2 \vee \neg v_5 \\
C_6 &= \quad v_6 \vee \neg v_5 \vee \quad v_3 \\
C_7 &= \neg v_3 \vee \neg v_1
\end{aligned}
$$



Var	λ
v_1	
v_2	
v_3	
v_4	
v_5	
v_6	

Improved Conflict Analysis


$$
\begin{aligned}
C_1 &= \neg v_2 \vee v_1 \\
C_2 &= \neg v_5 \vee v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee v_2 \vee \neg v_4 \\
C_4 &= v_7 \vee v_5 \vee v_3 \\
C_5 &= v_5 \vee \neg v_7 \vee v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee v_2 \\
C_7 &= v_4 \vee v_2
\end{aligned}
$$



Var	λ
v_1	
v_2	
v_3	C_6
v_4	
v_5	
v_6	
v_7	


Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$




Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$




Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$




Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$




Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$



Better Conflict Analysis

$$
\begin{aligned}
C_1 &= \neg v_2 \vee \quad v_1 \\
C_2 &= \neg v_5 \vee \quad v_3 \vee \neg v_4 \\
C_3 &= \neg v_6 \vee \quad v_2 \vee \neg v_4 \\
C_4 &= \quad v_7 \vee \quad v_5 \vee \quad v_3 \\
C_5 &= \quad v_5 \vee \neg v_7 \vee \quad v_6 \\
C_6 &= \neg v_3 \vee \neg v_4 \vee \quad v_2 \\
C_7 &= \quad v_4 \vee \quad v_2
\end{aligned}
$$



Invariants in LSCB

Invariant (Lazy reimplication)

If the lazy reimplication reason $\lambda(\ell)$ of literal ℓ is defined, then the clause $\lambda(\ell)$ is a missed lower implication of ℓ. That is,


$$\begin{aligned}\lambda(\ell) \neq \blacksquare \;\Rightarrow\quad & \ell \in \pi \wedge\ \ell \in \lambda(\ell) \\ & \wedge \left(\lambda(\ell) \setminus \{\ell\} \wedge \pi\right) \vDash \bot \\ & \wedge\ \delta(\lambda(\ell) \setminus \{\ell\}) < \delta(\ell)\end{aligned}$$

Invariant (Lazy backtrack compatible watched literals)


Consider the trail $\pi = \tau \cdot \omega$. For each clause $C \in F$ watched by the two distinct watched literals c_1, c_2, we have

$$\neg c_1 \in \tau \Rightarrow \Big(c_2 \in \pi \wedge \big(\delta(c_2) \leq \delta(c_1) \vee \delta(\lambda(c_2) \setminus \{c_2\}) \leq \delta(c_1)\big)\Big)$$

Results in NapSAT



Satisfiable instances



Unsatisfiable instances

Average total number of propagations for Uniform Random 3-SAT problems

Results in CaDiCaL


Table: Number of solved instances by different variants of strong backtracking on the SC2023 competition, using a $5000\,\mathrm{s}$ timeout

CaDiCaL version	solved	PAR-2 ($\times 10^3$)
base-CaDiCaL = RSCB	**248**	**4.09**
LSCB, Analyze-2 and minimization	246	4.16
ESCB	245	4.16
LSCB and Analyze-2	246	4.19
NCB	247	4.19
LSCB and Analyze-1	242	4.24


Backtracking Algorithm Implementation Complexity

CDCL
greedy backtracking?


Backtracking Algorithm Implementation Complexity




Backtracking Algorithm Implementation Complexity




Backtracking Algorithm Implementation Complexity



Backtracking Algorithm Implementation Complexity



Backtracking Algorithm Implementation Complexity



References I



Coutelier, R. (2023).

Chronological vs. Non-Chronological Backtracking in Satisfiability Modulo Theories.



Möhle, S. and Biere, A. (2019).

Backing backtracking.

In Janota, M. and Lynce, I., editors, *Theory and Applications of Satisfiability Testing - SAT 2019 - 22nd International Conference, SAT 2019, Lisbon, Portugal, July 9-12, 2019, Proceedings*, volume 11628 of *Lecture Notes in Computer Science*, pages 250–266. Springer.

References II



Moskewicz, M. W., Madigan, C. F., Zhao, Y., Zhang, L., and Malik, S. (2001).

Chaff: Engineering an efficient SAT solver.

In *Proceedings of the 38th Design Automation Conference, DAC 2001, Las Vegas, NV, USA, June 18-22, 2001*, pages 530–535. ACM.



Nadel, A. (2022).

Introducing intel(r) SAT solver.

In Meel, K. S. and Strichman, O., editors, *25th International Conference on Theory and Applications of Satisfiability Testing, SAT 2022, August 2-5, 2022, Haifa, Israel*, volume 236 of *LIPIcs*, pages 8:1–8:23. Schloss Dagstuhl - Leibniz-Zentrum für Informatik.

References III


Nadel, A. and Ryvchin, V. (2018).

Chronological backtracking.

In Beyersdorff, O. and Wintersteiger, C. M., editors, *Theory and Applications of Satisfiability Testing - SAT 2018 - 21st International Conference, SAT 2018, Held as Part of the Federated Logic Conference, FloC 2018, Oxford, UK, July 9-12, 2018, Proceedings*, volume 10929 of *Lecture Notes in Computer Science*, pages 111–121. Springer.


No Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3




No Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 d6




No Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 d6 5 ♘g5




No Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 d6 5 ♘g5 d5




Type I Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3




Type I Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 h6




Type II Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3




Type II Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 ♗c5



Type II Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 ♗c5 5 ♘g5



Type II Prophylaxis in Chess

1 e4 e5 2 ♘f3 ♘c6 3 ♗c4 ♘f6 4 d3 ♗c5 5 ♘g5 O-O

