



**Part Number :** [731000105](#)

**Product Description :** BNC Jack, Right-Angle, PCB Receptacle, Die Cast Body, Nickel (Ni) Plated, Low Profile, Tray, 50 Ohms

**Series Number :** 73171

**Status :** Active

**Product Category :** RF / Coaxial Connectors



---

## Documents and Resources

### Drawings

[731000105 sd.pdf](#)

### 3D Models and Design Files

[STEP AP242](#)

[SOLIDWORKS](#)

[Creo](#)

[Symbol and Footprint \(Multi-Format\)](#)

---

## Product Environment Compliance

### Compliance

|                    |                                                                                                         |
|--------------------|---------------------------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                                            |
| China RoHS         |  per SJ/T 11365-2006 |
| EU ELV             | Not Relevant                                                                                            |
| Low-Halogen Status | Not Low-Halogen per IEC 61249-2-21                                                                      |
| REACH SVHC         | Not Contained per D(2020)9139-DC (19 Jan 2021)                                                          |
| EU RoHS            | Compliant with Exemption 6(c) per EU 2015/863                                                           |

### Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

## Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

## Substances of Interest

- PFAS

## EU RoHS Certificate of Compliance

## Additional Product Compliance Information

---

# Part Details

## General

|              |                                                                                                      |
|--------------|------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                               |
| Category     | RF / Coaxial Connectors                                                                              |
| Series       | 73171                                                                                                |
| Description  | BNC Jack, Right-Angle, PCB Receptacle, Die Cast Body, Nickel (Ni) Plated, Low Profile, Tray, 50 Ohms |
| Application  | RF                                                                                                   |
| Product Name | BNC                                                                                                  |
| Style        | PCB                                                                                                  |
| Type         | Miniature                                                                                            |
| UPC          | 800755984002                                                                                         |

## Electrical

|                 |                             |
|-----------------|-----------------------------|
| Frequency       | 2 GHz                       |
| Impedance       | 50Ω                         |
| Power / Voltage | VOLTAGE: 500 Vrms@Sea Level |

## Physical

|                       |             |
|-----------------------|-------------|
| Cable Attachment      | N/A         |
| Gender                | Jack        |
| Keying to Mating Part | N/A         |
| Net Weight            | 5.930/g     |
| Orientation           | Right Angle |

|                             |              |
|-----------------------------|--------------|
| Packaging Type              | Tray         |
| Panel Mount                 | No           |
| Panel Mount Method          | N/A          |
| PCB Mounting                | Through Hole |
| PCB Thickness - Recommended | 2.40mm       |
| Reverse Polar               | No           |
| Wire/Cable Type             | N/A          |

**Solder Process Data**

|                              |      |
|------------------------------|------|
| Lead-Free Process Capability | WAVE |
| Max-Temp                     | 245  |