

CC Patio — Capital Stack Vendor Handoff

Document ID: CAPITAL_STACK_VENDOR_HANDOFF **Path:** docs/CAPITAL_STACK_VENDOR_HANDOFF.md **PDF:** docs/CAPITAL_STACK_VENDOR_HANDOFF.pdf **Status:** ACTIVE — Vendor contract + internal integration map **Effective:** 2026-09-10 **Owner:** Enterprise Systems Architect **Audience:** VividWorks, PrimeView, client IT, successor architects **Binding SoT:** docs/MDM_MASTER_BLUEPRINT.md

0. Authority and boundary

This document is the **vendor-facing companion** to the MDM Master Blueprint. It does **not** replace that file. When this packet and the blueprint disagree on what the Next.js hub may implement, **the blueprint wins**.

In scope for vendors (VividWorks / PrimeView)	Out of scope for the CC Patio MDM hub
3D configurator + WooCommerce storefront	Building vendor middleware
Mapping Woo lines to the Katana Sales Order schema in this file	Woo / GHL order webhooks
Resolving <code>FIN-*</code> → Katana <code>variant_id</code>	Creating live sales orders or manufacturing orders
Passing fabric grade, fabric, and powder as attributes	Cartesian SKU explosion (<code>FIN × grade × PWD × FAB</code>)

Vendor sentence (send as-is):

Your WooCommerce pipeline must map to this exact Katana schema. The line `sku` is the Master SKU (`FIN-...`). Fabric grade, fabric, and frame finish are sales-order row attributes, not SKU suffixes. You resolve `variant_id` from that `FIN-*`. You do not POST orders into the CC Patio MDM hub.

Daily operations (orders, inventory, COGS, invoicing) stay on **native vendor connectors**. The hub never sees a live sales order.

1. Master SKU dictionary

The Master SKU that fires a Katana BOM is the **base frame**, not a cartesian of every fabric and powder. Grade and finish are configuration slots on the sales-order line. That is already how the hub, the VividWorks datapack, and Katana’s API work.

Exploding `FIN × grade × PWD × FAB` would mint on the order of **2.8 million** variants (~200 frames × 6 grades × 6 powders × 396 fabrics) and would not match any recipe published from the hub.

1.1 Grammar (what Katana matches)

FIN-{COL}-{CAT}-{L}X{D}[-{AXIS}]

Segment	Meaning	Rules
FIN	Finished-good class	Always. Sub-assemblies are SA-*. Materials are FAB-* / PWD-* / RM-* / STN-*.
{COL}	Collection	3-letter code from §1.2
{CAT}	Product type	Modular tokens, most-specific first (SWV-CHA , not CHA)
{L}X{D}	Length × depth, inches, no "	Integers only. Diameter products use a single size (FIN-BRV-DYB-84)
{AXIS}	Optional geometry flag	LS / RS handedness, DKT Dekton top, NOARM

Worked example

Bravada sofa, 72" × 34" → FIN-BRV-SOF-72X34

That string is:

- the VividWorks 3D model key
- the WooCommerce / Clover line sku
- the Katana variants[].sku that already has (or will have, after MDM Approve) the manufacturing recipe

Engine: src/lib/sku-engine.ts **Phase 1/2 lists:** docs/Vividworks/Handoff/ and Phase1_and_2_SKUs.csv

1.2 Collection codes

Code	Collection
BRV	Bravada
BRK	Brooklyn
OCN	Ocean
MLN	Milan / Marina
WFT	Waterfall
CAB	Cabana
TJM	Tenjam
TAY	Taylor

Code	Collection
ESY	Easy / Flexy
DAI	Daisy
FLY	Fly
CUS	Custom

1.3 Category codes (program these; most-specific first)

Code	Product
SWV-CHA / CLB-CHA / DIN-CHA	Swivel / club / dining chair
SOF / LOV-SOF / MIN-LOV / ARM-SOF / COR-SOF	Sofa family
SGL-CHS / DOU-CHS / COR-CHS / TRA-SGL-CHS / TRA-DOU-CHS	Chaise family
COF-TAB / SID-TAB / DIN-TAB / BAR-TAB / CNT-TAB / FIR-TAB	Tables
DYB	Daybed
OTT	Ottoman
BST / SWV-BST / FLY-BST	Barstools
DIN-BCH / BCH	Benches
UMB	Umbrella
SWG	Swing

1.4 How fabric grade and frame finish are accounted for

They are **slots**, not characters glued onto `FIN-*`. The VividWorks pack already states: do not cartesian-expand `Base × FAB × PWD × STN` (`docs/Vividworks/Handoff/vividworks_configuration_rules.json`).

Slot	Vendor value	Woo / Clover meta key	What the factory does
Base frame (BOM trigger)	FIN-BRV-SOF-72X34	line sku	Selects FRAME + CUSH recipe
Fabric grade	A – F (PIM locked list)	fabric_grade	Price family; allowed FAB-* set
Upholstery	FAB-ACT-ASH	cushion_fabric	MTO swap of RM-FAB-GENERIC on the cushion
Frame finish	PWD-BLACK	powder_coat	MTO swap of powder on the frame
Dekton (when the product has a top)	STN-DKT-*	dekton	Optional tabletop ingredient

Slot	Vendor value	Woo / Clover meta key	What the factory does
Pillow	FAB-*	pillow (same FAB namespace)	Optional

Configured Identity (engine-internal uniqueness / quote hash — **not** a Katana variant SKU):

```
{FIN}.G{A-F}.{PWD-*}.{FAB-*}
FIN-BRV-SOF-72X34.GA.PWD-BLACK.FAB-ACT-ASH
```

If PrimeView writes that long string into Woo `sku`, Katana's native connector will not find a variant and the BOM will not fire.

1.5 Sellable powder finishes

SKU	Name
PWD-BLACK	Black powder
PWD-BONE	Bone powder
PWD-FANUC-GRAY	Fanuc gray
PWD-LITE-BEIGE	Lite beige
PWD-OIL-RUB-BRONZE	Oil-rub bronze
PWD-WILD-RICE	Wild rice

Do **not** expose primer (PWD-GRAY-ZINC-EPOXY-PRIMER), masking plugs, or hang wire as configurator finishes.

1.6 Namespaces vendors must not invent

Prefix	Role
FIN-*	Sellable finished good (Master SKU)
SA-*-FRAME / SA-*-CUSH	Sub-assemblies the hub publishes
FAB-*	Fabric colorway (~396)
PWD-*	Powder
STN-*	Dekton / stone
BRA-* / OCE-* / BRO-*	Legacy Katana only. Zero overlap with the hub today. Do not target these.

2. Katana Sales Order API — vendor target

Endpoint: POST `https://api.katanamrp.com/v1/sales_orders` **Auth:** Authorization: Bearer <Katana API token> **Content-Type:** application/json **Idempotency:** Idempotency-Key: woo-{woocommerce_order_id} **Official contract:** [Create a sales order](#)

OpenAPI `additionalProperties` is **false**. Extra keys → HTTP 422.

Katana does **not** accept a SKU string on this POST. Required per row: `quantity` + `variant_id`. Required on the order: `customer_id` + `sales_order_rows` (minimum 1).

Creating a sales order does **not** by itself create manufacturing orders.

2.1 Vendor resolve sequence (vendors own this)

Step	Method	Purpose
1	GET <code>/v1/customers?email=</code>	Reuse customer; else POST <code>/v1/customers</code>
2	GET <code>/v1/variants?sku=FIN-...</code>	Integer <code>variant_id</code> for the Master SKU. Fail closed if missing — MDM has not published that frame yet.
3	GET <code>/v1/tax_rates</code> , GET <code>/v1/locations</code>	Stable IDs for AZ / CA. Do not invent.
4	POST <code>/v1/sales_orders</code>	Payload in §2.2
5	POST <code>/v1/manufacturing_order_make_to_order</code>	Only if the SOW includes factory start: { "sales_order_row_id": <id from step 4>, "create_subassemblies": true }, then swap <code>cushion_fabric</code> / <code>powder_coat</code> on the child MO recipe rows

2.2 Exact JSON vendors must emit

`customer_id`, `variant_id`, `tax_rate_id`, and `location_id` in this sample are **shape**, not live IDs. Vendors must look them up. `status` is only `NOT_SHIPPED` (default, real order) or `PENDING` (quote).

```

{
  "order_no": "W00-18422",
  "customer_id": 4812,
  "status": "NOT_SHIPPED",
  "currency": "USD",
  "location_id": 1,
  "order_created_date": "2026-09-10T18:04:00.000Z",
  "delivery_date": "2026-10-22T00:00:00.000Z",
  "customer_ref": "woo:18422",
  "ecommerce_order_type": "woocommerce",
  "ecommerce_store_name": "ccpatio.com",
  "ecommerce_order_id": "18422",
  "additional_info": "Showroom consult 2026-09-08. Ship white-glove.",
  "addresses": [
    {
      "entity_type": "billing",
      "first_name": "Elena",
      "last_name": "Voss",
      "company": "Voss Residences",
      "phone": "+1-480-555-0142",
      "line_1": "8820 E Camelback Rd",
      "line_2": null,
      "city": "Scottsdale",
      "state": "AZ",
      "zip": "85251",
      "country": "US"
    },
    {
      "entity_type": "shipping",
      "first_name": "Elena",
      "last_name": "Voss",
      "company": "Voss Residences",
      "phone": "+1-480-555-0142",
      "line_1": "8820 E Camelback Rd",
      "line_2": null,
      "city": "Scottsdale",
      "state": "AZ",
      "zip": "85251",
      "country": "US"
    }
  ],
  "sales_order_rows": [
    {
      "quantity": 1,
      "variant_id": 90211,
      "price_per_unit": 3840,
      "tax_rate_id": 1,
      "attributes": [
        { "key": "global_sku", "value": "FIN-BRV-SOF-72X34" },
        { "key": "fabric_grade", "value": "A" },
        { "key": "cushion_fabric", "value": "FAB-ACT-ASH" },
        { "key": "powder_coat", "value": "PWD-BLACK" },
        { "key": "config_key", "value": "FIN-BRV-SOF-72X34.GA.PWD-BLACK.FAB-ACT-ASH" }
      ]
    }
  ]
}

```

Allowed address `entity_type: billing | shipping`. Optional order fields: `tracking_number`, `tracking_number_url`, `custom_fields` (UUID keys from Katana custom-field definitions).

2.3 Native Woo connector alternative

If PrimeView uses Katana’s **native WooCommerce connector** instead of a custom POST, the same identity rules apply:

- Woo line SKU = `FIN-*`
- `cushion_fabric` / `powder_coat` / `fabric_grade` must survive as line attributes

The native connector is allowed by the MDM blueprint. A custom POST is also allowed **as their middleware**, not as a feature of this repository.

3. Hard rules for the vendor packet

#	Rule
1	Woo / Clover line <code>sku</code> must equal the Master SKU (<code>FIN-...</code>). Do not suffix grade, powder, or fabric onto that string if you expect Katana SKU match.
2	Do not mint <code>BRA-*</code> , <code>OCE-*</code> , <code>BRO-*</code> legacy factory codes. Live Katana still has those; the hub publishes <code>FIN-*</code> as new variants and will not overwrite unmatched legacy rows.
3	Do not POST sales orders to this Next.js app. No Woo / GHJ order webhooks are in scope. Vendors hit Katana directly (or Katana’s native Woo connector).
4	<code>variant_id</code> is required. A SKU string is not accepted on <code>POST /sales_orders</code> . Resolve via <code>GET /variants?sku=</code> .
5	Required line attributes: <code>global_sku</code> , <code>fabric_grade</code> , <code>cushion_fabric</code> , <code>powder_coat</code> . Optional: <code>dekton</code> , <code>pillow</code> , <code>config_key</code> .
6	<code>Idempotency-Key</code> = <code>woo-{order_id}</code> or <code>clover-{payment_id}</code> . Replay must not create a second sales order.

4. Internal capital stack (CC Patio lanes)

This Next.js application is **PIM + BOM translation + catalog fan-out**. It does not create sales orders, manufacturing orders, invoices, or CRM stages.

```

SketchUp —HMAC→ MDM Hub —Inngest→ Katana products / recipes / ops
                                   |
                                   → Woo catalog (not orders)
                                   → Clover items (not tenders)

VividWorks → WooCommerce —vendor / native→ Katana sales orders
Clover POS  —same FIN SKU + same SO schema→ Katana sales orders
Katana —native QBO connector→ QuickBooks Online (invoice + COGS)
Katana —status webhook / Zapier→ GoHighLevel (stage only)

```

Lane	Owner	Mechanism	Data
SketchUp → Katana	CC Patio (MDM hub)	HMAC webhook → quarantine → Approve → Inngest	FIN / SA / RM, recipes, operations — never sales orders
Katana ↔ QBO	CC Patio IT (config)	Katana native QuickBooks Online connector	Invoices, COGS, inventory valuation, item sync
Katana → GHL	CC Patio (light automation)	Katana webhook / Zapier on SO status	Opportunity stage only; email is the join key
Clover → Katana	CC Patio + POS integrator	Same FIN SKU; same SO schema as Woo	Showroom orders into manufacturing
Woo → Katana	PrimeView / VividWorks	Native Woo connector or this POST body	Out of MDM scope

4.1 Katana ↔ QuickBooks Online

- Enable Katana's official QBO integration. Configure accounts, tax, and item mapping in Katana / QBO — not in this repo.
- Sellable `FIN-*` map to QBO inventory or non-inventory items. `SA-*` / `RM-*` / `FAB-*` / `PWD-*` map as ingredients or non-sellable parts so COGS explodes from the Katana recipe, not from a Woo line.
- Invoice and COGS post when Katana invoices the SO / completes production, depending on connector policy (invoice-on-ship vs invoice-on-create). Pick one policy and keep Clover and Woo on it.
- Do **not** rebuild the cancelled V8 invoice mutex, dual-QBO workers, or Clover deposit matcher.

See [docs/IT_RUNBOOK.md](#) §5 — connector issues are not MDM bugs.

4.2 Katana → GoHighLevel

- GHL is staff CRM only. **Do not** create Katana sales orders from opportunity won. That path is retired.
- Join key: customer email, plus `customer_ref` (`woo:18422` or `clover:{payment_id}`).
- Outbound only: SO created → In Production; MO done → Ready to Ship; SO shipped → Delivered. Use a Katana webhook or Zapier / Make. The MDM hub does not write GHL stages.

4.3 Clover POS → Katana

- On Approve, the hub can publish the same `FIN-*` as a Clover item. Showroom must sell that SKU, with the same three attributes (`fabric_grade`, `cushion_fabric`, `powder_coat`).
- Money stays on Clover (and Clover ↔ QBO if you use it). Manufacturing ingress is a Katana SO using the JSON in §2.2 (`ecommerce_order_type: "clover"`, `Idempotency-Key: clover-{payment_id}`).
- Katana has no first-class Clover app comparable to Woo. You need a thin POS → Katana mapper (Clover app, iPaaS, or the same PrimeView worker). That mapper is **not** this hub.

4.4 SketchUp → Katana

This is the only CAD path, and it is already the hub product:

1. SketchUp posts a signed payload to `POST /api/webhooks/sketchup`.
2. Zod fail → HTTP 400, no insert. Pass → `product_intake` quarantined.
3. Operator sets MSRP / SEO at `/admin/quarantine` and Approves.
4. Ingest `product.approved` fans out **catalog** to Katana (materials → sub-assemblies → finished good → recipe → operations), optionally Woo and Clover.
5. Floor cut-lists ride structured `cut_list` onto Katana recipe notes — not a sales order.

Nested BOM in the hub is `FIN-*` → `SA-*-FRAME` + `SA-*-CUSH` → tube / `RM-FAB-GENERIC` / powder. Colorways are swapped at MTO time, which is why the Master SKU must stay the frame.

5. Architect follow-up (before storefront go-live)

Publish every Phase 1/2 `FIN-*` (and its FRAME / CUSH recipes) into Katana via Approve so `GET /variants?sku=FIN-...` returns an id. Until that exists, vendors will 422 on `variant_id` and the factory will see nothing.

Existing generated handoff files (regenerate with `scripts/vividworks/04-generate-complete-sow-datapack.ts`):

- `docs/Vividworks/Handoff/vividworks_phase1_products.csv`
- `docs/Vividworks/Handoff/vividworks_phase2_products.csv`
- `docs/Vividworks/Handoff/vividworks_material_options.csv`
- `docs/Vividworks/Handoff/vividworks_configuration_rules.json`

6. Sources

- `docs/MDM_MASTER_BLUEPRINT.md` (effective 2026-09-02)
- `docs/IT_RUNBOOK.md` §5 (native connectors)

- Katana OpenAPI: Create a sales order (`additionalProperties: false`)
 - `src/lib/sku-engine.ts` (canonical `FIN-{COL}-{CAT}-{SIZE}` engine)
 - `docs/Vividworks/Handoff/vividworks_configuration_rules.json` (relational pack; 2026-09-09)
 - PIM fabric grade select: `A-F` (`src/app/admin/shared/smart-field-config.ts`)
 - Powder list: `docs/Vividworks/Handoff/vividworks_material_options.csv`
 - Woo line meta keys: `src/server/woocommerce/ingress.schema.ts`
-

End of Capital Stack Vendor Handoff