## **PackML HMI Evaluation**

#### Question Set A

Thank you for contributing to this HMI study. In this evaluation, you will be asked to exercise three separate HMI designs. The insight derived from your feedback will be used to help direct the PackML HMI standardization effort. Please complete the following evaluation tasks and answer the associated questions, beginning with a brief set of demographic questions to help us understand your position in the packaging industry. Please be sure to complete each section in order.

your position in the	packaging indus	siry. Piease t	be sure to complet	e each secii	on in order.
Age:					
Circle the range rep	resenting your a	ge			
18-30	30-40		40-50	50-60	60+
Packaging HMI I Circle the description	•	ing your leve	l of experience usi	ng packagin	g machine HMIs
Never U	sed	Novice	Intermediate	e <i>l</i>	Advanced
Packaging Indus Circle the range rep	, ,		s you have worked	d in the pack	aging industry
0-5 ye	ars 5-	15 years	15-30 years	s 3	0+ years
Packaging Comp Circle the description	, ,		ent company with	respect to H	MIs
End Us		chnology Provider	System Integro	ator Mad	chine Builder
Packaging HMI I	Role:				
Circle the description		ing your curre	ent role with respe	ct to equipm	ent HMIs
Operat	or Deci	sion Maker	Engineer		Other

If other, please specify:

This page intentionally left blank

## **Lenze HMI Evaluation**

Beginning with the Lenze interface, find the following pieces of information. For each question, indicate your level of confidence that your answer is correct and the level of difficulty you experienced searching for the data. Complete each question in this section before continuing to the questions related to the other HMIs.

Lenze Equipment Current State: What is the numeric code representing the Current Equipment State?				
4	5	6	7	
What is your level of confidence in your above answer?				
Not Confident at All	00000	Very Confident		
How difficult did you find this task?				
Very Difficult	00000	Very Easy		
Lenze IP Address: What is the IP address of this Lenze device (i.e., Own IP Address)?				
192.168.2.1 19	2.168.100.11	172.21.117.220	127.0.0.1	
What is your level of confidence in	your above answer?			
Not Confident at All	00000	Very Confident		
How difficult did you find this task?				
Very Difficult	00000	Very Easy		

	Mode Current Time				
What is	s the current value of M	1ode Cu	ırrent Time?		
	0	less th	an 90	90	more than 90
What is	your level of confiden	ice in yo	our above answer?		
	Not Confident of	at All	00000	Very Confide	ent
How di	fficult did you find this	task?			
	Very Dif	ficult	00000	Very Easy	
Which	Held Alarm: of the following is the ineletter label of the co		•		gory?
a.	Reject bin full, clear i	reject bi	in and press start		
b.	Low Temperature at S	Sealer			
C.	Material Low, please	refill ar	nd quit		
d.	Connection lost with	upstrec	ım equipment		
е.	None of the above				
What is	your level of confiden	ice in yo	our above answer?		
	Not Confident of	at All	00000	Very Confide	ent
How di	fficult did you find this	task?			
	Very Dif	ficult	00000	Very Easy	
Overall,	how difficult was the	Lenze i	nterface for the above	tasks?	
	Very Dif	ficult	00000	Very Easy	

## **Beckhoff / Nestlé HMI Evaluation**

Now, switching to the Beckhoff / Nestlé interface, find the following pieces of information. Again, for each question, indicate your level of confidence that your answer is correct and the level of difficulty you experienced searching for the data. Complete each question in this section before continuing to the final section.

Beckhoff / Nestlé Communicati What is the currently reported numb	<b>G</b>	vices?	
0	7	12	19
What is your level of confidence in y	our above answer?		
Not Confident at All	00000	Very Confident	
How difficult did you find this task?			
Very Difficult	00000	Very Easy	
Beckhoff / Nestlé Sealer Tempe What is the currently reported sealer		Celsius?	
130	160	100	204
What is your level of confidence in y	our above answer?		
Not Confident at All	00000	Very Confident	
How difficult did you find this task?			
Very Difficult	00000	Very Easy	

Beckhoff / Nestlé Bad Product Count: What is the current Bad Product count?					
	0	less th	nan 60	60	more than 60
What is	your level	of confidence in y	our above answer?		
	Not	Confident at All	00000	Very Confid	ent
How di	fficult did yo	ou find this task?			
		Very Difficult	00000	Very Easy	
	off / Nestle of the follow	é Alarm: ving is the most re	ecent alarm?		
a.	Reject bin	full, clear reject b	in and press start		
b. Low Temperature at Sealer					
c. Material Low, please refill and quit					
d. Connection lost with upstream equipment					
е.	None of th	ne above			
What is	your level	of confidence in y	our above answer?		
	Not	Confident at All	00000	Very Confid	ent
How di	fficult did yo	ou find this task?			
		Very Difficult	00000	Very Easy	
Overall, how difficult was the Beckhoff / Nestlé interface for the above tasks?					
		Very Difficult	00000	Very Easy	
Would	Would it be difficult working on a production line with both Lenze and Beckhoff / Nestlé interfaces?				
		Very Difficult	00000	Very Easy	

## **Siemens / Qimarox HMI Evaluation**

Now, switching to the Siemens / Qimarox interface, find the following pieces of information. Again, for each question, indicate your level of confidence that your answer is correct and the level of difficulty you experienced searching for the data.

What is the reported speed of the u	•	ages per minute	(ppm)?
0	30	60	200
What is your level of confidence in	your above answer?		
Not Confident at All	00000	Very Confident	
How difficult did you find this task?			
Very Difficult	00000	Very Easy	
Siemens / Qimarox PLC IP Addres			
172.21.117.205	127.0.0.1 192	2.168.2.1	192.168.100.60
What is your level of confidence in	your above answer?		
Not Confident at All	00000	Very Confident	
How difficult did you find this task?			
Very Difficult	00000	Very Easy	

Siemens / Qimarox Reject Count: What is the currently reported reject count?					
	0	less t	han 60	60	more than 60
What is	your level o	of confidence in y	our above answer?		
	Not (	Confident at All	00000	Very Confide	ent
How dif	fficult did yo	u find this task?			
		Very Difficult	00000	) Very Easy	
	ns / Qimar of the follow	ox Alarm: ing is the most re	ecent alarm?		
a.	Reject bin	full, clear reject b	in and press start		
b.	Low Tempe	erature at Sealer			
C.	Material La	ow, please refill a	nd quit		
d.	Connection	n lost with upstre	am equipment		
е.	None of the	e above			
What is	your level o	of confidence in y	our above answer?		
	Not (	Confident at All	00000	Very Confide	ent
How dif	fficult did yo	u find this task?			
		Very Difficult	00000	) Very Easy	
Overall,	how difficu	It was the Sieme	ns / Qimarox interface	for the above to	sks?
		Very Difficult	00000	Very Easy	
	Would it be difficult working on a production line that included a mix of Beckhoff / Nestlé and Siemens / Qimarox interfaces?				
		Very Difficult	00000	Very Easy	

# **HMI Evaluation Summary**

Now, having used each of the interfaces, please answer the questions below. If you would like to be contacted to discuss your evaluation experience further, please provide contact details in the area provided.

#### Overall Preference:

Overdit Preference:			
If you were assigned a position as a line operator, which interface would you prefer using?			
a. Lenze			
b. Beckhoff / Nestle			
c. Siemens / Qimarox			
Why?			

### Perceived Challenges:

To what extend do you agree or disagree with the following statements...

Working with a mixture of these interfaces on a regular basis would lead to reduced efficiency.

Completely Disagree	00000	Completely Agree
---------------------	-------	------------------

Why?

	Vorking with a mixture of these interfaces on a regular basis would lead to safety issues.		
Completely Disagree OOOOC		Completely Agree	
	Why?		
	Standardizing on my preferred interface w	ould significantly red	luce downtime.
	Completely Disagree	0000	Completely Agree
	Why?		
	Chandardining on pour professed interference		liefaction for line anarotore
	Standardizing on my preferred interface w		·
	Completely Disagree (	0000	Completely Agree
	Why?		
	Standardizing on my preferred interface w	ould reduce operator	errors caused by poor HMI design.
	Completely Disagree	0000	Completely Agree
	Why?		
	vviiy:		
	Participating in this evaluation in no way	changed my opinion	regarding HMI standardization.
	Completely Disagree	0000	Completely Agree

## **Additional Comments:**

If you have any additional comments, please include them here. If you would like to be contacted to discuss the evaluation further, please leave contact information below. Thank you for your participation!