

C# Web - MVC

PRO - C# Web 1

DE HOGESCHOOL MET HET NETWERK

Hogeschool PXL – Elfde-Liniestraat 24 – B-3500 Hasselt www.pxl.be - www.pxl.be/facebook



Doel

- ASP.Net Core toepassing
 - MVC Web Application
 - TagHelper
 - SportStore
 - ViewComponent
 - SportStore



ASP.NET CORE

MVC Web Application Sportstore TagHelper

- Add folder
 - TagHelpers
 - Add TagHelper class
 - PageLinkTagHelper.cs

```
namespace SportsStore.TagHelpers
{
    //[HtmlTargetElement("tag-name")]
    public class PageLinkTagHelper : TagHelper
    {
        public PagingInfo PageModel { get; set; }
}
```

- Html
 - <page-link page-model=""></page-link>
- Views/Shared
 - ViewImports.cshtml
 - addTagHelper *, SportStore


PageLinkTagHelper.cs

```
public override void Process(TagHelperContext context, TagHelperOutput output)
   var current = PageModel.CurrentPage;
   var total = PageModel.TotalPages;
   output.TagName = "div";
   output.PreContent.SetHtmlContent(@"");
   for (var i = 1; i <= total; i++)
       output.Content.AppendHtml(GetLink(i, current, total));
   output.PostContent.SetHtmlContent("");
private string GetLink(int linkId, int currentPage, int totalPages)
   string link = $@"";
   link += $"<a class='btn border mt - 3' href=/Home/Index/{linkId} ";</pre>
   link += $"title = Click to go to page {linkId}>{linkId}</a>";
   return link;
```

PageLinkTagHelper.cs Views/Home/Index.cshtml

Sportstore – styling

```
@model ProductsList
@foreach (var p in Model.Products)
    <div class="card card-outline-primary m-1 p-1">
        <div class="bg-faded p-1">
            <h4>
                @p.Name
                <span class="badge badge-pill badge-primary"</pre>
                              style="float:right">
                     <small>@p.Price.ToString("c")</small>
                </span>
            </h4>
        </div>
        <div class="card-text p-1">@p.Description</div>
    </div>
```





ASP.Net Core MVCSportStore

PARTIAL VIEW

Partial View - ProductSummary

Views/Shared

- Add empty razor view
 - ProductSummary.cshtml



Partial View - ProductSummary

Views/Shared

- Add empty razor view
 - ProductSummary.cshtml

```
@model Product
<div class="card card-outline-primary m-1 p-1">
    <div class="bg-faded p-1">
        <h4>
            @Model.Name
            <span class="badge badge-pill badge-primary"</pre>
style="float:right">
                <small>@Model.Price.ToString("c")</small>
            </span>
        </h4>
    </div>
    <div class="card-text p-1">@Model.Description</div>
</div>
```

Partial View - ProductSummary

Views/Home/Index.cshtml



ASP.NET CORE

Sportstore ViewComponent

Navigation Menu

- Nieuwe folder: Components
 - Class: NavigationMenuViewComponent
- Views/Shared
 - Nieuwe folder: Components/NavigationMenu (Views/Shared/Components/NavigationMenu)
 - Add empty razor view
 - Default.cshtml




```
namespace SportsStore.Components
{
    public class NavigationMenuViewComponent : ViewComponent
        private StoreDbContext context;
        public NavigationMenuViewComponent(StoreDbContext context)
            context = context;
        public IViewComponentResult Invoke()
            ViewBag.SelectedCategory = RouteData?.Values["category"];
            return View(_context.Products
                .Select(x => x.Category)
                .Distinct()
                .OrderBy(x \Rightarrow x);
```

Navigation Menu - Views/Shared

Views/Shared/Components/NavigationMenu/Default.cshtml

```
@model IEnumerable<string>
@foreach (string category in Model)
    <a class="htm htm-hlock
@(category == ViewBag.SelectedCategory ?
       "btn-primary": "btn-outline-secondary")"
       asp-action="Index"
       asp-controller="Home"
       asp-route-category="@category"
       asp-route-id="1">
            @category
    </a>
```

```
<body>
    <div class="bg-dark text-white p-2">
        <span class="navbar-brand ml-2">SPORTS STORE</span>
    </div>
    <div class="row m-1 p-1">
        <div id="categories" class="col-3">
            <vc:navigation-menu />
        </div>
        <div class="col-9">
            @RenderBody()
        </div>
    </div>
</body>
```





```
Startup.cs
```

```
app.UseEndpoints(endpoints =>
{
    endpoints.MapControllerRoute(
        name: "default",
        pattern: "{controller=Home}/{action=Index}/{id=1}");
});
```



HomeController

```
public IActionResult Index(int id, string category)
{
    var productsList = _repo.GetProductsList(id, category);
    return View(productsList);
    //return View(_context.Products);
}
```

ProductRepository

```
public ProductsList GetProductsList(int productPage, string
category)
{
    var pl = new ProductsList();
    pl.Products = GetProducts(productPage, category);
    pl.PagingInfo = GetPagingInfo(productPage, category);
    return pl;
}
```

ProductRepository - GetProducts()



```
ProductRepository - GetPagingInfo()
```



ASP.NET CORE VIEWCOMPONENT

MVC Web Application – Oefening 11 Medewerker