Binary Choice Analysis


Robert Hickman 22 February 2018

```
monkey <- "Ulysses"
today <- "09-Mar-2018"
look_back <- "27-Feb-2018"

start_trial <- 0
stop_trial <- 150

merge_days <- TRUE
p1</pre>
```


Monkey Choice Distance From Bundle on Binary Choice Task




p2

Monkey Choice Distance From Bundle on Binary Choice Task


Ulysses: 27-Feb-2018 - 09-Mar-2018






```
##
## Call:
  glm(formula = fractal_choice ~ bundle_position + water_offered +
       juice_offered + trial + date, family = "binomial", data = task_data)
##
## Deviance Residuals:
##
      Min
                 10
                      Median
                                   3Q
                                           Max
                               0.5282
## -2.5877 -0.5724 -0.1735
                                        2.8995
##
## Coefficients:
                     Estimate Std. Error z value Pr(>|z|)
##
## (Intercept)
                    1.055e+03 3.423e+02
                                           3.083 0.00205 **
                                         -8.951
## bundle position -1.234e+00 1.379e-01
                                                 < 2e-16 ***
                    5.167e+00 2.625e-01
## water_offered
                                         19.686 < 2e-16 ***
## juice_offered
                    1.705e+01
                               8.942e-01
                                          19.068
                                                  < 2e-16 ***
## trial
                    1.825e-03 8.946e-04
                                           2.040
                                                  0.04134 *
## date
                   -6.051e-02 1.946e-02 -3.110 0.00187 **
## ---
```

```
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
      Null deviance: 2567.4 on 1921 degrees of freedom
## Residual deviance: 1454.7 on 1916 degrees of freedom
     (638 observations deleted due to missingness)
## AIC: 1466.7
## Number of Fisher Scoring iterations: 6
#generate a model of likelihood to choice for the fractal dependent on it's position,
#value and associated water
model <- glm(data = dplyr::filter(task_data, block_no == max(block_no)),</pre>
            fractal_choice ~ bundle_position + water_offered + as.factor(juice_offered) + trial + date
            family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_choice ~ bundle_position + water_offered +
       as.factor(juice_offered) + trial + date, family = "binomial",
##
       data = dplyr::filter(task_data, block_no == max(block_no)))
##
## Deviance Residuals:
       Min
                   10
                        Median
                                       3Q
                                                Max
## -3.02741 -0.38122 -0.06907
                                  0.25599
                                            1.63805
##
## Coefficients: (1 not defined because of singularities)
##
                                Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                                -8.564560
                                           1.407118 -6.087 1.15e-09 ***
## bundle_position
                                -1.238723
                                           0.512956 -2.415 0.015741 *
## water_offered
                                 6.696773
                                           1.189918
                                                      5.628 1.82e-08 ***
## as.factor(juice_offered)0.32  0.614446
                                           0.601864
                                                       1.021 0.307300
## as.factor(juice_offered)0.44 6.231358
                                           0.989599
                                                       6.297 3.04e-10 ***
## trial
                                 0.015444
                                            0.004637
                                                       3.331 0.000866 ***
## date
                                       NA
                                                          NA
                                                                   NA
                                                  NΑ
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
##
       Null deviance: 273.58 on 201 degrees of freedom
## Residual deviance: 113.74 on 196 degrees of freedom
     (38 observations deleted due to missingness)
## AIC: 125.74
##
## Number of Fisher Scoring iterations: 6
рЗ
```




Monkey Bundle Choice Binoimial Curves Ulysses: 27-Feb-2018 - 09-Mar-2018






p5



р6

Today's Monkey Bundle Choice Binoimial Curves

Ulysses: 09-Mar-2018



p7

Monkey Trial Progression and Bias

Ulysses: 27-Feb-2018 - 09-Mar-2018

