## Binary Choice Analysis

## Robert Hickman

Data shown for:
date


## [1] "19-Dec-2017"

monkey

## [1] "Ulysses"


#plot p1 p1

Monkey Bid Positions on Binary Choice Task



Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)






Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).



## Monkey Bid Distance From Bundle on Binary Choice Task

19-Dec-2017; Ulysses; 2 blocks



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.


A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,</pre>
            fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
            family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
     \mathtt{Min}
              10 Median
                               3Q
                                      Max
## -1.499 -1.143 -0.805
                           1.109
                                    1.608
##
## Coefficients:
                     Estimate Std. Error z value Pr(>|z|)
##
## (Intercept)
                     0.085035
                                0.582895
                                           0.146
                                                    0.8840
## bundle position -0.218910
                                 0.285142 -0.768
                                                    0.4427
## bundle_water_perc 0.321448
                                 0.505212
                                          0.636
                                                    0.5246
## offer value
                     0.169178
                                 0.178346
                                           0.949
                                                    0.3428
## trial
                     -0.005841
                                 0.002524 -2.314
                                                    0.0206 *
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 289.73 on 208 degrees of freedom
##
## Residual deviance: 282.01 on 204 degrees of freedom
     (82 observations deleted due to missingness)
## AIC: 292.01
##
```


## Number of Fisher Scoring iterations: 4





Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.





Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.