Binary Choice Analysis

Robert Hickman

Data shown for:

```
date
```

```
## [1] "28-Dec-2017"
```

```
monkey
```

```
## [1] "Ulysses"
```

```
#plot p1
p1
```



Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)

```
#plot p2
p2
```



Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).

```
#plot p3
p3
```



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.

A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```r
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,
             fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
             family = "binomial")

#summarise the parameters
summary(model)
```

```
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
##     offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
##     Min       1Q   Median       3Q      Max
## -2.8447  -0.5217   0.2102   0.6154   1.8873
##
## Coefficients:
##                     Estimate Std. Error z value Pr(>|z|)
## (Intercept)       -1.096e+00  5.851e-01  -1.873  0.06113 .
## bundle_position   -1.160e+00  3.900e-01  -2.974  0.00294 **
## bundle_water_perc -5.581e+00  9.135e-01  -6.109 1.00e-09 ***
## offer_value        2.562e+00  3.579e-01   7.160 8.08e-13 ***
## trial             -5.409e-06  2.332e-03  -0.002  0.99815
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##     Null deviance: 307.90  on 232  degrees of freedom
## Residual deviance: 179.62  on 228  degrees of freedom
##   (67 observations deleted due to missingness)
## AIC: 189.62
##
## Number of Fisher Scoring iterations: 6
```

```
#plot p4
p4
```



Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.

```
#plot p5
p5
```



Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.