

Binary Choice Analysis

Robert Hickman

Data shown for:

date


[1] "20-Dec-2017"

monkey

[1] "Ulysses"

#plot p1

p1




Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)

#plot p2
p2


Monkey Bid Distance From Bundle on Binary Choice Task

20-Dec-2017 ; Ulysses ; 1 blocks



Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).

```
#plot p3
p3
```



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.

A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```

#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,
             fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
             family = "binomial")

#summarise the parameters
summary(model)


```

```

##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
##      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.4475  -1.1371  -0.9372   1.1918   1.4760
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)   -0.081723   0.459235  -0.178   0.859
## bundle_position -0.199012   0.244515  -0.814   0.416
## bundle_water_perc 0.175116   0.435244   0.402   0.687
## offer_value    -0.151915   0.153534  -0.989   0.322
## trial           0.002031   0.001322   1.537   0.124
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 380.94  on 274  degrees of freedom
## Residual deviance: 376.65  on 270  degrees of freedom
## (75 observations deleted due to missingness)
## AIC: 386.65
##
## Number of Fisher Scoring iterations: 4


```

#plot p4
p4



Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.

```
#plot p5  
p5
```



Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.