
Binary Choice Analysis

Robert Hickman


Data shown for: date ## [1] "18-Jan-2018" monkey ## [1] "Vicer" #plot p1 p1

Monkey Bid Positions on Binary Choice Task




Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)






Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).





18-Jan-2018; Vicer; 1 blocks



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.


A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,</pre>
            fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
            family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
##
                     Median
      Min
                1Q
                                   3Q
                                           Max
                     0.2110
## -2.2798
           0.1183
                              0.5484
                                        1.6577
##
## Coefficients:
##
                     Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                     -2.718577
                                0.922003 -2.949 0.00319 **
                                0.536477 -1.927 0.05404 .
## bundle position
                    -1.033551
## bundle_water_perc 0.712713
                                0.904765
                                           0.788 0.43085
## offer value
                     2.079327
                                0.431439
                                           4.820 1.44e-06 ***
## trial
                     0.010232
                                           1.422 0.15513
                                0.007197
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 138.001 on 129
##
                                       degrees of freedom
## Residual deviance: 92.594
                              on 125
                                       degrees of freedom
## AIC: 102.59
```


Number of Fisher Scoring iterations: 6






Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.





Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.

р6



Same graph as above but with 95% confidence intervals. Uses the default method of calculating this for the tidyverse libraries in R which I'm not convinced are the best way. Looking into calculating and plotting it myself.