## Binary Choice Analysis

## Robert Hickman

Data shown for:
date


## [1] "19-Dec-2017"

monkey

## [1] "Vicer"


#plot p1
p1

Monkey Bid Positions on Binary Choice Task



Graph of choices for each block. Circles indicate bid selecting the bundle, squares are bid selecting the budget. A fractal bid position of 1 means that the bundle is on the left hand side of the screen. Bids range from -1 (all the way to the left) to 1 (all the way to the right)






Graph showing all choices and how far away they are from the edge of the screen on the bundle side. 0 indicates full movement to the bundle side of the screen and 1 represent full movement away. Count is over all blocks for all values of the fractal (in ml of juice).





19-Dec-2017 ; Vicer ; 1 blocks
bundle\_position



Graphs of various factors against the distance from the bundle side of the screen the monkey bids.


A bundle position of 1 indicates that the bundle is on the left hand side of the screen. A bundle water percentage of 1 indicates that the bundle contains no water [CHECK THIS- PRETTY SURE ITS CORRECT], whereas zero means it contains the full 1.2ml. Offer values of 1, 2, and 3 represent 0.15ml, 0.45ml, and 0.75mls of apple and mango juice (150ml in 950ml of water).

Fit lines use LOESS method.

```
#generate a model of likelihood to bid for the fractal dependent on it's position,
#value and associated water
model <- glm(data = task_data,</pre>
            fractal_bid ~ bundle_position + bundle_water_perc + offer_value + trial,
            family = "binomial")
#summarise the parameters
summary(model)
##
## Call:
## glm(formula = fractal_bid ~ bundle_position + bundle_water_perc +
      offer_value + trial, family = "binomial", data = task_data)
##
## Deviance Residuals:
      Min
##
                     Median
                1Q
                                   3Q
                                          Max
## -0.7874 -0.4621 -0.2093 -0.1540
                                        2.8819
##
## Coefficients:
##
                     Estimate Std. Error z value Pr(>|z|)
## (Intercept)
                    -1.761243
                                1.060542 -1.661 0.09677 .
## bundle position
                                0.772314 -2.748 0.00599 **
                    -2.122597
## bundle_water_perc -1.553406
                                0.967369 -1.606 0.10832
## offer value
                     0.204668
                                0.340031
                                           0.602 0.54723
## trial
                     0.001445
                                0.003639
                                           0.397 0.69124
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
       Null deviance: 116.16 on 229 degrees of freedom
##
## Residual deviance: 100.18 on 225 degrees of freedom
     (30 observations deleted due to missingness)
## AIC: 110.18
##
```


## Number of Fisher Scoring iterations: 6





Graph showing the number of trials the monkey carried out for each bundle combination. Does not include failed trials.





Graph showing the proportion of bids for the bundle that a monkey makes, separated by the values of the juice offered in the bundles. Fits using a binomial glm model.