



LARO

Engineering delivery record

COMPLETION-ONLY REPORT · MILESTONES 2 & 3

Implemented. Verified. Recorded.

A concise record of work already delivered in GitHub or implemented and verified in the exact local candidate.

8

original branches
consolidated

71

local remediation
commits

90

roadmap issue
implementations

9

verified localization
checkpoints

Repository consolidation and deliverables

These outputs are already present either on remote main or in the verified delivery artifacts.

COMPLETED ITEM	EVIDENCE STATE	IMPLEMENTED RESULT
Eight-branch consolidation	ON GITHUB	Main, the hosted architecture branch, and six dependency-update branches were integrated. Pull request #224 records the consolidated result on default main.
Updated default main	ON GITHUB	Remote main records commit 046a484bb0040c40951400789ed103ab97563db9, "Merge pull request #224 from Robert-Velhorst/build/windows-consolidated".
Browser application path	IMPLEMENTED	The React application is served by the shared server so the product can run through a web browser rather than only as a backend endpoint.
Connected desktop path	IMPLEMENTED	Electron can connect to the same remote server while retaining the local-workspace mode and its separate runtime behavior.
Windows executable	BUILT LOCALLY	release/1.3.0/LARO Desktop 1.3.0.exe was built at 160,637,500 bytes. Windows x64 application, SQLite, and Canvas structures were inspected.
Shared-server package	PREPARED	Docker/Compose configuration, persistent-volume handling, reverse-proxy guidance, backup operations, connected-desktop arguments, and a Hetzner operator runbook are present.

Completed sequence

- 13 Sep **Repository and branch inventory**
The requested eight branches and developer handoff were inspected and mapped.
- 13 Sep **Eight-way integration**
The hosted architecture work and six dependency lines were consolidated with main.
- 14 Sep **Browser, desktop, and Windows delivery**
The shared browser runtime, connected-desktop mode, packaging controls, and Windows candidate were produced.
- 14 Sep **Consolidation merged**
PR #224 placed the consolidation result on remote default main.

Evidence boundary: "On GitHub," "implemented," and "built locally" are kept distinct so this report records completed outputs without converting local verification into a remote-deployment claim.

Foundation, schema, and collection fixes

Each completed issue is shown explicitly. These twelve implementation records are present in the local remediation candidate.

12 implemented issues

VERIFIED LOCAL

#104	Add executable issue and pull-request templates	#105	Add the duplicate-system review tripwire
#106	Define contribution rules and code ownership	#107	Make the maintenance cadence executable
#108	Use one Gmail keyword-search request	#109	Route collection reports through real notifications
#110	Prevent empty-keyword scheduled collection failures	#111	Establish a non-destructive migration baseline
#112	Replace relationship triggers with native foreign keys	#113	Normalize historical numeric text columns
#114	Reconcile the obsolete billing compatibility schema	#115	Remove the dead auto-collection pipeline

Measured results

NATIVE RELATIONSHIPS 108 Declared foreign keys replace generated relationship triggers.	NUMERIC FIELDS 27 Counts, byte sizes, percentages, quantities, distances, and durations use native storage.
TABLES REBUILT 10 Rows, indexes, triggers, values, and relationships are verified before commit.	COMPATIBILITY ARCHIVE Read-only Historical non-empty billing values remain preserved outside the active model.
0032 numeric normalization · 0033 billing compatibility archive · canonical auto-collection path proof	

Security and integrity ledger

Thirty-one completed issue implementations cover behavioral security, ownership, exports, identity, canonical data, provider safety, and second-round verification.

31 implemented issues

VERIFIED LOCAL

#123	Replace source-text security checks with behavioral contracts	#124	Reject scanner JWTs from Socket.IO sessions
#125	Bind rate limits to trusted client IPs	#126	Stop implicit team grants from authorizing irreversible actions
#127	Neutralize spreadsheet formulas in every CSV export	#128	Report every missing source in evidence exports
#129	Include every account-scoped store in GDPR rights	#130	Remove provider tokens from requests and logs
#131	Make bulk CSV import status truthful	#132	Normalize account email identity
#133	Make support follow-up claims honest	#134	Stream large evidence packages instead of buffering them
#135	Replace JSON team memberships with canonical records	#136	Unify owned and shared-case queries
#137	Remove or implement the unused operator role	#138	Consolidate legacy evidence stores into evidence
#139	Retire disconnected Trello and Telegram connector stacks	#140	Enforce the maintained renderer source boundary
#141	Scope default local folders to the signed-in owner	#142	Remove local filesystem paths from evidence exports
#143	Route bulk case rows through canonical intake	#144	Gate transactional test email delivery
#145	Derive distinct stages for the admin conversion funnel	#146	Apply case search and filters before pagination
#147	Wire or remove the Evidence Summary export action	#148	Fix the case-scoped evidence analytics contract
#149	Paginate Gmail evidence discovery	#150	Preserve changed source versions during repeated pulls
#151	Remove the disconnected Gmail sync and auto-sync stack	#152	Bind generated legal drafts to a reviewed recipient
#153	Verify the second-round trust and workflow fixes		

Implemented result: consequential reads and writes now use explicit owner, case, session, provider, audit, and integrity boundaries; disconnected or misleading paths were removed or redirected to maintained implementations.

Trust and resource ledger

Twenty-five completed issue implementations cover immutable delivery controls, authentication boundaries, grounded AI, durable audit, bounded resources, and canonical workflows.

25 implemented issues

VERIFIED LOCAL

#154 Pin GitHub Actions to immutable revisions

#156 Remove the unused full-session API token

#158 Bound password-reset guessing per account

#160 Keep the no-case assistant out of ungrounded legal advice

#162 Encrypt recovery backups independently of app secrets

#164 Remove unsupported legal conclusions from KvK lookup

#166 Make scanner uploads bounded and resumable

#168 Make outreach initiation atomic and state-valid

#170 Make lawyer comparison use canonical data and actions

#172 Enforce one owner-scoped AI usage budget

#174 Unify OAuth credential lifecycle and exported routes

#176 Reconcile the duplicate onboarding implementations

#178 Verify the third-round trust and resource fixes

#155 Bind OAuth callbacks to the initiating session

#157 Restrict loopback origins to the active renderer

#159 Require grounded review for AI timeline corrections

#161 Enforce safe client-facing error envelopes

#163 Bind scanner approval to immutable file bytes

#165 Make mandatory audit events durable

#167 Apply clarification answers to the case

#169 Route global search results to real case views

#171 Replace timestamp-derived user and lawyer IDs

#173 Enforce bounded evidence-ingestion budgets

#175 Wire or retire the lawyer-rating feedback loop

#177 Remove dead feature flags and unify demo mode

Implemented result: credentials, recovery material, scanner approvals, audit writes, uploads, AI usage, evidence ingestion, and outreach initiation now use enforceable lifecycle and resource limits.

Consent, workflow, and lifecycle ledger

Twenty-two completed implementations cover real-path acceptance, consent, provider scope, truthful workflow states, owner isolation, account lifecycle, and final local verification.

22 implemented issues + 1 resolved duplicate

VERIFIED LOCAL

#179 Make acceptance tests exercise real product paths

#181 Require explicit consent before cloud document processing

#183 Split public health from protected operator diagnostics

#185 Scope automatic shortlist review to the active discovery run

#187 Make public-record research case-scoped and failure-aware

#189 Make text search literal-safe and completeness-aware

#191 Retire the disconnected Google Drive import stack

#193 Verify the fourth-round consent and workflow fixes

#195 Make privacy preferences control real processing

#197 Bind assistant requests to an explicit visible case

#199 Make collection monitoring use canonical pull-job data

#201 Verify the final account and lifecycle fixes

#180 Add blocking source, secret, and container scans

#182 Scope HAI credentials to reviewed cases and fields

#184 Remove unsupported legal-merit and completeness framing

#186 Make Google disconnect represent the shared grant

#188 Invalidate gap analysis when evidence inputs change

#190 Make notifications typed, actionable, and durable

#192 Persist reviewed draft snapshots with source provenance

#194 Bind desktop scanner state to the authenticated owner

#196 Require verified provider-aware account erasure

#198 Wire the Home dashboard to canonical workflow data

#200 Closed duplicate; consolidated into #139 connector cleanup

Counting rule: #200 is recorded for completeness but is not counted as a separate implementation. The 90 completed issue implementations are #104-#115, #123-#199, and #201.

Typed NL/EN workflow migration

Nine finished, committed, and browser-verified sub-deliverables are recorded separately from the 90 full-issue implementations.

COMMIT	COMPLETED SURFACE	IMPLEMENTED RESULT
b0d2ee6	Case and collection workflows	Mounted case overview, documents, timeline, matching, outreach, status, actions, and collection controls use the shared typed catalog.
88ae8ce	Settings workflows	Settings navigation, account/source controls, preference states, and related user-facing messages are catalog-driven.
fef4cfe	Document reconstruction	Map, Gantt, list, source actions, route/category/relationship labels, correction review, and dates/numbers render in the selected locale.
ce1064f	Document-source workflows	Source setup, job status, quick screening, coded failure guidance, filters, progress, retry/recheck controls, and pagination use the typed catalog and locale-aware formatting.
402a929	Public research	Case-scoped KvK, Rechtspraak, and KOOP states, provenance, status, warnings, and recovery controls use the NL/EN catalog.
30e879e	Evidence coverage	Coverage revisions, review states, limitations, unknown legal basis, and freshness states render in the selected locale.
5717d1c	Shared search filters	Case, lawyer, and evidence filters plus saved/recent-search feedback use translated labels and locale-aware metadata.
366b0b8	Case list	Case list filters, empty/results states, action labels, metadata, and dates use typed translations and locale formatting.
3ca8e45	Document inbox	Inbox discovery, assignment, correction, reversal, source context, and workflow status copy use the shared catalog.

Current checkpoint evidence

FOCUSED TESTS

62 passed

Catalog, accessibility contracts, public research, and production-readiness behavior on current head.

ADDITIONAL MIGRATION

328

Audited legacy-copy candidates removed since the prior report checkpoint.

COPY AUDIT

1,142

Acknowledged candidates across 49 files; the current baseline has zero unreviewed drift.

REAL BROWSER

EN + NL

Stable Chrome passed the persisted locale workflow on exact current source.

Current-head verification: server/main/renderer typechecks, full lint, copy-audit drift protection, 62 focused tests, production renderer build, bundle budgets, and the stable-Chrome locale workflow passed on 3ca8e45.

Recorded tests and artifacts

Results are tied to their candidate so older broad gates and newer focused checkpoints are not blended into one unsupported claim.

CANDIDATE / CHECK	RESULT	RECORDED EVIDENCE
Lifecycle candidate ec94985	GATE PASSED	188 test files passed, one skipped; 1,080 tests passed, two skipped. Type, lint, traceability, safety, recovery, Node, and Python stages passed.
Stable Chrome matrix	45 / 45	Desktop/mobile workflows checked HTTP and request failures, page and console errors, accessibility, keyboard behavior, and route-specific states.
Python suite	223 / 223	Isolated Python 3.12 discovery passed together with dependency-compatibility checks.
Dependencies and image	CLEAN	Full/runtime npm audits recorded zero vulnerabilities; the container scan recorded zero HIGH/CRITICAL Debian or Node findings.
Encrypted recovery	PASSED	Recovery restored database, desktop secrets, and managed evidence while preserving prior state.
Windows candidate	BUILT	Portable EXE plus x64 native SQLite/Canvas structures verified; runtime state and desktop-secret files were excluded.
Reconstruction checkpoint fef4cfe	VERIFIED LOCAL	52 focused unit/security tests and two real-Chrome flows passed with lint, all typechecks, production build, copy audit, and bundle budget.
Source checkpoint ce1064f	VERIFIED LOCAL	61 focused tests, targeted EN/NL Playwright coverage, and the full standalone source-recheck Chrome flow passed with lint, typechecks, production renderer build, copy audit, and bundle budget.
Current localization head 3ca8e45	VERIFIED LOCAL	All three typechecks, full lint, 62 focused tests, copy-audit drift protection, production renderer build, bundle budgets, and the stable-Chrome persisted EN/NL workflow passed.

Verification chronology: the broad lifecycle release evidence remains tied to ec94985; the current-head row records only the focused checks rerun after the five newer localization commits.

Exact delivery identity

Branch, artifact, build-budget, and source records identify exactly what this report covers.

Exact candidate identity

milestone3/remediate-roadmap · 3ca8e450ff62c41f90cd29ae524474296ed5a888 · 71 commits ahead of origin/main at report generation

Artifact identity

LARO Desktop 1.3.0.exe · 160,637,500 bytes · SHA-256
a51bb2755a978113d145335df03ba7e6ad0fab8b4acf099d042bd3ea0de294e2

Latest renderer budget

Largest JavaScript chunk: index-CxeyU_m7.js · 188,742 bytes · budget passed

Source snapshot

- Local repository, Git history, committed documentation, and verification output on 25 September 2026.
- Remote consolidation identity from GitHub main and PR #224.
- Verification records in the repository's lifecycle, round, migration, i18n, readiness, and recovery documentation.
- Local implementation status is separate from GitHub issue closure; this report makes no new push, merge, deployment, or issue-closure claim.
- No credentials, provider secrets, recovery keys, private owner data, or server login details are included.

Report scope: every item above has an implementation, commit, artifact, or recorded passing check. Work without completed evidence is omitted.