


arXiv template vote, third round

Fifteen title pages. E and F are the first-round styles you kept, H to J are the barless lab styles of round two, and K to T are ten new directions drawn from twenty industry reports. None of H to T draws a coloured edge bar.

	Style	Class option	Round	First page
E	Card	titlestyle=card	kept	Tinted card with a purple-to-blue edge, logos beside the metadata
F	Band	titlestyle=band	kept	Gradient purple band with white logos, abstract marked by a left rule
H	Lab card	titlestyle=labcard	round two	E without the edge, opened by the BangLab wordmark
I	Lab band	titlestyle=labband	round two	Solid purple band with the white wordmark, abstract and links in one panel
J	Masthead	titlestyle=masthead	round two	Wordmark and colour logos above a double rule, no boxes
K	Cover	titlestyle=cover	new	A full purple cover page, the abstract on page two
L	Hero	titlestyle=hero	new	A deep aubergine block from the top edge holding title and authors
M	Teaser	titlestyle=teaser	new	Kimi and GLM style rules, centred links, a benchmark chart on page one
N	Split	titlestyle=split	new	Authors, affiliations and links in a left column, title and abstract right
O	Swiss	titlestyle=swiss	new	Oversized title, three-column grid, the whole paper set in Inter
P	Highlights	titlestyle=highlights	new	The abstract beside a panel of headline numbers
Q	Letterhead	titlestyle=letterhead	new	A report series line with report number, small-capitals serif title
R	Bilingual	titlestyle=bilingual	new	French and English label, the abstract beside its French résumé
S	Motif	titlestyle=motif	new	A pale network after the Mila glyph in the top corner
T	Minimal	titlestyle=minimal	new	Logos and date in the header, run-in abstract, copyright line

Vote with one letter. The reference atlas beside this sheet shows the twenty-four industry reports the styles came from.

First pages side by side



TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,+}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

✉ **Correspondence:** first.author@mila.quebec,
senior.author@umontreal.ca

 Code: github.com/your-org/your-repo

😊 Hugging Face: huggingface.co/your-org



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as 11pt or twocolumn passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band with white logos across the top of the first page, and rule follows ByteDance Seed and LeapLab with colour




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as milapurple and udeblue.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule labcard, labband, masthead ten more, listed in Table 4	Layout of the first page The same with the lab wordmark See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in Table 3.

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

Abstract

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026

✉ **Correspondence:** `first.author@mila.quebec`, `senior.author@umontreal.ca`

🔗 **Code:** `github.com/your-org/your-repo`

🤖 **Hugging Face:** `huggingface.co/your-org`

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list out.

BangLab

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution *Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅

Date: September 27, 2026

✉

Correspondence: first.author@mila.quebec,
senior.author@umontreal.ca

🔗

Code: github.com/your-org/your-repo

🐙

Hugging Face: huggingface.co/your-org

Université
de Montréal

Mila

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

Attention(Q, K, V) = softmax $\left(\frac{QK^T}{\sqrt{d_k}}\right) V,$

(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band

1

BangLab Short Title for the Running Head

Input
task and context

Your method
the component that is new

Output
answer and trace

Feedback
reward, critique or memory

Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in Section B.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. Table 2 lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. Table 3 shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in Table 3.

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

2

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution [†]Corresponding author

Abstract

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** github.com/your-org/your-repo 🤗 **Hugging Face:** huggingface.co/your-org

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list

BangLab

UNIVERSITÉ DE MONTRÉAL · MILA

Université
de Montréal

Mila

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** github.com/your-org/your-repo 🗨 **Hugging Face:** huggingface.co/your-org

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

BangLab Short Title for the Running Head




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.



3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).



BangLab

Université de Montréal | Mila

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution [†]Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 **Date:** September 27, 2026  **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca
 **Code:** github.com/your-org/your-repo  **Hugging Face:** huggingface.co/your-org

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper

BangLab Short Title for the Running Head




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band with white logos across the top of the first page, and rule follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

TECHNICAL REPORT OF BANGLAB

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution [†]Corresponding author

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** github.com/your-org/your-repo 🤗 **Hugging Face:** huggingface.co/your-org

Abstract

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.




Figure 1 Teaser figure placeholder, drawn from the placeholder scores of Table 3. Replace it with the headline result of your paper.

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.




Figure 2 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. Figure 2 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every article option such as `11pt` or `twocolumn` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in Section B.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. Table 2 lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. Table 3 shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

AUTHORS

First Author^{1,2,*}
Second Author^{1,2,*}
Third Author^{1,3}
Senior Author^{1,2,3,†}

AFFILIATIONS

¹Mila – Quebec AI Institute
²Université de Montréal
³Canada CIFAR AI Chair

*Equal contribution
†Corresponding author

LINKS

 **Date**
September 27, 2026

 **Correspondence**
first.author@mila.quebec,
senior.author@umontreal.ca

 **Code**
github.com/your-org/your-repo

 **Hugging Face**
huggingface.co/your-org

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

AUTHORS

First Author^{1,2,*}
Second Author^{1,2,*}
Third Author^{1,3}
Senior Author^{1,2,3,†}

AFFILIATIONS

¹Mila – Quebec AI Institute
²Université de Montréal
³Canada CIFAR AI Chair
^{*}Equal contribution
[†]Corresponding author

LINKS

 **Date**
September 27, 2026
 **Correspondence**
first.author@mila.quebec,
senior.author@umontreal.ca
 **Code**
github.com/your-org/your-repo
 **Hugging Face**
huggingface.co/your-org

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 **Date:** September 27, 2026

 **Correspondence:** `first.author@mila.quebec`, `senior.author@umontreal.ca`

 **Code:** `github.com/your-org/your-repo`

 **Hugging Face:** `huggingface.co/your-org`

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \tag{1}$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).



TITLE OF YOUR PAPER IN TWO LINES AT MOST: A SUBTITLE THAT NAMES THE METHOD

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹*Mila – Quebec AI Institute* ²*Université de Montréal* ³*Canada CIFAR AI Chair*

*Equal contribution †Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** github.com/your-org/your-repo 🤗 **Hugging Face:** huggingface.co/your-org

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,+}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution +Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

RÉSUMÉ

Ce gabarit met en page les prépublications arXiv des auteurs de l'Université de Montréal et de Mila. Il reprend ce qui fonctionne dans les styles de prépublication industriels de Meta FAIR, ByteDance Seed, ServiceNow et LeapLab, une page de titre qui se lit d'un seul bloc, des titres sans empattement sur un texte à empattement et des métadonnées cliquables, et les compose en violet Mila et en bleu UdeM avec le nom de BangLab. Une seule option de classe choisit la page de titre. Les commandes d'auteur, d'affiliation et de métadonnées suivent la convention de Meta FAIR, si bien qu'un article écrit pour la classe de Meta FAIR, de ServiceNow ou de ByteDance Seed passe à celle-ci en changeant sa ligne `\documentclass`. Remplacez ce paragraphe par votre résumé, en un seul paragraphe de 150 à 250 mots.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** github.com/your-org/your-repo 🤖 **Hugging Face:** huggingface.co/your-org

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2 Using the class

2.1 Class options

The class builds on `article`, so every article option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

BangLab

UNIVERSITÉ DE MONTRÉAL · MILA

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec,
senior.author@umontreal.ca 💻 **Code:** github.com/your-org/your-repo
🐾 **Hugging Face:** huggingface.co/your-org



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

BangLab Short Title for the Running Head




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in [Section B](#).

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

Date

September 27, 2026

Correspondence

first.author@mila.quebec, senior.author@umontreal.ca

Code

github.com/your-org/your-repo

Hugging Face

huggingface.co/your-org

Abstract. This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
	ten more, listed in Table 4	See Section B
numbers	flag	Numeric citations [1] instead of (Author, Year)

2.1 Class options

The class builds on `article`, so every article option such as `11pt` or `twocolumn` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text. Ten further styles, from a full cover page to a two-language title page, are described in Section B.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. Table 2 lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. Table 3 shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in Table 3.