

arXiv template vote, second round

E and F are kept exactly as they were. H, I and J are new, carry the BangLab wordmark and draw no coloured edge bar anywhere, not on the card, the abstract or the takeaway box.

Style	Class option	What it looks like
E Card, kept	titlestyle=card	Tinted card holding the front matter, with a purple-to-blue edge on its left and the logos beside the metadata
F Band, kept	titlestyle=band	Gradient purple band with white logos, abstract marked by a purple rule on its left
H Lab card	titlestyle=labcard	E without the edge. The card opens with the BangLab wordmark and the report label
I Lab band	titlestyle=labband	F without the abstract rule. A solid purple band with the white BangLab wordmark on the left and the logos on the right, abstract and links in one tinted panel
J Masthead	titlestyle=masthead	No boxes at all. BangLab wordmark and colour logos above a double rule, abstract set as plain text under a spaced label

H, I and J also put the BangLab wordmark in the running head of every page after the first, and draw the takeaway box as a plain tinted panel. Everything else is shared by all five, the Inter headings over a Latin Modern body, purple section numbers and caption labels, UdeM blue citations, and the appendix with its own contents list.

First pages side by side kept styles above, the barless lab version of each below

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}
¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair
^{*}Equal contribution ^{*}Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

 Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

 Code: <https://github.com/your-org/your-repo>

 Hugging Face: <https://huggingface.co/your-org>



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V,$$
(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as `\t1pt` or `\twocolum` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band with white logos across the top of the first page, and rule follows ByteDance Seed and LeapLab with colour

1

E Card, kept

Université de MontréalMilaTECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}
¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair
^{*}Equal contribution ^{*}Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

 Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

 Code: <https://github.com/your-org/your-repo>

 Hugging Face: <https://huggingface.co/your-org>



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V,$$
(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as `\t1pt` or `\twocolum` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band with white logos across the top of the first page, and rule follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the BangLab wordmark and draw no

1

F Band, kept

BangLabTECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}
¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair
^{*}Equal contribution ^{*}Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

 Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

 Code: <https://github.com/your-org/your-repo>

 Hugging Face: <https://huggingface.co/your-org>



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V,$$
(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as `\t1pt` or `\twocolum` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band

1

H Lab card

BangLabUNIVERSITÉ DE MONTRÉAL MILATECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}
¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair
^{*}Equal contribution ^{*}Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

 Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

 Code: <https://github.com/your-org/your-repo>

 Hugging Face: <https://huggingface.co/your-org>



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V,$$
(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on article, so every article option such as `\t1pt` or `\twocolum` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, band puts a full-width purple band with white logos across the top of the first page, and rule follows ByteDance Seed and LeapLab with colour

1

I Lab band

BangLabUNIVERSITÉ DE MONTRÉAL MILATECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}
¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair
^{*}Equal contribution ^{*}Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

 Date: September 27, 2026

 Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

 Code: <https://github.com/your-org/your-repo>

 Hugging Face: <https://huggingface.co/your-org>



1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V,$$
(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila's own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

1

J Masthead

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution [†]Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 Date: September 27, 2026

✉ Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

🔗 Code: <https://github.com/your-org/your-repo>

🐼 Hugging Face: <https://huggingface.co/your-org>

Université de Montréal

Mila

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \tag{1}$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour

1

Short Title for the Running Head

Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
numbers	flag	Numeric citations [1] instead of (Author, Year)

logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. Table 2 lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. Table 3 shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in Table 3.

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list out.

2

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

Abstract

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026

✉ **Correspondence:** `first.author@mila.quebec`, `senior.author@umontreal.ca`

🔗 **Code:** `https://github.com/your-org/your-repo`

🤖 **Hugging Face:** `https://huggingface.co/your-org`

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V,$$

(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
numbers	flag	Numeric citations [1] instead of (Author, Year)

coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list out.

BangLab

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution *Corresponding author

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅

Date: September 27, 2026

✉

Correspondence: first.author@mila.quebec,
senior.author@umontreal.ca

🔗

Code: <https://github.com/your-org/your-repo>

👤

Hugging Face: <https://huggingface.co/your-org>

Université
de Montréal

Mila

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card (Hao et al., 2024), ByteDance Seed rules off a centred title under a logo header (Sheng et al., 2026), ServiceNow frames the card in its brand green and adds link lines for code and models (Wang et al., 2026), and LeapLab puts the abstract on a grey panel below a logo and date (Yue et al., 2025). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of Vaswani et al. (2017),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V,$$

(1)

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. Figure 1 is where the overview figure of a paper would go, and Section 2 explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. Table 1 lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The card style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band

1

BangLab

Short Title for the Running Head



```
graph LR; Input[Input<br/>task and context] --> Method[Your method<br/>the component that is new]; Method --> Output[Output<br/>answer and trace]; Output --> Feedback[Feedback<br/>reward, critique or memory]; Feedback --> Method;
```

Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
numbers	flag	Numeric citations [1] instead of (Author, Year)

with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. Table 2 lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. Table 3 shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in Table 3.

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list out.

2

BangLab

UNIVERSITÉ DE MONTRÉAL · MILA

Université de Montréal

Mila

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most:
A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,*}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution [†]Corresponding author

Abstract

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 Date: September 27, 2026 ✉Correspondence: first.author@mila.quebec, senior.author@umontreal.ca

🔗 Code: <https://github.com/your-org/your-repo> 🗨 Hugging Face: <https://huggingface.co/your-org>

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right)V, \tag{1}$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour

1

BangLab

Short Title for the Running Head

University of Montreal

Mila

```
graph LR; Input[Input<br/>task and context] --> Method[Your method<br/>the component that is new]; Method --> Output[Output<br/>answer and trace]; Output --> Feedback[Feedback<br/>reward, critique or memory]; Feedback --> Method;
```

Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to `article`.

Option	Values	Effect
<code>titlestyle</code>	<code>card</code> (default), <code>band</code> , <code>rule</code> <code>labcard</code> , <code>labband</code> , <code>masthead</code>	Layout of the first page The same with the lab wordmark
<code>numbers</code>	<code>flag</code>	Numeric citations [1] instead of (Author, Year)

logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.

4 Conclusion

Replace this sample text with your paper. The appendix below starts with `\beginappendix`, which opens a new page, prints the appendix heading and lists the appendix sections, and `\beginappendix*` leaves the list out.

2

BangLab

UNIVERSITÉ DE MONTRÉAL · MILA

Université
de Montréal

Mila

TECHNICAL REPORT

Title of Your Paper in Two Lines at Most: A Subtitle That Names the Method

First Author^{1,2,*}, Second Author^{1,2,*}, Third Author^{1,3}, Senior Author^{1,2,3,†}

¹Mila – Quebec AI Institute ²Université de Montréal ³Canada CIFAR AI Chair

*Equal contribution †Corresponding author

ABSTRACT

This template typesets arXiv preprints for authors at Université de Montréal and Mila. It keeps what works in the industry preprint styles of Meta FAIR, ByteDance Seed, ServiceNow and LeapLab, a front matter that reads as one block, sans-serif headings over a serif body, and metadata a reader can click, and sets them in Mila purple and UdeM blue with the BangLab wordmark. A single class option chooses the title page. The author, affiliation and metadata commands follow the Meta FAIR convention, so a paper written for the Meta FAIR, ServiceNow or ByteDance Seed class moves here by changing its `\documentclass` line. Replace this paragraph with your abstract and keep it to one paragraph of about 150 to 250 words.

📅 **Date:** September 27, 2026 ✉ **Correspondence:** first.author@mila.quebec, senior.author@umontreal.ca

🔗 **Code:** <https://github.com/your-org/your-repo> 🗨 **Hugging Face:** <https://huggingface.co/your-org>

1 Introduction

Industry labs publish their arXiv preprints in house styles that make a paper recognisable before its title is read. Meta FAIR sets the whole front matter in a tinted card ([Hao et al., 2024](#)), ByteDance Seed rules off a centred title under a logo header ([Sheng et al., 2026](#)), ServiceNow frames the card in its brand green and adds link lines for code and models ([Wang et al., 2026](#)), and LeapLab puts the abstract on a grey panel below a logo and date ([Yue et al., 2025](#)). This class brings those choices to Université de Montréal and Mila, with the official UdeM and Mila marks and colours.

The body text is Latin Modern, so mathematics such as the attention operator of [Vaswani et al. \(2017\)](#),

$$\text{Attention}(Q, K, V) = \text{softmax}\left(\frac{QK^\top}{\sqrt{d_k}}\right) V, \quad (1)$$

matches the surrounding text. Everything that carries the brand, the title block, headings, caption labels and the running head, is set in Inter, the closest free match to Mila’s own typeface. [Figure 1](#) is where the overview figure of a paper would go, and [Section 2](#) explains the class options and the front matter commands.

2 Using the class

BangLab Short Title for the Running Head




Figure 1 Overview figure placeholder. The method node is filled in Mila purple and the feedback path is drawn in UdeM blue, the two brand colours this class defines as `milapurple` and `udemblue`.

Table 1 Options added by `udemmila.cls`. Any other option is passed to article.

Option	Values	Effect
titlestyle	card (default), band, rule	Layout of the first page
	labcard, labband, masthead	The same with the lab wordmark
numbers	flag	Numeric citations [1] instead of (Author, Year)

2.1 Class options

The class builds on `article`, so every `article` option such as `11pt` or `twocolumn` passes through unchanged. [Table 1](#) lists the two options the class adds. The title style is the only choice that changes how the paper looks at a glance. The `card` style follows Meta FAIR and ServiceNow, `band` puts a full-width purple band with white logos across the top of the first page, and `rule` follows ByteDance Seed and LeapLab with colour logos in the header and a ruled, centred title. The three lab styles add the **BangLab** wordmark and draw no coloured edge bars. `labcard` is the card with the wordmark in place of its edge, `labband` sets the wordmark in white on a solid purple band, and `masthead` opens the page with the wordmark and logos above a double rule and sets the abstract as plain text.

2.2 Front matter

The front matter is declared in the preamble and printed by `\maketitle`. [Table 2](#) lists the commands. Authors take their affiliation marks as an optional argument, and the abstract is a command rather than an environment, both as in the Meta FAIR class. Every metadata line is optional, and `\metadata` adds a line of any other kind with a Font Awesome icon.

3 Figures, tables and boxes

Captions open with a purple label in Inter. A caption that fits on one line is centred, and a longer one is justified. Table captions sit above the table. [Table 3](#) shows the recommended results layout, with booktabs rules, the best entry in bold, the runner-up underlined and the proposed method on a row tinted with `umtint`.

Two boxes cover the content arXiv papers in this area most often set apart. The `takeaway` box states a finding the reader should keep, and the `promptbox` holds a prompt or a model output in Inconsolata, with verbatim content allowed inside.

Takeaway

State the finding in one or two sentences with the number that supports it, for example that the method improves the average score by 3.4 points over the strongest published baseline in [Table 3](#).

Prompt template for the judge model

You are grading a response to the task below.
Task: {task}
Response: {response}
Reply with a score from 1 to 10 and one sentence of justification.