LIP Wireframes v1

Mobile-first political measurement and civic-action platform. Baseline viewport: 390 x 844. Grayscale only. Core separation: MEASURE / VERIFY / ACT.

CORE PRODUCT RULES

- Every score has a one-tap path to evidence and methodology.
- Measurement, verification, and action are visually distinct modes.
- Contested measurements use ranges/error bars; low coverage uses Provisional.
- Confidence and coverage always appear together and use different visual encodings.
- Remediation/de-escalation receives equal prominence to boycott escalation.
- Position scale is continuous -5.0 to +5.0, displayed in five bins.

NAVIGATION


Bottom tabs: Home · Map · Debate · QC · Me

TYPOGRAPHY

Three wireframe sizes only: display / body / caption.

RESPONSIVE

Tablet: map becomes persistent left canvas + right inspector. Relationship graph uses full-width canvas with docked edge inspector. Mobile uses pan/zoom and bottom sheets.



Shared Component Library

Define these once; all screen wireframes below compose from this library.

UNDER REVIEW

MEASUREMENT

-2.4

-5 +5

CONF 82% COVERAGE 64%

EVIDENCE CHALLENGE Methodology

Measurement card

SOCIAL LEFT

SOCIAL RIGHT

FISCAL LEFT FISCAL RIGHT

5x5 matrix · medium

Axis meter · contested range

-5 +5

Confidence + coverage

CONF 86% COVERAGE 37%

Evidence chip

ARTICLE · Reuters · Aug 12 · ARCHIVED

QC action row

AGREE ADJUST FLAG

State badges

PROPOSED UNDER REVIEW

LOCKED REOPENED WITHDRAWN

Quorum indicator

L CL C CR R

3/5 bins represented · need CL + CR

Attribution edge

ADVERTISES · 24%

Coverage meter

37% · PROVISIONAL under 40%

Mini / medium / full matrix sizes

SOCIAL LEFT

SOCIAL RIGHT

FISCAL LEFT FISCAL RIGHT

SOCIAL LEFT

SOCIAL RIGHT

FISCAL LEFT FISCAL RIGHT


SOCIAL LEFT

SOCIAL RIGHT

FISCAL LEFT FISCAL RIGHT

1. Welcome

Onboarding · pre-tab



INTERACTION / TRANSITIONS

- Begin advances to published position instrument.
- Measure / Verify / Act are presented as separate product modes.

SHARED COMPONENTS

- Mode treatments

SCREEN-SPECIFIC EDGE CASES


- Offline onboarding can continue only with cached instrument; otherwise retry.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

2. Position Instrument

Onboarding · pre-tab



INTERACTION / TRANSITIONS

- Selecting a definition advances only after explicit confirmation.
- Methodology opens instrument details without losing progress.

SHARED COMPONENTS

- Axis meter
- State badge

SCREEN-SPECIFIC EDGE CASES


- Instrument version changes mid-session: pin session to starting version.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

3. Result

Onboarding · pre-tab



INTERACTION / TRANSITIONS

- Placement is private by default; sharing requires explicit opt-in.
- Tap map cell or axis result to see answers contributing to placement.

SHARED COMPONENTS

- 5x5 matrix · medium
- Confidence + coverage

SCREEN-SPECIFIC EDGE CASES


- Incomplete answers show Provisional; result never implies representativeness.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

4. Home Feed

Home



INTERACTION / TRANSITIONS

- Map is dominant and opens full Map tab.
- Boycott detail is separate ACT treatment; measurement inspection does not join.
- Live strip opens Debate.

SHARED COMPONENTS

- 5x5 matrix · medium
- Confidence + coverage
- State badge

SCREEN-SPECIFIC EDGE CASES


- No active boycott: replace with remediation/watch status, not promotional empty space.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

5. Changelog

Home · changelog



INTERACTION / TRANSITIONS

- Each change deep-links to the changed measurement and evidence diff.
- Unread state clears only after item is opened.

SHARED COMPONENTS

- State badge
- Measurement card

SCREEN-SPECIFIC EDGE CASES


- Large absence period: group changes by object and date to avoid flood.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

6. Full Interactive Map

Map



INTERACTION / TRANSITIONS

- Pinch/pan; tap cell/object opens bottom sheet.
- Toggle switches between density heat cells and individual points.
- Tablet: persistent map + right inspector.

SHARED COMPONENTS

- 5x5 matrix · full
- Filter chips

SCREEN-SPECIFIC EDGE CASES


- Overplotting automatically suggests density mode; contested objects show ranges in inspector.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

7. Search & Results

Map · search



INTERACTION / TRANSITIONS

- Typeahead groups results by object type.
- Mini axis indicator is tappable to evidence chain.

SHARED COMPONENTS

- Axis meter
- Search result row

SCREEN-SPECIFIC EDGE CASES


- Same-name objects require type + parent/office disambiguation.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

8. Map Empty / Low Coverage

Map · states



INTERACTION / TRANSITIONS

- Empty state preserves active filters and offers reset.
- Low-coverage object can be opened but remains Provisional.

SHARED COMPONENTS

- 5x5 matrix
- Coverage meter
- State badge

SCREEN-SPECIFIC EDGE CASES


- Coverage exactly 40% exits Provisional only after recalculation completes.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

9. Candidate Profile

Map > Candidate



INTERACTION / TRANSITIONS

- Axis scores, issue scores, and drift points each open measurement chain.
- Date control rewinds profile to historical locked snapshots.

SHARED COMPONENTS

- Axis meter
- 5x5 matrix · mini
- Confidence + coverage
- State badge

SCREEN-SPECIFIC EDGE CASES


- Office/candidacy changes create dated profile eras; do not blend incompatible periods.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

10. Organization Profile

Map > Organization



INTERACTION / TRANSITIONS

- Relationship row opens attribution edge explanation.
- Profile score remains separate from attributed exposure.

SHARED COMPONENTS

- Candidate/profile skeleton
- Attribution edge
- Confidence + coverage

SCREEN-SPECIFIC EDGE CASES


- Circular ownership and subsidiaries must not double-count attribution.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

11. Content Profile

Map > Content



INTERACTION / TRANSITIONS

- Breadcrumb navigates episode → show → network.
- Parent attribution is inspectable independently of content score.

SHARED COMPONENTS

- Measurement card
- Attribution edge
- Evidence affordance

SCREEN-SPECIFIC EDGE CASES


- Edited/retracted content retains archived prior version with status.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

12. Issue Spectrum

Measurement > Instrument



INTERACTION / TRANSITIONS

- Definitions are fully readable; no hidden endpoint meaning.
- Version and QC history are one tap away.

SHARED COMPONENTS

- State badge
- Methodology link

SCREEN-SPECIFIC EDGE CASES


- Superseded spectrum versions remain addressable for historical scores.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

13. Measurement Detail

Measurement



INTERACTION / TRANSITIONS

- Every contributing point opens its evidence.
- QC actions affect verification only; no action/boycott CTA here.

SHARED COMPONENTS

- Measurement card
- Evidence chip
- QC action row
- Quorum indicator

SCREEN-SPECIFIC EDGE CASES


- AI reasoning unavailable: score cannot advance beyond Proposed.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

14. Evidence Detail

Measurement > Evidence



INTERACTION / TRANSITIONS

- Archived snapshot opens read-only capture.
- Dependent measurements list enables impact tracing.

SHARED COMPONENTS

- Evidence chip
- State badge

SCREEN-SPECIFIC EDGE CASES


- Retraction triggers dependent-measurement review, not silent deletion.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

15. Challenge Submission

Measurement > Challenge



INTERACTION / TRANSITIONS

- Challenge targets a specific point, not an entire object by default.
- Preview shows estimated parent-score effect before submission.

SHARED COMPONENTS

- Evidence chip
- Axis meter
- State badge

SCREEN-SPECIFIC EDGE CASES


- Counter-evidence duplicates existing source: warn and link existing evidence.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

16. Contested Measurement

Measurement > Contested



INTERACTION / TRANSITIONS

- Point score is replaced by a range everywhere.
- Distribution shows dissent across all five bins; missing quorum is explicit.

SHARED COMPONENTS

- Measurement card · contested
- Quorum indicator
- Coverage meter

SCREEN-SPECIFIC EDGE CASES


- Bimodal disagreement should not be collapsed into a misleading average.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

17. QC Queue

QC



INTERACTION / TRANSITIONS

- Prioritize items needing the user's position bin for quorum.
- Filters persist between sessions.

SHARED COMPONENTS

- State badge
- Confidence + coverage
- Quorum indicator

SCREEN-SPECIFIC EDGE CASES


- User's position bin private: eligibility can be computed without exposing it publicly.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

18. QC Result

QC > Result



INTERACTION / TRANSITIONS

- Resolution links to full QC history.
- Accuracy weight change is issue-specific and explainable.

SHARED COMPONENTS

- Measurement card
- Confidence + coverage
- State badge

SCREEN-SPECIFIC EDGE CASES


- Withdrawn measurement does not count as a user accuracy loss.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

19. Relationship Graph Explorer

Attribution



INTERACTION / TRANSITIONS

- Pan/zoom graph; tap edge opens derivation sheet.
- Mobile follows one chain vertically; tablet shows branching graph + inspector.

SHARED COMPONENTS

- Attribution edge
- Measurement card

SCREEN-SPECIFIC EDGE CASES


- Cycles, indirect ownership, and stale ownership dates must be surfaced.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

20. Boycott Detail

Action > Boycott



INTERACTION / TRANSITIONS

- JOIN is visually separate from evidence inspection.
- All four trigger conditions are visible before participation.
- Explore Chain opens attribution graph.

SHARED COMPONENTS

- Confidence + coverage
- State badge
- Attribution edge

SCREEN-SPECIFIC EDGE CASES


- Human reviewer marker absent: boycott cannot publish as active.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

21. Boycott Status / Remediation

Action > Boycott > Status



INTERACTION / TRANSITIONS

- Remediation evidence is as prominent as escalation factors.
- Strength recalculates as verified remediation changes severity/exposure.

SHARED COMPONENTS

- Axis/range meter
- Evidence affordance
- State badge

SCREEN-SPECIFIC EDGE CASES


- Expired boycott enters cool-down; reactivation requires fresh trigger evaluation.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

22. Right of Reply

Action > Subject Intake



INTERACTION / TRANSITIONS

- Subject selects affected measurement and submits rebuttal evidence.
- Preview lists measurements that would reopen if evidence is accepted.

SHARED COMPONENTS

- Evidence chip
- State badge

SCREEN-SPECIFIC EDGE CASES


- Identity/authority of submitting subject must be verified before official reply label.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

23. Community Poll

Community



INTERACTION / TRANSITIONS

- Disclaimer panel travels with result numbers in screenshots/shares.
- Methodology opens sample composition and weighting.

SHARED COMPONENTS

- Confidence + coverage
- Methodology link

SCREEN-SPECIFIC EDGE CASES


- Small or highly skewed samples emphasize sample limits; never label election forecast.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

24. Rankings

Community > Rankings



INTERACTION / TRANSITIONS

- Each reputation dimension opens its own methodology/history.
- No single follower or composite political influence score.

SHARED COMPONENTS

- Coverage meter
- Methodology link

SCREEN-SPECIFIC EDGE CASES


- New users show insufficient-history state instead of zero reputation.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

25. Live Debate · v2

Debate



INTERACTION / TRANSITIONS

- Video region can collapse to audio/text while scoring remains visible.
- Evidence opens without leaving live context.

SHARED COMPONENTS

- State badge
- Evidence affordance

SCREEN-SPECIFIC EDGE CASES


- Stream failure switches to paused/offline state; scores freeze until resume.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

26. Referee Console · v2

Debate > Referee



INTERACTION / TRANSITIONS

- Scores require explicit submit each round.
- Kill switch pauses session; report opens moderation flow.

SHARED COMPONENTS

- Axis meter
- QC-like action controls

SCREEN-SPECIFIC EDGE CASES


- Referee disconnect: quorum recalculates; round cannot silently continue below minimum.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

27. Profile

Me



INTERACTION / TRANSITIONS

- Position history is private by default and independently shareable.
- Accuracy and contribution records link to underlying events.

SHARED COMPONENTS

- 5x5 matrix · mini
- State badge
- Confidence + coverage

SCREEN-SPECIFIC EDGE CASES


- Deleting public profile does not erase integrity logs needed for QC audit; privacy copy must explain.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

28. Methodology Hub

Me > Methodology



INTERACTION / TRANSITIONS

- Every module is versioned and linkable from any score.
- Version history shows effective dates and migration notes.

SHARED COMPONENTS

- State badge
- Methodology link

SCREEN-SPECIFIC EDGE CASES

- Current score may depend on older instrument version; show version provenance.

REQUIRED STATES

LOADING	Skeleton keeps score/evidence geometry.
EMPTY	Explain why no data exists; no fake zero.
ERROR	Preserve last verified state when possible.
PROVISIONAL	Coverage <40%; badge + coverage meter.
CONTESTED	Range/error bar replaces point score.
OFFLINE	Cached evidence marked with sync status.

Cross-Screen State Rules

Every screen supports these states; the visual treatment preserves the same information architecture rather than replacing it with generic error pages.

LOADING	Skeleton preserves score, evidence, confidence and coverage positions.
EMPTY	Explain absence; retain filters/context; never render zero as substitute.
ERROR	Show last verified data when safe, timestamp it, and expose retry.
PROVISIONAL	Coverage under 40%; badge is adjacent to score and coverage.
CONTESTED	All score surfaces use range/error bar; dissent + quorum are inspectable.
OFFLINE	Cached data is timestamped; actions that require server verification are disabled.

GLOBAL ACCESSIBILITY / SAFETY

Do not rely on fill density alone for meaning: all confidence, coverage, state, and position values also have text labels. Boycott participation requires an explicit action step. QC agreement never implies action participation. Methodology and evidence remain reachable from every score surface.