A + B + C

current symbol	op stack	output string
1. A		A
2. +	+	A
3. B	+	AB
4. +	+	AB+
5. C		AB+C
6.		AB+C+ Postfix string.


Stack

1. read → Scan → Push
2. if operand add to string
3. if operator
4. check precedence First
5. (
6.)
7. put everything on string




A * (B + C)


current Symbol	Stack	string
A		A
*	*	
(	*(	
B		AB
+	*(+	
C	*(+	ABC
)	*	ABC+
		ABC+ *




A * B − C / D ^ (E − F / G) / H


Current S	stack	Postfix
A		A
*	*	
B	*	AB
−	−	AB*
C	−	AB*C






AB*C
AB*C
AB*CD
AB*CD
AB*CD
AB*CDE
AB*CDE
AB*CDEF
AB*CDEF
AB*CD
AB*CD
AB

( ), ^, /, *, +, -




EFG


EFG/-

*-CDEFG/-










/ H / -

. F / G * H)

) deft Right Scan

create empty Sta



5. uf op èn

stack (st

èr

2

"C" put it on

3

tart fresh stack

wide follow

output streing

. if current input

an operand put

output streing

. If operator put

stack follow step



S

6. if op

and put

7. If mea

pop

Tep 4)

is ")" pop everyth

et on stack.

ching end of follo

string & add to

output.

9. If the op

it can be

it lower

from stack

string

is higher prece

e added to the


equal pop eve

and put in


stack



N Stack




n



stack

$8 + n + 2 =$ 





Comment

1. F


2.

3.


Portfi

Symbol

S


tack
Portfi
streing
A
A B






$A = 6$

$B = 5$


$C = 2$




















Evaluation


Algorithm







Left to

Stack

A

A B


Right



$C = 2$



top1


top2


$R = \text{top2}$ 0












Infix











$$\frac{c}{40}$$


$$40+2=4$$

$$+D+(E+F)$$






Current
A
B






































































































Infix
C / D ^ (E - F
tack


Postfix






























































M Evaluation\Evatuatien



Stack



A B



5


5 C D E F











Evaluati

A =

B =

C

D

= top2 op top1

∪ E

