```
FOR EQUATIONS SEE NATIONAL DESIGN STANDARD
"SPAN OF FLOOR JOIST" EXAMPLE
Southern Yellow Pine Reference Design Values:
wood = No 1 Standard Southern Pine
snow load = 55 lb/sqft for Acton MA
load duration factor (CD) = 1.6 for ten minutes
   Possible Values: 1.6 for ten minutes
                       1.25 for seven days
                       1.15 for two months (snow load)
                       0.9 for dead load
deflection limit = span/360
design bearing length = 1.5 inches
TO GET ALLOWED WEIGHT PER SQUARE FOOT,
TAKE ALLOWED WEIGHT FOR ONE STRINGER PER FOOT,
MULITPLY BY THE NUMBER OF STRINGERS,
AND DIVIDE BY THE LENGTH OF THE TREAD IN FEET.
(1) ALLOWED WEIGHT IN LBF/FT BY MOMENT CAPACITY
(2) ALLOWED WEIGHT IN LBF/FT BY SHEAR
(3) ALLOWED WEIGHT IN LBF/FT BY DEFLECTION
(4) ALLOWED WEIGHT IN LBF/FT FOR 1.5 INCH BEARING
Allowable
Weight
       Is Proportional To
(1) stringer width, CD, 1/span^2
(2)
     stringer width, CD, 1/span
(3) stringer width, deflection limit/span, 1/span^3
     stringer width, bearing length, 1/span
(4)
```

- NOTES: (1) LRDF for pedestrian bridges requires
  90 lbf / sqft, deflection limit = span/360
  (2) Bearing should be increased to
  - (2) Bearing should be increased to 2 inches for 2x10's 2.5 inches for 2x12's
  - (3) Loads (1) and (2) must be multiplied by CD-two-months/CD-10-minutes = 1.15/1.6 = 71% and accommodate snow load. For 55 lb/sqft with 4 ft treads and 2 stringers, this load per string is 110 lb/ft = 71% \* 155 lb/ft.

  - (5) If you add a middle stringer (to 3 total) you can increase the span by a factor of

the cube root of 1.5 = 1.14.

- (6) If you double the number of stringers (to 4) you can increase the span by a factor of the cube root of 2 = 1.26.
- (7) If you triple the number of stringers (to 6) you can increase the span by a factor of the cube root of 3 = 1.44.

	2x4	2x6	2x8	2x10	2x12		SPAN F	'T	2x4	2x6	2x8	2x10	2x12	
4 (1)	260.31	578.53	930.79	1497.34	2109.38		10	·+ (1)	41.65	 92.56	 148.93	239.57	337.50	
				1256.15				i	190.12					
				3297.72				(3)	11.43	44.37	101.62	211.05	379.69	
(4)	425.87	425.87	425.87	425.87	425.87			(4)	170.35					
5 (1)	166.60	370.26	595.71	958.30	1350.00		11	(1)	34.42	76.50	123.08	198.00	278.93	
(2)	380.24	597.52	787.64	1004.92	1222.20			(2)	172.84	271.60	358.02	456.78	555.55	
				1688.43				(3)	8.59	33.33	76.35	158.57	285.26	
				340.70	340.70			(4)	172.84 8.59 154.86	154.86	154.86	154.86	154.86	
6 (1)	115.69	257.12	413.69	665.49	937.50		12	(1)	28.92	64.28	103.42	166.37	234.38	
(2)	316.87	497.93	656.37	837.43	1018.50			(2)	158.43	248.97	328.18	418.72	509.25	
(3)	52.93	205.40	470.47	977.10	1757.81			(3)	6.62	25.68	58.81	122.14	219.73	
(4)	283.91	283.91	283.91	283.91	283.91			(4)	158.43 6.62 141.96	141.96	141.96	141.96	141.96	
;					688.78				24.64	54.77	88.12	141.76	199.70	
(2)	271.60	426.80	562.60	717.80	873.00			(2)	146.25	229.82	302.94	386.51	470.08	
(3)	33.33	129.35	296.27	615.32	1106.96			(3)	5.20	20.19	46.25	96.06	172.82	
(4)				243.35	243.35			(4)	131.04	131.04	131.04	131.04	131.04	
8 (1)					527.34									
				628.08	763.88			(2)	135.80	213.40	281.30	358.90	436.50	
				412.22	741.58			(3)	4.17	16.17	37.03	76.91	138.37	
					212.93			(4)	21.25 135.80 4.17 121.68	121.68	121.68	121.68	121.68	
•					416.67		15	( L )	18.51	41.14	66.19	106.48	150.00	
(2)	211.24	331.96	437.58	558.29	679.00			(2)	126.75 3.39 113.57	199.17	262.55	334.97	407.40	
					520.83			(3)	3.39	13.15	30.11	62.53	112.50	
(4)	189.28	189.28	189.28	189.28	189.28			(4)	113.57	113.57	113.57	113.57	113.57	

	2x4	2x6	2x8	2x10	2x12	SPAN I		2x4		2x8	2x10	2x12
	16.27	36.16	58.17	93.58	131.84		(1)		19.12	30.77	49.50	69.73
	118.83	186.73	246.14	314.04	381.94		(2)	86.42		179.01		277.77
	2.79	10.83		51.53								35.66
10	6.47	106.47	106.47	106.47	106.47	I	(4)	77.43				
.)	14.41	32.03	51.53	82.90		23	(1)	7.87	17.50	28.15	45.29	63.80
2) 3)			231.66				(2)	82.66				
	2.33	9.03	20.68	42.96			(3)	0.94	3.65	8.35	17.35	31.21
 +			100.20				(4)	0.94 74.06	74.06	74.06	74.06	74.06
				73.94		24	(1)	7.23				
	105.62						(2)	79.22	124.48	164.09	209.36	254.62
			17.42				(3)	0.83	3.21	7.35	15.27	27.47
 +	94.64	94.64	94.64	94.64	94.64		(4)	0.83 70.98	70.98	70.98	70.98	70.98
	11.54	25.64	41.25	66.36	93.49		(1)	6.66	14.81	23.83	38.33	54.00
			207.27	264.45	321.63		(2)	76.05	119.50	157.53	200.98	244.44
		6.47		30.77				0.73				
			89.66		89.66		(4)	68.14 		68.14		68.14
İ	10.41	23.14	37.23	59.89	84.38	26	(1)	6.16	13.69	22.03	35.44	49.93
		149.38	196.91				(2)	73.12				
	1.43	5.55		26.38			(3)	0.65	2.52	5.78		
			85.17				(4)	65.52	65.52	65.52	65.52	65.52
1)	9.44	20.99	33.77	54.33	76.53			5.71	12.70	20.43	32.86	46.30
2)	1		187.53				(2)		110.65	145.86	186.10	226.33
)			10.97				(3)	0.58	2.25	5.16	10.72	19.29
	81.12	81.12	81.12	81.12	81.12		(4)	63.09	63.09	63.09	63.09	63.09

PAN FT	4 x 4	4x6	4x8	4x10	4x12	SPAN	FT	4x4	4x6	4x8	4x10	4x12
4 (1)	607.40	1349.91	2171.85	3493.80	4921 <b>.</b> 88	10	(1)	   97.18	215.98	347.50	559.01	787 <b>.</b> 50
(2)	1109.03	1742.77	2297.28	2931.02	3564.75		(2)	443.61	697.11	918.91	1172.41	1425.90
(3)	416.84	1617.53	3704.93	7694.683	13842.77		(3)	26.68	103.52	237.12	492.46	885.94
(4)	993.69	993.69	993.69	993.69	993.69		(4)	397.48	397.48	397.48	397.48	397.48
5 (1)		863.94					(1)	!				
(2)		1394.21					(2)					
(3)		828.18					(3)	20.04	77.78	178.15	369.99	665.62
(4)	794.96	794 <b>.</b> 96	794 <b>.</b> 96	794 <b>.</b> 96	794 <b>.</b> 96 		(4) 	361.34 +	361.34 	361.34 	361.34 	361.34 
6 (1)	!					12	(1)	67.49	149.99	241.32	388.20	546.88
(2)					2376.50		(2)	369.68 15.44 331.23	580.92	765.76	977.01	1188.25
(3)	!	479.27					(3)	15.44	59.91	137.22	284.99	512.70
(4) 	662.46	662.46	662.46 	662.46 	662.46 				331.23	331.23	331.23	331.23 
7 (1)					1607.14		(1)					
(2)					2037.00		(2)	341.24	536.24	706.86	901.85	1096.85
(3)	1						(3)	12.14	47.12	107.93	224.15	403.25
(4)	1	567.83	567.83 	567 <b>.</b> 83	567.83 	I	(4)	305.75		305.75 	305.75 	305.75 
8 (1)	151.85	337.48	542.96	873.45	1230.47	14	(1)	49.58	110.20	177.29	285.21	401.79
(2)	1				1782.38		(2)	316.87	497.93	656.37	837.43	1018.50
(3)	1						(3)	9.72 283.91	37.73	86.41	179.47	322.86
(4)	496.85	496.85	496.85 	496.85 	496.85 		(4) 	283.91 +	283.91 	283 <b>.</b> 91	283 <b>.</b> 91 	283.91 
	119.98	266.65	429.01	690.13	972.22	15	(1)	43.19	95.99	154.44	248.45	350.00
(2)	492.90	774.56	1021.01	1302.67	1584.33		(2)	295.74	464.74	612.61	781.60	950.60
(3)	36.60	142.01	325.26	675.53	972.22 1584.33 1215.28 441.64		(3)	295.74 7.90 264.99	30.67	70.26	145.91	262.50
(4)	441.64	441.64	441.64	441.64	441.64		(4)	264.99	264.99	264.99	264.99	264.99

SPAN FT	4x4	4x6	4x8	4x10	4x12		SPAN FT	-	4×4	4x6	4x8	4x10	4x12	
16 (1)	+   37.96	84.37	135.74	218.36	307.62	-	22 (	+ 1)	20.08	44.62	71.80	115.50	162.71	
(2)			574.32				(	2)	201.64	316.87	417.69	532.91	648.14	
(3)	6.51	25.27	57.89	120.23	216.29		(	3)	2.51	9.72	22.27	46.25	83.20	
(4)	248.42	248.42	248.42	248.42	248.42		(	4)	2.51 180.67	180.67	180.67	180.67	180.67	
17 (1)	33.63	74.74	120.24	193.43	272.49		23 (	1)	18.37	40.83	65.69	105.67	148.87	
(2)	260.95						(	2)	192.88	303.09	399.53	509.74	619.96	
(3)	5.43						(	3)	2.19	8.51	19.49	40.48	72.81	
(4)	233.81				233.81		(	4)	192.88 2.19 172.82	172.82	172.82	172.82	172.82	
18 (1)	29.99	66.66	107.25	172.53	243.06		24 (	1)	16.87	37.50	60.33	97.05	136.72	
(2)	246.45	387.28	510.51	651.34	792.17		(	2)	184.84	290.46	382.88	488.50	594.13	
(3)	4.57	17.75	40.66	84.44	151.91		(	3)	1.93	7.49	17.15	35.62	64.09	
(4)	220.82	220.82	220.82	220.82	792.17 151.91 220.82		(	4)	165.62	165.62	165.62	165.62	165.62	
19 (1)					218.14		25 (		15.55					
(2)	233.48	366.90	483.64	617.06	750.47		(	2)	177.45	278.84	367.57	468.96	570.36	
(3)	3.89	15.09	34.57	71.80	129.16		(	3)	1.71	6.63	15.18	31.52	56.70	
(4)	209.20		209.20						1.71 158.99					
20 (1)	24.30	54.00	86.87	139.75			26 (	+ 1)	14.38	31.95	51.40	82.69	116.49	
(2)	221.81				712.95		(	2)	170.62	268.12	353.43	450.93	548.42	
(3)	3.33				110.74		(	3)	1.52	5.89	13.49	28.02	50.41	
(4)	198.74	198.74	198.74	198.74	198.74		(	4)	14.38 170.62 1.52 152.88	152.88	152.88	152.88	152.88	
21 (1)	22.04				1/8.5/		27 (	⊥) ∣	13.33	29.63	4/.6/	/6.68	108.02	
(2)	211.24	331.96	437.58	558.29	679.00		(	2)	164.30	258.19	340.34	434.22	528.11	
(3)	2.88				95.66		(	3)	164.30 1.36 147.21	5.26	12.05	25.02	45.01	
(4)	189.28	189.28	189.28	189.28	189.28		(	4)	147.21	147.21	147.21	147.21	147.21	