

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show



source



outline



image report

Options...

Check by

text input



css

```
</section>

<!-- Footer -->
<footer>
  <div class="wrap">
    <small>Made with ❤️ – Tenerife student project</small>
  </div>
</footer>

<!-- Scripts -->
<script src="script.js"></script>

<!-- Keep your existing Google Maps API key exactly as it is -->
<script async defer src="https://maps.googleapis.com/maps/api/js?
key=AIzaSyCfAweSHiIk17zpgyb0qBNqaw_ONaG5Aic&callback=initMap"></script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1.

Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 4, column 3; to line 4, column 26](#)

```
<?<head><?<meta charset="utf-8" /><?<me
```

2.

Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 5, column 3; to line 5, column 72](#)

```
f-8" /><?<meta name="viewport" content="width=device-width, initial-scale=1"
/><?<ti
```

3.

Info Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 7, column 3; to line 7, column 44](#)

```
/title><?<link rel="stylesheet" href="style.css" /><?</hea
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 30, column 7; to line 30, column 117](#)

```
s">↵      <input id="searchInput" type="text" placeholder="Type a location
(e.g. El Médano)" aria-label="Search input" />↵
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 44, column 11; to line 44, column 69](#)

```
↵
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 52, column 11; to line 52, column 83](#)

```
↵
```

7. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 60, column 11; to line 60, column 67](#)

```
↵
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 68, column 11; to line 68, column 77](#)

```
↵
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 76, column 11; to line 76, column 91](#)

```
↵
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 84, column 11; to line 84, column 71](#)

```
↵
```

11. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 107, column 9; to line 107, column 67](#)

```
e<      <input id="contactName" name="name" type="text" required />e
```

12. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 111, column 9; to line 111, column 70](#)

```
l<      <input id="contactEmail" name="email" type="email" required />e
```

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>e
2. <html lang="en">e
3. <head>e
4.   <meta charset="utf-8" />e
5.   <meta name="viewport" content="width=device-width, initial-scale=1" />e
6.   <title>Tenerife Holiday Locations</title>e
7.   <link rel="stylesheet" href="style.css" />e
8. </head>e
9. e
10. <body>e
11.   <!-- Header -->e
12.   <header>e
13.     <div class="wrap">e
14.       <h1>Tenerife Holiday Locations</h1>e
15.       <p class="tag">Explore the best holiday locations in Tenerife!</p>e
16.       <nav aria-label="Main navigation">e
17.         <ul>e
18.           <li><a href="#locations">Locations</a></li>e
19.           <li><a href="#map">Map</a></li>e
20.           <li><a href="#contact">Contact</a></li>e
21.         </ul>e
22.       </nav>e
23.     </div>e
24.   </header>e
25.   e
26.   <!-- Search -->e
27.   <section id="search" class="wrap">e
28.     <h2>Find a Location</h2>e
29.     <form id="searchForm" aria-label="Search locations">e
30.       <input id="searchInput" type="text" placeholder="Type a location (e.g. El
Médano)" aria-label="Search input" />e
31.       <button type="submit">Search</button>e
32.       <button id="resetSearch" type="button">Reset</button>e
33.     </form>e
34.     <p id="searchFeedback" class="feedback" aria-live="polite"></p>e
35.   </section>e
36.   e
37.   <!-- Main Content -->e
38.   <main class="wrap main-layout">e
39.     <!-- Locations -->e
40.     <section id="locations" class="locations">e
41.       <h2>Our Top 6 Locations</h2>e
42.       <div class="gallery">e
43.         <div class="location" tabindex="0" data-lat="28.2916" data-
lng="-16.6291" data-name="Santa Cruz">e
```

```

44.         
45.         <div class="desc">
46.             <h3>Santa Cruz</h3>
47.             <p>Population: 210,000. Visit Plaza de España, Auditorio de
Tenerife, shopping streets.</p>
48.         </div>
49.     </div>
50.
51.     <div class="location" tabindex="0" data-lat="28.0954" data-
lng="-16.7245" data-name="Puerto de la Cruz">
52.         
53.         <div class="desc">
54.             <h3>Puerto de la Cruz</h3>
55.             <p>Population: 32,000. Visit Loro Parque, beaches, and old town
streets.</p>
56.         </div>
57.     </div>
58.
59.     <div class="location" tabindex="0" data-lat="28.4520" data-
lng="-16.2633" data-name="La Laguna">
60.         
61.         <div class="desc">
62.             <h3>La Laguna</h3>
63.             <p>Population: 150,000. UNESCO heritage city, historical buildings,
university area.</p>
64.         </div>
65.     </div>
66.
67.     <div class="location" tabindex="0" data-lat="28.0841" data-
lng="-16.7631" data-name="Los Cristianos">
68.         
69.         <div class="desc">
70.             <h3>Los Cristianos</h3>
71.             <p>Population: 21,000. Beaches, boat trips, nightlife, harbor area.
</p>
72.         </div>
73.     </div>
74.
75.     <div class="location" tabindex="0" data-lat="28.0486" data-
lng="-16.5939" data-name="Playa de las Américas">
76.         
77.         <div class="desc">
78.             <h3>Playa de las Américas</h3>
79.             <p>Population: 30,000. Surfing, nightlife, shopping, beach
activities.</p>
80.         </div>
81.     </div>
82.
83.     <div class="location" tabindex="0" data-lat="28.1273" data-
lng="-16.5405" data-name="Costa Adeje">
84.         
85.         <div class="desc">
86.             <h3>Costa Adeje</h3>
87.             <p>Population: 25,000. Luxury resorts, water parks, whale watching,
golf.</p>
88.         </div>
89.     </div>
90. </div>
91. </section>
92.
93. <!-- Map -->
94. <section id="map" class="map-container">
95.     <h2>Map</h2>
96.     <div id="mapLoader">Loading map...</div>
97.     <div id="googleMap" class="loading"></div>
98. </section>
99. </main>
100.
101. <!-- Contact -->

```

```

102. <section id="contact" class="wrap">↵
103.   <h2>Contact</h2>↵
104.   <form id="contactForm" novalidate>↵
105.     <label>↵
106.       Name↵
107.       <input id="contactName" name="name" type="text" required />↵
108.     </label>↵
109.     <label>↵
110.       Email↵
111.       <input id="contactEmail" name="email" type="email" required />↵
112.     </label>↵
113.     <label>↵
114.       Message↵
115.       <textarea id="contactMessage" name="message" rows="4" required>
116.     </label>↵
117.     <div class="contact-actions">↵
118.       <button type="submit">Send</button>↵
119.     </div>↵
120.     <p id="contactFeedback" class="feedback" aria-live="polite"></p>↵
121.   </form>↵
122. </section>↵
123. ↵
124. <!-- Footer -->↵
125. <footer>↵
126.   <div class="wrap">↵
127.     <small>Made with ❤️ – Tenerife student project</small>↵
128.   </div>↵
129. </footer>↵
130. ↵
131. <!-- Scripts -->↵
132. <script src="script.js"></script>↵
133. ↵
134. <!-- Keep your existing Google Maps API key exactly as it is -->↵
135. <script async defer src="https://maps.googleapis.com/maps/api/js?
key=AIzaSyCfAweSHiIk17zpgyb0qBNqaw_ONaG5Aic&callback=initMap"></script>↵
136. ↵
137. <script>↵
138.   // Fallback if Google Maps fails↵
139.   window.addEventListener('error', function(e) {↵
140.     if (e.target.tagName === 'SCRIPT' &&
e.target.src.includes('maps.googleapis.com')) {↵
141.       const mapEl = document.getElementById('googleMap');↵
142.       if (mapEl) {↵
143.         mapEl.innerHTML = '<p style="color:red; padding:20px;">Map failed to
load. Please try again later.</p>';↵
144.       }↵
145.     }↵
146.   }, true);↵
147. </script>↵
148. </body>↵
149. </html>

```

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 25.9.25