5.1.6 Create Bar Charts Using the Object-Oriented Approach

Now that you've made your first bar chart, you're starting to feel like a bit of a pro—as you should be! Bar charts are standard at organizations around the globe, and being able to make clearly annotated vertical and horizontal bar charts is a critical skill for any data visualizer.

Of course, V. Isualize has been working in the field for more than a decade, so you and Omar need to be ready in case she asks how to do this using the object-oriented approach. So let's learn how to do that now!

Similar to the line charts that we created using the object-oriented method, bar charts use the same formats. We'll use the same ride-sharing data, shown here:

```
# Set the x-axis to a list of strings for each month.

x_axis = ["Jan", "Feb", "Mar", "April", "May", "June", "July", "Aug", "Sept"

# Set the y-axis to a list of floats as the total fare in US dollars accumul

y_axis = [10.02, 23.24, 39.20, 35.42, 32.34, 27.04, 43.82, 10.56, 11.85, 27.
```


Create a Vertical Bar Chart

To create a bar chart using the object-oriented interface method, use the <a>[ax.bar()] function and add the x and y data parameters inside the

parentheses. To do this, add the following code in a new cell and run the cell:

```
# Create the plot with ax.plt()
fig, ax = plt.subplots()
ax.bar(x_axis, y_axis)
```

When we run this cell, the output is the same as using the MATLAB method, as you can see here:





Calculating score. This might take a while. Please wait...

Your assignment has been successfully submitted.

NOTE

For more information, see the <u>Matplotlib documentation on creating</u> <u>bar charts using the object-oriented interface</u> (https://matplotlib.org/stable/api/_as_gen/matplotlib.axes.Axes.bar.html).


Create a Horizontal Bar Chart

To create a horizontal bar chart using the object-oriented interface method, use the <a>(ax.barh()) function.

Add the following code in a new cell and run the cell:

```
# Create the plot with ax.plt()
fig, ax = plt.subplots()
ax.barh(x_axis, y_axis)
```


When we run this cell, our bar chart looks like this:




If we want the data on opposite axes, we need to switch the arguments in the barh() function, as shown here:

```
# Create the plot with ax.plt()
fig, ax = plt.subplots()
ax.barh(y_axis, x_axis)
```

When we run this cell, our bar chart looks like this.



Now test your skills in the following Skill Drill.



NOTE

For more information, see the <u>Matplotlib documentation on creating</u>
<u>horizontal bar charts using the object-oriented interface method</u>
(https://matplotlib.org/stable/gallery/lines_bars_and_markers-barh-py).

Great job on creating bar charts! Next we'll learn how to create scatter plots and bubble charts.

© 2020 - 2022 Trilogy Education Services, a 2U, Inc. brand. All Rights Reserved.