

BI MAMMO TOMO DIAGNOSTIC BILAT

Status: Final result

PACS Images

(Link Unavailable) Show images for BI MAMMO TOMO DIAGNOSTIC BILAT

Related Results

 **SURGICAL PATHOLOGY ORDER** Edited Result - FINAL

Final Diagnosis

1. Breast, Left; us left breast biopsy 7:00 periareoler; US BREAST

CORE BIOPSY LEFT:

Invasive carcinoma type

Invasive mammary carcinoma

Tumor size

Invasive carcinoma spans at least 3.5 mm in this material

Differentiation

Moderately to poorly differentiated

Results of immunohistochemical studies

Will be reported in an addendum

I ATTEST THAT THE ABOVE DIAGNOSIS IS BASED UPON MY PERSONAL EXAMINATION OF THE SLIDES (AND/OR OTHER MATERIAL), AND THAT I HAVE REVIEWED AND APPROVED THE REPORT.

DILIP D GIRI, MD

Study Result

Narrative & Impression

ACCESSION#(s):

DATE:

EXAM: BILATERAL DIAGNOSTIC MAMMOGRAM. Limited bilateral ultrasound.

CLINICAL HISTORY: Annual mammogram. Status post right conservation surgery.

TECHNIQUE: Mammographic examination was performed using full breast digital technique. Limited bilateral ultrasound.

COMPARISON(S): 2024 dating back to 2020

LAST CLINICAL BREAST EXAM: Within the past year

BREAST DENSITY: Scattered areas of fibroglandular density.

FINDINGS:

No asymmetry in the outer middle depth right breast resolves with spot compression imaging. Limited same day right breast ultrasound demonstrate normal fibroglandular tissue in the outer right breast.

Within the lower inner periareolar anterior depth left breast there is an irregular high dense spiculated mass with associated overlying skin retraction. Limited same day left breast ultrasound demonstrates an irregular shadowing hypervascular hypoechoic mass in the 7:00 periareolar left breast measuring 0.3 x 0.4 x 0.4 cm. This corresponds to mammographic abnormality.

IMPRESSION:

Left breast mass. Ultrasound-guided biopsy recommended.

BI-RADS 4 - Suspicious

RECOMMENDATION(S):
Ultrasound-guided breast biopsy- Left

Electronically Signed By: NICOLE SAPHIER MD on 1:22 PM

Scans Related to Order

Outside Radiology Prescription - Scan on 12:47 PM



Result History

BI MAMMO TOMO DIAGNOSTIC BILAT (Order on - Order Result History Report

Supplies

							Charge
Name							
No							

Implants

No

Supplies

							Charge
Name							
No							

Breast Imaging Recommendations - Order

Faccidomo, Bonnie

Ultrasound-guided breast biopsy - Left (Status: Resolved, Due:

Overall Assessment: 4 - Suspicious Reading Physicians: Nicole Berardoni Saphier, MD

Performed Procedures: BI MAMMO TOMO DIAGNOSTIC BILAT (Accession #:

Performing Departments: MON BRE IMG

No

Resolving appointments and orders

Appt Date	Appt Department	Appt Status	Visit Type	Procedure	Study Status
1:30 PM	MON US	Completed	US BRST CORE BX LEFT	US BREAST CORE BIOPSY LEFT	Final

Created by SAPHIER, NICOLE BERARDONI on [REDACTED] Sent by INTERFACE, RADIOLOGY RESULTS IN on [REDACTED]

Recommendation	Side	Entered By	Due
Ultrasound-guided breast biopsy	Left	Interface, Radiology Results In	Resolved

██████████

Signed	Time	Phone	Pager
Nicole Berardoni Saphier, MD	[REDACTED] 13:22	[REDACTED]	

Status	Exam Begun	Exam Ended
Final	11:56	12:34

There is an external results report available.

View Encounter

Recommendation	Procedure	Ordered	Performed	Authorizing
Ultrasound-guided breast biopsy	 US BREAST CORE BIOPSY LEFT			Brendan J Mulholland

Order: XXXXXXXXXX

Test Result Released: No [REDACTED] [REDACTED] [REDACTED]

4 - Suspicious

b - Scattered fibroglandular density

Routine

Signed

ACCESSION#(s): [REDACTED] [REDACTED]

DATE:

EXAM: BILATERAL DIAGNOSTIC MAMMOGRAM. Limited bilateral ultrasound.

CLINICAL HISTORY: Annual mammogram. Status post right conservation surgery.

TECHNIQUE: Mammographic examination was performed using full breast digital technique. Limited bilateral ultrasound.

COMPARISON(S): 2024 dating back to 2020

LAST CLINICAL BREAST EXAM: Within the past year

BREAST DENSITY: Scattered areas of fibroglandular density.

FINDINGS:

No asymmetry in the outer middle depth right breast resolves with spot compression imaging. Limited same day right breast ultrasound demonstrate normal fibroglandular tissue in the outer right breast.

Within the lower inner periareolar anterior depth left breast there is an irregular high dense spiculated mass with associated overlying skin retraction. Limited same day left breast ultrasound demonstrates an irregular shadowing hypervascular hypoechoic mass in the 7:00 periareolar left breast measuring 0.3 x 0.4 x 0.4 cm. This corresponds to mammographic abnormality.

IMPRESSION:

Left breast mass. Ultrasound-guided biopsy recommended.

BI-RADS 4 - Suspicious

RECOMMENDATION(S):

Ultrasound-guided breast biopsy- Left

Electronically Signed By: NICOLE SAPHIER MD on 1:22 PM

Exam Ended: 12:34

Last Resulted: 13:22

- Order Details
- View Encounter
- Lab and Collection Details
- Routing
- Result History

Scans Related to Order

Outside Radiology Prescription - Scan on 12:47 PM



Related Results

SURGICAL PATHOLOGY ORDER Edited Result - FINAL

1. Breast, Left; us left breast biopsy 7:00 periareolar; US

Invasive carcinoma type

Invasive mammary carcinoma

Invasive carcinoma spans at least 3.5 mm in this material

Moderately to poorly differentiated

Will be reported in an addendum

DILIP D GIRI, MD

Patient



Released



Not seen

Study Details

Open Study Details