

Media Information

FISH ANALYSIS REPORT	
 29 South Terminal Drive Flushing, NY 11353 Tel: 1-888-ACUPATH Fax: 1-516-326-3452 www.acupath.com	Page 1 of 1
ACCESSION: [REDACTED] Obtained: 08/12/2025 Received: 08/14/2025	
PRACTICE: YI S. CHEN, DO, PLLC PHYSICIAN: YI S. CHEN, D.O., FACOS 136-20 38TH AVENUE Suite: SUITE 6A Flushing, NY 11354	PATIENT: XULI MA 65-06 183 ST FRESH MEADOWS, NY 11365
Account # 4363-5527-1  Ric 1 ☎ (718) 961-4636 ☎ (718) 461-5765	Age: 48 DOB: 06/02/1977 Sex: Female Acct: 1104248 Phone #: (917) 602-1253 Path#S99889152 chr(9)ACF1003595
Site: (A) Right Breast Lesion, High Suspicion, 1.3x0.8cm At 6:00, 4cmfn, So Indications: R/O MALIGNANCY	Source of Tissue: Breast Ca Biopsy Date Reported FISH: 08/15/2025 2:42 PM

FINAL DIAGNOSIS:

NEGATIVE FOR HER2 AMPLIFICATION

HER2/CEP17 RATIO:

1.0

AVG. HER2 COPY NUMBER:

1.6

INTERPRETATION:

Interphase fluorescence in situ hybridization (FISH) was completed on the submitted formalin fixed paraffin embedded biopsy using the Vysis® PathVysion HER 2 DNA probe kit (Abbott Molecular Inc., Des Plaines, IL), designed to detect amplification of the HER 2/neu gene using probes for the following loci: HER 2/neu (17q11.2-12) and CEP17 (17p11.1-q11.1). Results were manually reviewed.

The HER2/CEP17 ratio and average HER2 copy number observed were concomitantly reviewed with IHC results. A combined interpretation of the ISH and IHC assays yielded a negative HER2 result for the current sample.

These findings should be interpreted in association with other clinical, pathologic and laboratory findings.



FISH ANALYSTS DATA:

PATIENT RESULTS:

AVERAGE NUMBER OF CDP17 STAINING/NUCLEUS:	1.5
NUMBER OF TUMOR CELLS COUNTED:	40
NUMBER OF OBSERVERS:	2
SAMPLE ADEQUACY:	SATISFACTORY
ISCN:	46,XX,t(17;21)(p11;p11)

(+) CONTROL RESULTS:

HER2/CEP17 RATIO:	10.7
ESCN:	rec: int(D1721x)-2-HER2x10-10x20

REFERENCE RANGES:

HER2/CEP17 RATIO	AVG HER2 COPY #	IHC SCORE	ASCO/CAP GROUP #	HER2 FISH RESULT
>=2.0	>=4.0	ANY	1	POSITIVE
		1+	1a	POSITIVE
>=2.0	<4.0	2+	2b	NEGATIVE
		0 or 1+	2c	NEGATIVE
<2.0	>=6.0	1+	3a	POSITIVE
		2+	3b	POSITIVE
		0 or 1+	3c	NEGATIVE
<2.0	>=4.0 and <6.0	1+	4a	POSITIVE
		2+	4b	NEGATIVE
		0 or 1+	4c	NEGATIVE
<2.0	<4.0	ANY	5	NEGATIVE

[illegible][illegible][illegible]

Electronically signed by: **Olga Falkowski, M.D.**

28 E Terminal Dr, Plainville, NY 11803

Phonetic transcription: /ˈtʃɒl.əˌlɑːt.ə/

Fax (516) 336-3452

CUAR-33001140

Document Information

Patient [REDACTED]
image2.jpeg
[REDACTED]

Attached To:
Patient [REDACTED]

Source Information

Mychart, Generic