

BI MAMMO POST PROCEDURE LEFT

Status: Edited Result - FINAL

PACS Images

(Link Unavailable) Show images for BI MAMMO POST PROCEDURE LEFT

Addendum

ADDENDUM:

9:00 AM PATHOLOGY ADDENDUM

DIAGNOSIS: 1. Breast, Left; us left breast biopsy 7:00 periareolar; US BREAST CORE BIOPSY LEFT:
Invasive carcinoma type
Invasive mammary carcinoma
Tumor size
Invasive carcinoma spans at least 3.5 mm in this material
Differentiation
Moderately to poorly differentiated
Results of immunohistochemical studies
Will be reported in an addendum

ASSESSMENT: The result is malignant.

CONCORDANCE: This is concordant.

RECOMMENDED FOLLOW-UP:
Surgical consultation Left

NOTIFICATION: The patient

Electronically Signed By: MOLLY P. HOGAN MD on 9:01 AM

Addended by Molly Parsons Hogan, MD on 9:01 AM

Study Result

Narrative & Impression

ACCESSION#(s):

DATE:

EXAM: DIAGNOSTIC ULTRASOUND-GUIDED CORE NEEDLE BIOPSY LEFT BREAST

CLINICAL HISTORY: left breast mass

COMPARISON(S): October 6, 2025

INFORMED CONSENT AND TIME OUT: The risks, benefits, and alternatives were explained to the patient, signed to indicate informed consent. The patient verification and Time-out were completed.

OPERATORS: Dr. Hogan, the attending

PREPARATION: Skin was cleansed with chlorhexidine

LOCAL ANESTHETIC: 2.5cc of 1% lidocaine and 3.5cc of 2% lidocaine with epinephrine

BIOPSY DEVICE: Suros, vacuum-assisted 12 gauge, biopsy device.

TARGET LESION: 1 site, 7:00 mass left breast

NUMBER Formalin and hand delivered to Pathology drop-off for analysis.

BIOPSY MARKER: Ribbon shape

POST-PROCEDURE MAMMOGRAM:
Technique: 2D full field digital mammography, performed in a separate room from the procedure.
Breast Density: Scattered areas of fibroglandular density.
Marker position: Biopsy marker accurately positioned in the expected location.
Assessment: Left Post-procedure mammogram for marker placement.

ESTIMATED BLOOD LOSS (mL): Minimal. Less than 10.

Following the procedure, pressure was held until bleeding ceased. The skin was cleansed and Steri-Strips applied. Post-biopsy instructions were given verbally and in writing. The patient department in stable condition.

IMPRESSION:
Ultrasound-guided core needle biopsy of the left breast, 1 site

RECOMMENDATION(S):
Waiting on Pathology Left

Electronically Signed By: MOLLY P. HOGAN MD on 2:07 PM

Result History

BI MAMMO POST PROCEDURE LEFT (Order on - Order Result History Report - Result Edited

Supplies

						Charge
Name						
No						

Implants

No

Supplies

						Charge
Name						
No						

Breast Imaging Recommendations - Order

Faccidomo, Bonnie

This order has no

Signed by

Exam Information

Status	Exam Begun	Exam Ended
Final	14:27	14:27

External Results Report

There is an external results report available.

Encounter

[View Encounter](#)

Total Sedation Time

BI MAMMO POST PROCEDURE LEFT

Order:

Status: Edited Result - FINAL Next appt: None Dx: Abnormal finding on imaging

Test Result Released: No

Assessment

Overall
Post-Procedure Mammogram for Marker Placement

Left
Post-Procedure Mammogram for Marker Placement

Breast Density

Breast Composition

Overall
b - Scattered fibroglandular density

Details

Reading Physician
Molly Parsons Hogan, MD

Routine

Addenda

ADDENDUM:

9:00 AM PATHOLOGY ADDENDUM

DIAGNOSIS: 1. Breast, Left; us left breast biopsy 7:00 periareolar; US BREAST CORE BIOPSY LEFT:
Invasive carcinoma type
Invasive mammary carcinoma
Tumor size
Invasive carcinoma spans at least 3.5 mm in this material
Differentiation
Moderately to poorly differentiated
Results of immunohistochemical studies
Will be reported in an addendum

ASSESSMENT: The result is malignant.

CONCORDANCE: This is concordant.

RECOMMENDED FOLLOW-UP:
Surgical consultation Left

NOTIFICATION: The patient

Electronically Signed By: MOLLY P. HOGAN MD on 9:01 AM

Signed by Molly Parsons Hogan, MD on 09:01

Narrative & Impression

ACCESSION#(s):

DATE:

EXAM: DIAGNOSTIC ULTRASOUND-GUIDED CORE NEEDLE BIOPSY LEFT BREAST

CLINICAL HISTORY: left breast mass

COMPARISON(S): October 6, 2025

INFORMED CONSENT AND TIME OUT: The risks, benefits, and alternatives were explained to the patient, signed to indicate informed consent. The patient procedure verification and Time-out were completed.

OPERATORS: Dr. Hogan, the attending

PREPARATION: Skin was cleansed with chlorhexidine

LOCAL ANESTHETIC: 2.5cc of 1% lidocaine and 3.5cc of 2% lidocaine with epinephrine

BIOPSY DEVICE: Suros, vacuum-assisted 12 gauge, biopsy device.

TARGET LESION: 1 site, 7:00 mass left breast

NUMBER Formalin and hand delivered to Pathology drop-off for analysis.

BIOPSY MARKER: Ribbon shape

POST-PROCEDURE MAMMOGRAM:
Technique: 2D full field digital mammography, performed in a separate room from the procedure.
Breast Density: Scattered areas of fibroglandular density.
Marker position: Biopsy marker accurately positioned in the expected location.
Assessment: Left Post-procedure mammogram for marker placement.

ESTIMATED BLOOD LOSS (mL): Minimal. Less than 10.

Following the procedure, pressure was held until bleeding ceased. The skin was cleansed and Steri-Strips applied. Post-biopsy instructions were given verbally and in writing. The patient left the department in stable condition.

IMPRESSION:
Ultrasound-guided core needle biopsy of the left breast, 1 site

RECOMMENDATION(S):
Waiting on Pathology Left

Electronically Signed By: MOLLY P. HOGAN MD on 2:07 PM

Exam Ended: 14:27

Last Resulted: 09:01

-  Order Details
-  View Encounter
-  Lab and Collection Details
-  Routing
-  Result History - Result Edited

Result Care Coordination

 Patient Communication

 Released

 Not seen

Study Details

Open Study Details