

Media Information

From: Main Street Radiology To: ALICE Page: 1/3 Date: 9/16/2025 9:15:42 AM

Tel (718) 428-1500 • Fax (718) 428-2475
www.mainstreetradiology.com

Bayside 32nd Ave	33-25 Francis Lewis Blvd, Bayside, NY 11358
Bayside 44th Ave	44-01 Francis Lewis Blvd, Bayside, NY 11361
Downtown Flushing	136-25 37th Ave, Flushing, NY 11354
Western Queens	72-06 Northern Blvd, Jackson Hts, NY 11372
Glendale	83-14 Cooper Ave, Glendale, NY 11385

HELEN HSIEH, MD
133-47 SANFORD AVE, SUITE 1B
FLUSHING, NY

Referrer Phone: (718)661-6630
Name: WEN MEI I YEH
Phone: (347)661-6693
Gender: Female
DOB:
Patient:
Exam Date: 9/8/2025 12:04 PM

Acc #: 10107541

Secondary ID:

Exam Name: |

*****THIS IS AN ADDENDED REPORT*******Addendum 1**

The above findings and recommendations were discussed with Caroline from Dr. Hsieh's office on 9/12/2025 12:46 PM. The patient will be contacted by the referrers office.

Electronically signed by: Allison Rubin MD 9/12/2025 1:20 PM
Workstation: NYPQARUBIN

Continued...

Main Street RadiologyName: [REDACTED]
Date of Birth: [REDACTED]**ULTRASOUND-GUIDED RIGHT BREAST CORE NEEDLE BIOPSY**

The patient [REDACTED] suspicious right breast mass as seen on [REDACTED] corresponding to mammographic focal asymmetry.

After risks, benefits and alternatives to the procedure were discussed with the patient, [REDACTED] informed consent was obtained.

Targeted ultrasound of the right breast redemonstrates a 0.4 cm irregular hypoechoic mass at 11:00, 8 cm from the nipple. The lesion was targeted under ultrasound biopsy.

The skin was cleansed with Chloraprep. Lidocaine was used for local anesthetic. A 12- gauge spring activated biopsy needle was used. 3 passes were made through the lesion. A Venus shaped biopsy clip was deployed at the biopsy site. Patient tolerated procedure well with no [REDACTED] complication.

Postprocedure digital mammogram demonstrates biopsy clip in expected location, located just posterior to mammographic irregular focal asymmetry on the MLO image. The area mammographic finding in the lateral right breast is obscured on CC imaging by adjacent postbiopsy change. The breast tissue is heterogeneously dense, which may obscure small masses.

Impression:

Ultrasound-guided core needle biopsy of a suspicious right breast mass..

Final pathology results:

Invasive ductal carcinoma.

Pathology shows malignant findings. The results are concordant with imaging. The biopsy marking clip

Continued...

Main Street Radiology

Name: WEN MEI I YEH

Date of Birth: [REDACTED]

in the right upper outer quadrant is located just posterior to the mammographic focal asymmetry.

BI-RADS CATEGORY: 6-Known Malignancy- Biopsy Proven

Recommendation: Surgical consultation regarding biopsy results.

Recommendation: Surgical consultation

The above findings and recommendations were relayed to the patient [REDACTED] [REDACTED] [REDACTED] and discussed with Caroline from Dr. Hsieh's office on [REDACTED] 12:46 PM.

Electronically signed by: Allison Rubin MD [REDACTED] 12:47 PM

Workstation: NYPQARUBIN

Report Electronically Signed by: Allison Rubin MD
Report Electronically Signed on: 9/12/2025 12:47 PM

This fax was sent with GFI FaxMaker fax server. For more information, visit: <http://www.gfi.com>

Document Information

Misc Administration: Outside Radiology, Breast

US BREAST BX

00:00

Attached To:

OUTSIDE RADIOLOGY ORDER

Orders Only on with Historical Provider,

Source Information

Priscilla P. Hazel | Msk Pas