
Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_C47_F1/Business Documents/ArchivosMomentaneos/C47_Archivo_Datos_Val.bdoc
Last modified	-0400
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


Content

Elements


[Validation rules](#)

[Dependencies](#)


Flat File : C47_Archivo_Datos_Val

UML Diagram																																								
Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td>Header</td><td>0-1</td><td></td><td></td><td></td><td></td><td>Root</td><td>Implicit</td><td></td><td></td></tr><tr><td>Registros</td><td>0-N</td><td></td><td></td><td></td><td></td><td></td><td>Implicit</td><td></td><td></td></tr></table>	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	Header	0-1					Root	Implicit			Registros	0-N						Implicit											
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																															
Header	0-1					Root	Implicit																																	
Registros	0-N						Implicit																																	

Parent : Header

UML Diagram																														
Cardinality	0..1																													
Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td>Datos</td><td>0-1</td><td>S - String</td><td>string (len)</td><td>99999</td><td></td><td></td><td>String</td><td>0x0a</td><td>!EOF!</td></tr></table>										Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	Datos	0-1	S - String	string (len)	99999			String	0x0a	!EOF!
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																					
Datos	0-1	S - String	string (len)	99999			String	0x0a	!EOF!																					

Parent : Registros

UML Diagram																														
Cardinality	0..*																													
Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td>Contenido</td><td>0-1</td><td>S - String</td><td>string (len)</td><td>99999</td><td></td><td></td><td>String</td><td>0x0a</td><td>!EOF!</td></tr></table>										Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	Contenido	0-1	S - String	string (len)	99999			String	0x0a	!EOF!
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																					
Contenido	0-1	S - String	string (len)	99999			String	0x0a	!EOF!																					

Validation rules

[Elements](#)
[Dependencies](#)

Name	Expression
InstanciarVariables	<pre>%Sinacofi_C47_F1.indice:=index(getAttribute("B2BXGIRcei %Sinacofi_C47_F1.indice2:=index(getAttribute("B2BXGIRce %Sinacofi_C47_F1.indice3:= index(getAttribute("B2BXGIRce %Sinacofi_C47_F1.tipoDocumentoPrefijo:= getSubString(getA %Sinacofi_C47_F1.correlativoPrefijo:= getSubString(getAtt %Sinacofi_C47_F1.usuarioNAPrefijo:= getSubString(getAttri %Sinacofi_C47_F1.usuarioPrefijo:= getSubString(%Sinacofi_ %Sinacofi_C47_F1.TipoArchivo:= "Archivo de datos"; if (1=1) then True</pre>
Validation_code65_V1_code75_V12	<pre>%Sinacofi_C47_F1.Detalles2:="Lineas: "; %Sinacofi_C47_F1.Detalles3:="Lineas: "; %Sinacofi_C47_F1.indiceLoop:=1; loop on \Registros{ %Sinacofi_C47_F1.indiceLoop:=%Sinacofi_C47_F1.ind if(Sinacofi_C47_F1.GetLargoRegistroByTD(%Sinacof then{ %Sinacofi_C47_F1.Detalles2:=%Sina }; if (not(getSubString(this\Contenido,11, then{ %Sinacofi_C47_F1.Detalles3:=%Sina } }; }; if (%Sinacofi_C47_F1.Detalles2<>"Lineas: ") then{ %Sinacofi_C47_F1.var_error1:= Sinacofi_C47_F1.Ins %Sinacofi_C47_F1.correlat "065", %Sinacofi_C47_F1.TipoArch formatString(getDateAndTi) }; if (%Sinacofi_C47_F1.Detalles3<>"Lineas: ") then{ %Sinacofi_C47_F1.var_error1:= Sinacofi_C47_F1.Ins %Sinacofi_C47_F1.correlat "075", %Sinacofi_C47_F1.TipoArch formatString(getDateAndTi) }; }; True</pre>
Validation_code05_V2	<pre>%Sinacofi_C47_F1.CodigoError:= "005"; if(Sinacofi_C47_F1.GetEntidadByCasilla(%Sinacofi_C47_F1.u then { %Sinacofi_C47_F1.var_error1:= Sinacofi_C47_F1.Ins %Sinacofi_C47_F1.correlativoPrefijo, %Sinacofi_C47_F1.CodigoError, %Sinacofi_C47_F1.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM) }; True</pre>
	<pre>%Sinacofi_C47_F1.CodigoError:= "074"; %Sinacofi_C47_F1.agno:= convertToI(getSubString(\Header\D %Sinacofi_C47_F1.mes:= convertToI(getSubString(\Header\Da</pre>

Validation_code74_V5	<pre> %Sinacofi_C47_F1.dia:= convertToI(getSubString(\Header\Da if (%Sinacofi_C47_F1.agno < 1951 or (%Sinacofi_C47_F1.mes < 1 or %Sinacofi_C47_F1.mes or (%Sinacofi_C47_F1.dia <1) or ((%Sinacofi_C47_F1.mes in (1, 3, 5, 7, 8, 10, 12) or (%Sinacofi_C47_F1.mes in (4, 6, 9, 11) and (%S or (%Sinacofi_C47_F1.mes = 2 and (((%Sinacofi_C47_F1.agno / 4 = convertToI(%Sinacofi_C47) or ((%Sinacofi_C47_F1.agno / 4 <> convertToI(%Sinac))) then { %Sinacofi_C47_F1.var_error1:= Sinacofi_C47_F1.InsertE %Sinacofi_C47_F1.correlativoPrefijo, %Sinacofi_C47_F1.CodigoError, %Sinacofi_C47_F1.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'m) } }; True </pre>
Validation_container	<pre> if (%Sinacofi_C47_F1.var_error1 <> " ") then{ False }else{ True } </pre>

Dependencies

Elements

Validation rules

var	/Sinacofi_C47_F1/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_C47_F1/Extended Objects/tipoDocumentoPrefijo.var
fct	/Sinacofi_C47_F1/Extended Objects/GetLargoRegistroByTD.fct
var	/Sinacofi_C47_F1/Extended Objects/indice2.var
fct	/Sinacofi_C47_F1/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_C47_F1/Extended Objects/Detalles2.var
var	/Sinacofi_C47_F1/Extended Objects/TipoArchivo.var
var	/Sinacofi_C47_F1/Extended Objects/dia.var
var	/Sinacofi_C47_F1/Extended Objects/var_error1.var
fct	/Sinacofi_C47_F1/Extended Objects/GetEntidadByCasilla.fct
var	/Sinacofi_C47_F1/Extended Objects/indice.var
var	/Sinacofi_C47_F1/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_C47_F1/Extended Objects/indice3.var
var	/Sinacofi_C47_F1/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_C47_F1/Extended Objects/CodigoError.var
var	/Sinacofi_C47_F1/Extended Objects/Detalles3.var
var	/Sinacofi_C47_F1/Extended Objects/agno.var
var	/Sinacofi_C47_F1/Extended Objects/mes.var
var	/Sinacofi_C47_F1/Extended Objects/indiceLoop.var

Creation Date: October 7, 2024

Generated with Mapping Services

Axway