

Documentation for Sinacofi_MB4\ArchivosMomentaneos.MB4_CAR_Val

Description of the Business Document

This documentation contains file-specific information.

Attributes

| Key word | Value |
|--|---|
| Name | /Sinacofi_MB4/Business Documents/ArchivosMomentaneos/MB4_CAR_Val.bdoc |
| Last modified | -0300 |
| Label | |
| Business document type | Flat File |
| Parent delimiter | Fixed |
| Parent delimiter value | |
| Leaf element delimiter | Fixed |
| Leaf element delimiter value | |
| Open quote character | |
| Closed quote character | |
| Escape character | |
| Decimal character | |
| Encoding | iso8859 |
| Trim | None |
| Truncate | FALSE |
| Pad reals with a leading and trailing zero | FALSE |
| Keep decimal separator character | TRUE |
| Keep decimal separator | TRUE |
| Keep + sign for positive real numbers | FALSE |
| Keep + sign for positive integer numbers | FALSE |
| Keep number of fractional digits | TRUE |
| Keep number of date characters | TRUE |

Content


Elements


Validation rules

<u>Dependencies</u>

Flat File: MB4_CAR_Val MB4_CAR_Val : Flat File Caratula: Parent UML Diagram Alternative Delimiter Data Default Definition Cardinality Class Label Delimiter delimiter Name type value value Name value Caratula 1-1 Root Implicit

| Parent : C | aratula | | |
|------------|---------|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | I | | |





Cardinality

Name

| Name | Cardinality | Class | Data type | Definition | Default value | Label | Delimiter | Delimiter value | Alternative delimiter value |
|------|-------------|---------------|-----------------|------------|------------------|--|-----------|--------------------|-----------------------------------|
| ORG | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| NMS | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| IDU | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| FGB | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| HGB | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| MSG | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| PRI | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| TID | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| NSE | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| FEN | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| HEN | 0-1 | S - String | string (len) | 255 | | | String | 0x0a | |
| G01 | 0-1 | S - String | string (len) | 255 | | Datos de Control de Transferencia | String | 0x0a | |
| 18 | 0-1 | S - String | string (len) | 255 | | Nombre y Telefono Responsables firmados | String | 0x0a | |
| 20 | 0-1 | S - String | string (len) | 255 | | Nuestra Referencia | String | 0x0a | |
| 34 | 0-1 | S - String | string (len) | 255 | | Fecha Validez Datos | String | 0x0a | |
| PA1 | 0-1 | S - String | string (len) | 255 | | Numero de Registros Informados | String | 0x0a | |
| MOA | 0-1 | S - String | string (len) | 255 | | Numero de Registros Informados | String | 0x0a | |
| | | | | | | Numero de | | | |

| MOB | 0-1 | S - String | string (len) | 255 | Registros Informados | String | 0x0a | |
|-----|-----|---------------|-----------------|-----|--------------------------------------|--------|------|--|
| MOC | 0-1 | S - String | string (len) | 255 | Numero de Registros Informados | String | 0x0a | |
| MOD | 0-1 | S - String | string (len) | 255 | Numero de Registros Informados | String | 0x0a | |
| МОЕ | 0-1 | S - String | string (len) | 255 | Numero de Registros Informados | String | 0x0a | |
| 79 | 0-1 | S - String | string (len) | 255 | Observaciones | String | 0x0a | |
| FIN | 0-1 | | string (len) | 255 | | String | 0x0a | |

Validation rules

Elements

Dependencies

| Name | Expression |
|----------------------|---|
| InstanciarVariables | <pre>%Sinacofi_MB4.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_MB4.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_MB4.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_MB4.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_MB4.tipoDocumentoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_MB4.correlativoPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_MB4.usuarioNAPrefijo:= getSubString(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_MB4.usuarioPrefijo:= getSubString(%Sinacofi_MB4.usuarioNAP) %Sinacofi_MB4.NombreArchivo:= getSubString(getAttribute("B2BXGIReceive_Consumption) %Sinacofi_MB4.TipoArchivo:= "Caratula"; if (1=1) then</pre> |
| ValidationCode46_V4 | <pre>%Sinacofi_MB4.CodigoError:= "046"; %Sinacofi_MB4.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS if(%Sinacofi_MB4.CapturaCampoCar <> Sinacofi_MB4.GetCodigoMSGbyMSG(% then {</pre> |
| ValidationCode61_V14 | <pre>%Sinacofi_MB4.CodigoError:= "061"; if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01) or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18 or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20 or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34 or getSubString(\Caratula\PA1, length(trimStringRight(\Caratula\PA1) or getSubString(\Caratula\MOA, length(trimStringRight(\Caratula\MOA) or getSubString(\Caratula\MOB, length(trimStringRight(\Caratula\MOB) or getSubString(\Caratula\MOC, length(trimStringRight(\Caratula\MOC) or getSubString(\Caratula\MOD, length(trimStringRight(\Caratula\MOD) or getSubString(\Caratula\MOD, length(trimStringRight(\Caratula\MOD) or getSubString(\Caratula\MOE, length(trimStringRight(\Caratula\MOE) or getSubString(\Caratula\MOE, length(trimStringRight(\Caratula\MOE))</pre> |

```
lthen
                            %Sinacofi_MB4.var_error1:= Sinacofi_MB4.InsertErrorTBL(
                            %Sinacofi_MB4.correlativoPrefijo,
                            %Sinacofi_MB4.CodigoError,
                            %Sinacofi_MB4.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    %Sinacofi_MB4.CodigoError:= "060";
                    countString(\Caratula\G01 , "}") > 1
                    or countString(\Caratula\!18! , "}") > 1
                    or countString(\Caratula\!20! , "}") > 1
                    or countString(\Caratula\!34! , "}") > 1
                    or countString(\Caratula\PA1 , "}") > 1
                    or countString(\Caratula\MOA , "\}") > 1
                    or countString(\Caratula\MOB , "\}") > 1
                    or countString(\Caratula\MOC , "\}") > 1
                    or countString(\Caratula\MOD , "}") > 1
ValidationCode60_V13
                    or countString(\Caratula\MOE , "\}") > 1
                    or countString(\Caratula\!79! , "\}") > 1
                    ) then {
                            %Sinacofi_MB4.var_error1:= Sinacofi_MB4.InsertErrorTBL(
                            %Sinacofi_MB4.correlativoPrefijo,
                            %Sinacofi_MB4.CodigoError,
                            %Sinacofi_MB4.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    };
                    True
                    if (%Sinacofi_MB4.var_error1<>"")
                     then {
                            false
ValidationContainer1
                                    }
                    else
                    %Sinacofi MB4.CodigoError:= "051";
                    %Sinacofi_MB4.CamposConcatenados:=
                    trimString ( getSubString(\Caratula\G01 , 1, 3 ) )
                    & "| " & trimString ( getSubString(\Caratula\!18! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\!20! , 1, 3 ) )
                    & "\mid" & trimString ( getSubString(\Caratula\!34! , 1, 3 ) )
                    & "|" & trimString ( getSubString(\Caratula\PA1 , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\MOA , 1, 3 )
                      "| " & trimString ( getSubString(\Caratula\MOB , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\MOC , 1, 3 ) )
                      "|" & trimString ( getSubString(\Caratula\MOE , 1, 3 ) )
                    & "| " & trimString ( getSubString(\Caratula\!79! , 1, 3 ) );
                    %Sinacofi_MB4.ValoresConcatenados:="|" &
                    trimStringRight ( getSubString(\Caratula\G01 , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\!18! , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\!20! , 5, 255 )
                    & trimStringRight ( getSubString(\Caratula\!34! , 5, 255 ) )
ValidationCode51_V7
                   & trimStringRight ( getSubString(\Caratula\PA1 , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\MOA , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\MOB , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\MOC , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\MOD , 5, 255 ) )
                    & trimStringRight ( getSubString(\Caratula\MOE , 5, 255 ) )
                      trimStringRight ( getSubString(\Caratula\!79! , 5, 255 ) );
```

```
if( Sinacofi MB4.ValidarLargos( convertToI(%Sinacofi MB4.CapturaCamp
                    then
                            %Sinacofi_MB4.var_error1:= Sinacofi_MB4.InsertErrorTBL(
                            %Sinacofi_MB4.correlativoPrefijo,
                            %Sinacofi_MB4.CodigoError,
                            %Sinacofi_MB4.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    %Sinacofi MB4.CodigoError:= "052";
                    %Sinacofi_MB4.indice:= index(\Caratula\!34! , "}");
                    %Sinacofi_MB4.subCampo34:= getSubString( \Caratula\!34! , 5, %Sinac
                    %Sinacofi_MB4.indice:= index(\Caratula\PA1 , "}");
                    %Sinacofi_MB4.campoPA1:= getSubString( \Caratula\PA1 , 5,
                                                                               %Sinacofi
                    %Sinacofi_MB4.indice:= index(\Caratula\MOA , "}");
                    %Sinacofi_MB4.campoMOA:= getSubString( \Caratula\MOA , 5,
                                                                                %Sinacofi
                    %Sinacofi_MB4.indice:= index(\Caratula\MOB , "}");
                    %Sinacofi_MB4.campoMOB:= getSubString( \Caratula\MOB , 5,
                                                                                %Sinacofi
                    %Sinacofi_MB4.indice:= index(\Caratula\MOC , "}");
                    %Sinacofi_MB4.campoMOC:= getSubString( \Caratula\MOC , 5,
                                                                                %Sinacofi
                    %Sinacofi_MB4.indice:= index(\Caratula\MOD , "}");
                    %Sinacofi_MB4.campoMOD:= getSubString( \Caratula\MOD , 5,
                                                                                %Sinacofi
                    %Sinacofi_MB4.indice:= index(\Caratula\MOE , "}");
                    %Sinacofi_MB4.campoMOE:= getSubString( \Caratula\MOE , 5,
                                                                                %Sinacofi
ValidationCode52 V8
                    if ( convertToI(%Sinacofi_MB4.campoPA1 ) = null
                    or convertToI(%Sinacofi_MB4.campoMOA ) = null
                    or convertToI(%Sinacofi_MB4.campoMOB ) = null
                    or convertToI(%Sinacofi_MB4.campoMOC) = null
                    or convertToI(%Sinacofi_MB4.campoMOD ) = null
                    or convertToI(%Sinacofi MB4.campoMOE ) = null
                    ) then {
                            %Sinacofi_MB4.var_error1:= Sinacofi_MB4.InsertErrorTBL(
                            %Sinacofi_MB4.correlativoPrefijo,
                            %Sinacofi_MB4.CodigoError,
                            %Sinacofi_MB4.TipoArchivo,
                            formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss"
                    True
                    if (%Sinacofi_MB4.var_error1<>"")
                     then {
                            false
ValidationContainer2
                                    }
                    else
                    True
```

Dependencies

Elements

Validation rules

| var | /Sinacofi_MB4/Extended Objects/CodigoError.var |
|-----|---|
| var | /Sinacofi_MB4/Extended Objects/subCampo34.var |
| var | /Sinacofi_MB4/Extended Objects/campoMOD.var |
| var | /Sinacofi_MB4/Extended Objects/correlativoPrefijo.var |
| var | /Sinacofi_MB4/Extended Objects/CamposConcatenados.var |
| var | /Sinacofi_MB4/Extended Objects/indice.var |
| fct | /Sinacofi_MB4/Extended Objects/ValidarLargos.fct |
| var | /Sinacofi_MB4/Extended Objects/campoMOA.var |

| fct | /Sinacofi MB4/Extended Objects/GetCodigoMSGbyMSG.fct |
|-----|---|
| var | /Sinacofi_MB4/Extended Objects/CapturaCampoCar.var |
| var | /Sinacofi_MB4/Extended Objects/indice2.var |
| var | /Sinacofi_MB4/Extended Objects/campoMOC.var |
| var | /Sinacofi_MB4/Extended Objects/tipoDocumentoPrefijo.var |
| fct | /Sinacofi_MB4/Extended Objects/InsertErrorTBL.fct |
| var | /Sinacofi_MB4/Extended Objects/usuarioPrefijo.var |
| var | /Sinacofi_MB4/Extended Objects/campoMOE.var |
| var | /Sinacofi_MB4/Extended Objects/NombreArchivo.var |
| var | /Sinacofi_MB4/Extended Objects/usuarioNAPrefijo.var |
| var | /Sinacofi_MB4/Extended Objects/campoMOB.var |
| var | /Sinacofi_MB4/Extended Objects/campoPA1.var |
| var | /Sinacofi_MB4/Extended Objects/indice3.var |
| var | /Sinacofi_MB4/Extended Objects/ValoresConcatenados.var |
| var | /Sinacofi_MB4/Extended Objects/TipoArchivo.var |
| var | /Sinacofi MB4/Extended Objects/var_error1.var |

Creation Date: October 4, 2024

Generated with Mapping Services

Axway