
Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_D10/Business Documents/ArchivosMomentaneos/D10_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


Content

Elements

[Validation rules](#)

[Dependencies](#)


Flat File : D10_CAR_Val


UML Diagram										
Name	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
	Caratula	1-1					Root	Implicit		

Parent : Caratula

--	--

UML
Diagram





Cardinality	1
-------------	---

Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
ORG	0-1	S - String	string (len)	255			String	0x0a	
NMS	0-1	S - String	string (len)	255			String	0x0a	
IDU	0-1	S - String	string (len)	255			String	0x0a	
FGB	0-1	S - String	string (len)	255			String	0x0a	
HGB	0-1	S - String	string (len)	255			String	0x0a	

Name	MSG	0-1	S - String	string (len)	255			String	0x0a	
	PRI	0-1	S - String	string (len)	255			String	0x0a	
	TID	0-1	S - String	string (len)	255			String	0x0a	
	NSE	0-1	S - String	string (len)	255			String	0x0a	
	FEN	0-1	S - String	string (len)	255			String	0x0a	
	HEN	0-1	S - String	string (len)	255			String	0x0a	
	G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
	18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
	20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
	34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
	PA1	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
	CGP	0-1	S - String	string (len)	255			String	0x0a	
	CGQ	0-1	S - String	string (len)	255			String	0x0a	
	CGS	0-1	S - String	string (len)	255			String	0x0a	
	CGT	0-1	S - String	string (len)	255			String	0x0a	
	CGV	0-1	S - String	string (len)	255			String	0x0a	
	CGW	0-1	S - String	string (len)	255			String	0x0a	
	CGX	0-1	S - String	string (len)	255			String	0x0a	
	CGY	0-1	S - String	string (len)	255			String	0x0a	
	CGZ	0-1	S - String	string (len)	255			String	0x0a	
	CIA	0-1	S - String	string (len)	255			String	0x0a	
	CIB	0-1	S - String	string (len)	255			String	0x0a	
	CIC	0-1	S - String	string (len)	255			String	0x0a	
	CID	0-1	S - String	string (len)	255			String	0x0a	
	CHW	0-1	S - String	string (len)	255			String	0x0a	
	CHY	0-1	S - String	string (len)	255			String	0x0a	
			S -	string						

	79	0-1	String	(len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

Elements

Dependencies

Name	Expression
InstanciarVariables	<pre>%Sinacofi_D10.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_D10.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_D10.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D10.tipoDocumentoPrefijo:= getSubString(getAttribute("B2B %Sinacofi_D10.correlativoPrefijo:= getSubString(getAttribute("B2BXG %Sinacofi_D10.usuarioNAPrefijo:= getSubString(getAttribute("B2BXGIR %Sinacofi_D10.usuarioPrefijo:= getSubString(%Sinacofi_D10.usuarioNAP %Sinacofi_D10.NombreArchivo:= getSubString(getAttribute("B2BXGIRece %Sinacofi_D10.TipoArchivo:= "Caratula"; if (1=1) then True</pre>
ValidationCode46_V4	<pre>%Sinacofi_D10.CodigoError:= "046"; %Sinacofi_D10.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS if(%Sinacofi_D10.CapturaCampoCar <> Sinacofi_D10.GetCodigoMSGbyMSG(% then { %Sinacofi_D10.var_error1:= Sinacofi_D10.InsertErrorTBL(%Sinacofi_D10.correlativoPrefijo, %Sinacofi_D10.CodigoError, %Sinacofi_D10.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True</pre>
ValidationCode61_V14	<pre>%Sinacofi_D10.CodigoError:= "061"; if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01) or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18 or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20 or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34 or getSubString(\Caratula\PA1, length(trimStringRight(\Caratula\PA1) or getSubString(\Caratula\CGP, length(trimStringRight(\Caratula\CGP) or getSubString(\Caratula\CGQ, length(trimStringRight(\Caratula\CGQ) or getSubString(\Caratula\CGS, length(trimStringRight(\Caratula\CGS) or getSubString(\Caratula\CGT, length(trimStringRight(\Caratula\CGT) or getSubString(\Caratula\CGV, length(trimStringRight(\Caratula\CGV) or getSubString(\Caratula\CGW, length(trimStringRight(\Caratula\CGW) or getSubString(\Caratula\CGX, length(trimStringRight(\Caratula\CGX) or getSubString(\Caratula\CGY, length(trimStringRight(\Caratula\CGY) or getSubString(\Caratula\CGZ, length(trimStringRight(\Caratula\CGZ) or getSubString(\Caratula\CIA, length(trimStringRight(\Caratula\CIA) or getSubString(\Caratula\CIB, length(trimStringRight(\Caratula\CIB) or getSubString(\Caratula\CIC, length(trimStringRight(\Caratula\CIC) or getSubString(\Caratula\CID, length(trimStringRight(\Caratula\CID) or getSubString(\Caratula\CHW, length(trimStringRight(\Caratula\CHW) or getSubString(\Caratula\CHY, length(trimStringRight(\Caratula\CHY) or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79) then { %Sinacofi_D10.var_error1:= Sinacofi_D10.InsertErrorTBL(</pre>

	<pre> %Sinacofi_D10.correlativoPrefijo, %Sinacofi_D10.CodigoError, %Sinacofi_D10.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
ValidationCode60_V13	<pre> %Sinacofi_D10.CodigoError:= "060"; if(countString(\Caratula\G01 , "{") > 1 or countString(\Caratula\!18! , "{") > 1 or countString(\Caratula\!20! , "{") > 1 or countString(\Caratula\!34! , "{") > 1 or countString(\Caratula\PA1 , "{") > 1 or countString(\Caratula\CGP , "{") > 1 or countString(\Caratula\CGQ , "{") > 1 or countString(\Caratula\CGS , "{") > 1 or countString(\Caratula\CGT , "{") > 1 or countString(\Caratula\CGV , "{") > 1 or countString(\Caratula\CGW , "{") > 1 or countString(\Caratula\CGX , "{") > 1 or countString(\Caratula\CGY , "{") > 1 or countString(\Caratula\CGZ , "{") > 1 or countString(\Caratula\CIA , "{") > 1 or countString(\Caratula\CIB , "{") > 1 or countString(\Caratula\CIC , "{") > 1 or countString(\Caratula\CID , "{") > 1 or countString(\Caratula\CHW , "{") > 1 or countString(\Caratula\CHY , "{") > 1 or countString(\Caratula\!79! , "{") > 1) then { %Sinacofi_D10.var_error1:= Sinacofi_D10.InsertErrorTBL(%Sinacofi_D10.correlativoPrefijo, %Sinacofi_D10.CodigoError, %Sinacofi_D10.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
ValidationContainer1	<pre> if (%Sinacofi_D10.var_error1<>"") then { false } else True </pre>
	<pre> %Sinacofi_D10.CodigoError:= "051"; %Sinacofi_D10.CamposConcatenados:= trimString (getSubString(\Caratula\G01 , 1, 3)) & " " & trimString (getSubString(\Caratula\!18! , 1, 3)) & " " & trimString (getSubString(\Caratula\!20! , 1, 3)) & " " & trimString (getSubString(\Caratula\!34! , 1, 3)) & " " & trimString (getSubString(\Caratula\PA1 , 1, 3)) & " " & trimString (getSubString(\Caratula\CGP , 1, 3)) & " " & trimString (getSubString(\Caratula\CGQ , 1, 3)) & " " & trimString (getSubString(\Caratula\CGS , 1, 3)) & " " & trimString (getSubString(\Caratula\CGT , 1, 3)) & " " & trimString (getSubString(\Caratula\CGV , 1, 3)) & " " & trimString (getSubString(\Caratula\CGW , 1, 3)) & " " & trimString (getSubString(\Caratula\CGX , 1, 3)) & " " & trimString (getSubString(\Caratula\CGY , 1, 3)) & " " & trimString (getSubString(\Caratula\CGZ , 1, 3)) & " " & trimString (getSubString(\Caratula\CIA , 1, 3)) & " " & trimString (getSubString(\Caratula\CIB , 1, 3)) </pre>

ValidationCode51_v7	<pre> & " " & trimString (getSubString(\Caratula\CIC , 1, 3)) & " " & trimString (getSubString(\Caratula\CID , 1, 3)) & " " & trimString (getSubString(\Caratula\CHW , 1, 3)) & " " & trimString (getSubString(\Caratula\CHY , 1, 3)) & " " & trimString (getSubString(\Caratula\!79! , 1, 3)); %Sinacofi_D10.ValoresConcatenados:=" " & trimStringRight (getSubString(\Caratula\G01 , 5, 255)) & trimStringRight (getSubString(\Caratula\!18! , 5, 255)) & trimStringRight (getSubString(\Caratula\!20! , 5, 255)) & trimStringRight (getSubString(\Caratula\!34! , 5, 255)) & trimStringRight (getSubString(\Caratula\PA1 , 5, 255)) & trimStringRight (getSubString(\Caratula\CGP , 5, 255)) & trimStringRight (getSubString(\Caratula\CGQ , 5, 255)) & trimStringRight (getSubString(\Caratula\CGS , 5, 255)) & trimStringRight (getSubString(\Caratula\CGT , 5, 255)) & trimStringRight (getSubString(\Caratula\CGV , 5, 255)) & trimStringRight (getSubString(\Caratula\CGW , 5, 255)) & trimStringRight (getSubString(\Caratula\CGX , 5, 255)) & trimStringRight (getSubString(\Caratula\CGY , 5, 255)) & trimStringRight (getSubString(\Caratula\CGZ , 5, 255)) & trimStringRight (getSubString(\Caratula\CIA , 5, 255)) & trimStringRight (getSubString(\Caratula\CIB , 5, 255)) & trimStringRight (getSubString(\Caratula\CIC , 5, 255)) & trimStringRight (getSubString(\Caratula\CID , 5, 255)) & trimStringRight (getSubString(\Caratula\CHW , 5, 255)) & trimStringRight (getSubString(\Caratula\CHY , 5, 255)) & trimStringRight (getSubString(\Caratula\!79! , 5, 255)); if(Sinacofi_D10.ValidarLargos(convertToI(%Sinacofi_D10.CapturaCamp then { %Sinacofi_D10.var_error1:= Sinacofi_D10.InsertErrorTBL(%Sinacofi_D10.correlativoPrefijo, %Sinacofi_D10.CodigoError, %Sinacofi_D10.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
	<pre> %Sinacofi_D10.CodigoError:= "052"; %Sinacofi_D10.indice:= index(\Caratula\!34! , "}"); %Sinacofi_D10.subCampo34:= getSubString(\Caratula\!34! , 5, %Sinac %Sinacofi_D10.indice:= index(\Caratula\PA1 , "}"); %Sinacofi_D10.campoPA1:= getSubString(\Caratula\PA1 , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGP , "}"); %Sinacofi_D10.campoCGP:= getSubString(\Caratula\CGP , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGQ , "}"); %Sinacofi_D10.campoCGQ:= getSubString(\Caratula\CGQ , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGS , "}"); %Sinacofi_D10.campoCGS:= getSubString(\Caratula\CGS , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGT , "}"); %Sinacofi_D10.campoCGT:= getSubString(\Caratula\CGT , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGV , "}"); %Sinacofi_D10.campoCGV:= getSubString(\Caratula\CGV , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGW , "}"); %Sinacofi_D10.campoCGW:= getSubString(\Caratula\CGW , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGX , "}"); %Sinacofi_D10.campoCGX:= getSubString(\Caratula\CGX , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGY , "}"); %Sinacofi_D10.campoCGY:= getSubString(\Caratula\CGY , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CGZ , "}"); %Sinacofi_D10.campoCGZ:= getSubString(\Caratula\CGZ , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CIA , "}"); %Sinacofi_D10.campoCIA:= getSubString(\Caratula\CIA , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CIB , "}"); </pre>

ValidationCode52_V8	<pre> %Sinacofi_D10.campoCIB:= getSubString(\Caratula\CIB , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CIC , "}"); %Sinacofi_D10.campoCIC:= getSubString(\Caratula\CIC , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CID , "}"); %Sinacofi_D10.campoCID:= getSubString(\Caratula\CID , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CHW , "}"); %Sinacofi_D10.campoCHW:= getSubString(\Caratula\CHW , 5, %Sinacofi %Sinacofi_D10.indice:= index(\Caratula\CHY , "}"); %Sinacofi_D10.campoCHY:= getSubString(\Caratula\CHY , 5, %Sinacofi if (convertToI(%Sinacofi_D10.campoPA1) = null or convertToI(%Sinacofi_D10.campoCGP) = null or convertToI(%Sinacofi_D10.campoCGQ) = null or convertToI(%Sinacofi_D10.campoCGS) = null or convertToI(%Sinacofi_D10.campoCGT) = null or convertToI(%Sinacofi_D10.campoCGV) = null or convertToI(%Sinacofi_D10.campoCGW) = null or convertToI(%Sinacofi_D10.campoCGX) = null or convertToI(%Sinacofi_D10.campoCGY) = null or convertToI(%Sinacofi_D10.campoCGZ) = null or convertToI(%Sinacofi_D10.campoCIA) = null or convertToI(%Sinacofi_D10.campoCIB) = null or convertToI(%Sinacofi_D10.campoCIC) = null or convertToI(%Sinacofi_D10.campoCID) = null or convertToI(%Sinacofi_D10.campoCHW) = null or convertToI(%Sinacofi_D10.campoCHY) = null) then { %Sinacofi_D10.var_error1:= Sinacofi_D10.InsertErrorTBL(%Sinacofi_D10.correlativoPrefijo, %Sinacofi_D10.CodigoError, %Sinacofi_D10.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM"-'DD hh':'mm':'ss") }; True </pre>
ValidationContainer2	<pre> if (%Sinacofi_D10.var_error1<>"") then { false } else True </pre>

Dependencies

Elements

Validation rules

var	/Sinacofi_D10/Extended Objects/campoCHW.var
var	/Sinacofi_D10/Extended Objects/campoCGT.var
var	/Sinacofi_D10/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_D10/Extended Objects/campoCGY.var
var	/Sinacofi_D10/Extended Objects/TipoArchivo.var
var	/Sinacofi_D10/Extended Objects/campoCIB.var
var	/Sinacofi_D10/Extended Objects/campoCGQ.var
var	/Sinacofi_D10/Extended Objects/campoCHY.var
var	/Sinacofi_D10/Extended Objects/campoCGV.var
var	/Sinacofi_D10/Extended Objects/NombreArchivo.var
var	/Sinacofi_D10/Extended Objects/campoPA1.var
fct	/Sinacofi_D10/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_D10/Extended Objects/indice3.var

var	/Sinacofi_D10/Extended Objects/campoCID.var
var	/Sinacofi_D10/Extended Objects/campoCGS.var
var	/Sinacofi_D10/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_D10/Extended Objects/indice.var
var	/Sinacofi_D10/Extended Objects/campoCGX.var
var	/Sinacofi_D10/Extended Objects/ValoresConcatenados.var
var	/Sinacofi_D10/Extended Objects/tipoDocumentoPrefijo.var
var	/Sinacofi_D10/Extended Objects/campoCIA.var
var	/Sinacofi_D10/Extended Objects/campoCGP.var
var	/Sinacofi_D10/Extended Objects/CamposConcatenados.var
fct	/Sinacofi_D10/Extended Objects/ValidarLargos.fct
var	/Sinacofi_D10/Extended Objects/campoCGZ.var
var	/Sinacofi_D10/Extended Objects/CodigoError.var
var	/Sinacofi_D10/Extended Objects/var_error1.var
var	/Sinacofi_D10/Extended Objects/indice2.var
var	/Sinacofi_D10/Extended Objects/campoCIC.var
var	/Sinacofi_D10/Extended Objects/subCampo34.var
var	/Sinacofi_D10/Extended Objects/CapturaCampoCar.var
fct	/Sinacofi_D10/Extended Objects/GetCodigoMSGbyMSG.fct
var	/Sinacofi_D10/Extended Objects/campoCGW.var
var	/Sinacofi_D10/Extended Objects/usuarioNAPrefijo.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway