
Description of the Business Document

This documentation contains file-specific information.

Attributes

Key word	Value
Name	/Sinacofi_D03/Business Documents/ArchivosMomentaneos/D03_CAR_Val.bdoc
Last modified	-0300
Label	
Business document type	Flat File
Parent delimiter	Fixed
Parent delimiter value	
Leaf element delimiter	Fixed
Leaf element delimiter value	
Open quote character	
Closed quote character	
Escape character	
Decimal character	
Encoding	iso8859
Trim	None
Truncate	FALSE
Pad reals with a leading and trailing zero	FALSE
Keep decimal separator character	TRUE
Keep decimal separator	TRUE
Keep + sign for positive real numbers	FALSE
Keep + sign for positive integer numbers	FALSE
Keep number of fractional digits	TRUE
Keep number of date characters	TRUE


Content

Elements

[Validation rules](#)

[Dependencies](#)


Flat File : D03_CAR_Val


UML Diagram																														
Name	<table><tr><th>Name</th><th>Cardinality</th><th>Class</th><th>Data type</th><th>Definition</th><th>Default value</th><th>Label</th><th>Delimiter</th><th>Delimiter value</th><th>Alternative delimiter value</th></tr><tr><td>Caratula</td><td>1-1</td><td></td><td></td><td></td><td></td><td>Root</td><td>Implicit</td><td></td><td></td></tr></table>	Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value	Caratula	1-1					Root	Implicit											
Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value																					
Caratula	1-1					Root	Implicit																							

Parent : Caratula

--	--

UML
Diagram





Cardinality

1

Name

Name	Cardinality	Class	Data type	Definition	Default value	Label	Delimiter	Delimiter value	Alternative delimiter value
ORG	0-1	S - String	string (len)	255			String	0x0a	
NMS	0-1	S - String	string (len)	255			String	0x0a	
IDU	0-1	S - String	string (len)	255			String	0x0a	
FGB	0-1	S - String	string (len)	255			String	0x0a	
HGB	0-1	S - String	string (len)	255			String	0x0a	
MSG	0-1	S - String	string (len)	255			String	0x0a	
PRI	0-1	S - String	string (len)	255			String	0x0a	
TID	0-1	S - String	string (len)	255			String	0x0a	
NSE	0-1	S - String	string (len)	255			String	0x0a	
FEN	0-1	S - String	string (len)	255			String	0x0a	
HEN	0-1	S - String	string (len)	255			String	0x0a	
G01	0-1	S - String	string (len)	255		Datos de Control de Transferencia	String	0x0a	
18	0-1	S - String	string (len)	255		Nombre y Telefono Responsables firmados	String	0x0a	
20	0-1	S - String	string (len)	255		Nuestra Referencia	String	0x0a	
34	0-1	S - String	string (len)	255		Fecha Validez Datos	String	0x0a	
PA1	0-1	S - String	string (len)	255		Numero de Registros Informados	String	0x0a	
AKA	0-1	S - String	string (len)	255			String	0x0a	
AKB	0-1	S - String	string (len)	255			String	0x0a	
AKC	0-1	S - String	string (len)	255			String	0x0a	
		S -	string						

	AKD	0-1	String	(len)	255			String	0x0a	
	79	0-1	S - String	string (len)	255		Observaciones	String	0x0a	
	FIN	0-1	S - String	string (len)	255			String	0x0a	

Validation rules

Elements

Dependencies

Name	Expression
InstanciarVariables	<pre>%Sinacofi_D03.indice:=index(getAttribute("B2BXGIReceive_Consumption %Sinacofi_D03.indice2:=index(getAttribute("B2BXGIReceive_Consumptio %Sinacofi_D03.indice3:= index(getAttribute("B2BXGIReceive_Consumpti %Sinacofi_D03.tipoDocumentoPrefijo:= getSubString(getAttribute("B2B %Sinacofi_D03.correlativoPrefijo:= getSubString(getAttribute("B2BXG %Sinacofi_D03.usuarioNAPrefijo:= getSubString(getAttribute("B2BXGIR %Sinacofi_D03.usuarioPrefijo:= getSubString(%Sinacofi_D03.usuarioNAP %Sinacofi_D03.NombreArchivo:= getSubString(getAttribute("B2BXGIRece %Sinacofi_D03.TipoArchivo:= "Caratula"; if (1=1) then True</pre>
ValidationCode46_V4	<pre>%Sinacofi_D03.CodigoError:= "046"; %Sinacofi_D03.CapturaCampoCar:= convertToI(getSubString(\Caratula\MS if(%Sinacofi_D03.CapturaCampoCar <> Sinacofi_D03.GetCodigoMSGbyMSG(% then { %Sinacofi_D03.var_error1:= Sinacofi_D03.InsertErrorTBL(%Sinacofi_D03.correlativoPrefijo, %Sinacofi_D03.CodigoError, %Sinacofi_D03.TipoArchivo, formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss") }; True</pre>
ValidationCode61_V14	<pre>%Sinacofi_D03.CodigoError:= "061"; if(getSubString(\Caratula\G01, length(trimStringRight(\Caratula\G01) or getSubString(\Caratula\!18!, length(trimStringRight(\Caratula\!18 or getSubString(\Caratula\!20!, length(trimStringRight(\Caratula\!20 or getSubString(\Caratula\!34!, length(trimStringRight(\Caratula\!34 or getSubString(\Caratula\PA1, length(trimStringRight(\Caratula\PA1) or getSubString(\Caratula\AKA, length(trimStringRight(\Caratula\AKA) or getSubString(\Caratula\AKB, length(trimStringRight(\Caratula\AKB) or getSubString(\Caratula\AKC, length(trimStringRight(\Caratula\AKC) or getSubString(\Caratula\AKD, length(trimStringRight(\Caratula\AKD) or getSubString(\Caratula\!79!, length(trimStringRight(\Caratula\!79) then { %Sinacofi_D03.var_error1:= Sinacofi_D03.InsertErrorTBL(%Sinacofi_D03.correlativoPrefijo, %Sinacofi_D03.CodigoError, %Sinacofi_D03.TipoArchivo, formatString(getDateAndTime(), "CCYY'-'MM'-'DD hh':'mm':'ss") }; True</pre>
	<pre>%Sinacofi_D03.CodigoError:= "060"; if(</pre>

ValidationCode60_V13	<pre> countString(\Caratula\G01 , "{") > 1 or countString(\Caratula\!18! , "{") > 1 or countString(\Caratula\!20! , "{") > 1 or countString(\Caratula\!34! , "{") > 1 or countString(\Caratula\PA1 , "{") > 1 or countString(\Caratula\AKA , "{") > 1 or countString(\Caratula\AKB , "{") > 1 or countString(\Caratula\AKC , "{") > 1 or countString(\Caratula\AKD , "{") > 1 or countString(\Caratula\!79! , "{") > 1) then { %Sinacofi_D03.var_error1:= Sinacofi_D03.InsertErrorTBL(%Sinacofi_D03.correlativoPrefijo, %Sinacofi_D03.CodigoError, %Sinacofi_D03.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
ValidationContainer1	<pre> if (%Sinacofi_D03.var_error1<>"") then { false } else True </pre>
ValidationCode51_V7	<pre> %Sinacofi_D03.CodigoError:= "051"; %Sinacofi_D03.CamposConcatenados:= trimString (getSubString(\Caratula\G01 , 1, 3)) & " " & trimString (getSubString(\Caratula\!18! , 1, 3)) & " " & trimString (getSubString(\Caratula\!20! , 1, 3)) & " " & trimString (getSubString(\Caratula\!34! , 1, 3)) & " " & trimString (getSubString(\Caratula\PA1 , 1, 3)) & " " & trimString (getSubString(\Caratula\AKA , 1, 3)) & " " & trimString (getSubString(\Caratula\AKB , 1, 3)) & " " & trimString (getSubString(\Caratula\AKC , 1, 3)) & " " & trimString (getSubString(\Caratula\AKD , 1, 3)) & " " & trimString (getSubString(\Caratula\!79! , 1, 3)); %Sinacofi_D03.ValoresConcatenados:=" " & trimStringRight (getSubString(\Caratula\G01 , 5, 255)) & trimStringRight (getSubString(\Caratula\!18! , 5, 255)) & trimStringRight (getSubString(\Caratula\!20! , 5, 255)) & trimStringRight (getSubString(\Caratula\!34! , 5, 255)) & trimStringRight (getSubString(\Caratula\PA1 , 5, 255)) & trimStringRight (getSubString(\Caratula\AKA , 5, 255)) & trimStringRight (getSubString(\Caratula\AKB , 5, 255)) & trimStringRight (getSubString(\Caratula\AKC , 5, 255)) & trimStringRight (getSubString(\Caratula\AKD , 5, 255)) & trimStringRight (getSubString(\Caratula\!79! , 5, 255)); if(Sinacofi_D03.ValidarLargos(convertToI(%Sinacofi_D03.CapturaCamp then { %Sinacofi_D03.var_error1:= Sinacofi_D03.InsertErrorTBL(%Sinacofi_D03.correlativoPrefijo, %Sinacofi_D03.CodigoError, %Sinacofi_D03.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
	<pre> %Sinacofi_D03.CodigoError:= "052"; %Sinacofi_D03.indice:= index(\Caratula\PA1 , "{"); %Sinacofi_D03.campoPA1:= getSubString(\Caratula\PA1 , 5, %Sinacofi %Sinacofi_D03.indice:= index(\Caratula\AKA , "{"); </pre>

ValidationCode52_V8	<pre> %Sinacofi_D03.campoAKA:= getSubString(\Caratula\AKA , 5, %Sinacofi %Sinacofi_D03.indice:= index(\Caratula\AKB , "}"); %Sinacofi_D03.campoAKB:= getSubString(\Caratula\AKB , 5, %Sinacofi %Sinacofi_D03.indice:= index(\Caratula\AKC , "}"); %Sinacofi_D03.campoAKC:= getSubString(\Caratula\AKC , 5, %Sinacofi %Sinacofi_D03.indice:= index(\Caratula\AKD , "}"); %Sinacofi_D03.campoAKD:= getSubString(\Caratula\AKD , 5, %Sinacofi if (convertToI(%Sinacofi_D03.campoPA1) = null or convertToI(%Sinacofi_D03.campoAKA) = null or convertToI(%Sinacofi_D03.campoAKB) = null or convertToI(%Sinacofi_D03.campoAKC) = null or convertToI(%Sinacofi_D03.campoAKD) = null) then { %Sinacofi_D03.var_error1:= Sinacofi_D03.InsertErrorTBL(%Sinacofi_D03.correlativoPrefijo, %Sinacofi_D03.CodigoError, %Sinacofi_D03.TipoArchivo, formatString(getDateAndTime(), "CCYY"-'MM'-'DD hh':'mm':'ss") }; True </pre>
ValidationContainer2	<pre> if (%Sinacofi_D03.var_error1<>"") then { false } else True </pre>

Dependencies

Elements

Validation rules

var	/Sinacofi_D03/Extended Objects/campoAKD.var
var	/Sinacofi_D03/Extended Objects/campoPA1.var
var	/Sinacofi_D03/Extended Objects/NombreArchivo.var
var	/Sinacofi_D03/Extended Objects/campoAKA.var
var	/Sinacofi_D03/Extended Objects/tipoDocumentoPrefijo.var
var	/Sinacofi_D03/Extended Objects/correlativoPrefijo.var
var	/Sinacofi_D03/Extended Objects/var_error1.var
var	/Sinacofi_D03/Extended Objects/campoAKC.var
var	/Sinacofi_D03/Extended Objects/indice3.var
fct	/Sinacofi_D03/Extended Objects/ValidarLargos.fct
var	/Sinacofi_D03/Extended Objects/TipoArchivo.var
var	/Sinacofi_D03/Extended Objects/CodigoError.var
fct	/Sinacofi_D03/Extended Objects/InsertErrorTBL.fct
var	/Sinacofi_D03/Extended Objects/usuarioPrefijo.var
var	/Sinacofi_D03/Extended Objects/usuarioNAPrefijo.var
var	/Sinacofi_D03/Extended Objects/indice.var
var	/Sinacofi_D03/Extended Objects/CapturaCampoCar.var
var	/Sinacofi_D03/Extended Objects/campoAKB.var
var	/Sinacofi_D03/Extended Objects/indice2.var
var	/Sinacofi_D03/Extended Objects/CamposConcatenados.var
fct	/Sinacofi_D03/Extended Objects/GetCodigoMSGbyMSG.fct
var	/Sinacofi_D03/Extended Objects/ValoresConcatenados.var

Creation Date: October 4, 2024

Generated with Mapping Services

Axway